

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62,69

LIBRARY RECEIVED 2 8 1950 Completenere Garden Guide for 1950




# KELLER'S Garden Annual

KELLER SEED STORE

208 E. Main St. • SHAWNEE, OKLA.






ly long thick spikes. performer that suits critical florist standards.


New Selections
for
YOUR GARDEN



DOUBLE SNAPDRAGON Lemonade. Clear primroseyellow with extra petals in the mouth of each floret.



MORNING GLORY—Blue Star. Beautiful. Dark blue star on delicate sky-blue trumpet.




SWEET PEA — The Margaret O'Brien. Distinctly different col-or. Radiant salmon-coral suf-fused with luminous orange

ASTER—Princess. Deep quilled "cushion" centers. 3" to 3½" blooms. Makes fine wilt-resistant cut flowers in new colors.



POPPY, Gartford-Pastel mixture. Long stemmed. Very rich.
A most unusual giant flowering



CALENDULA -- Orange Quills. Bright mid-orange flower. Unique form, Petals curl downward and meet underneath forming a quill.

LIMITED WARRANTY CLAUSE—Our Company warrants to the extent of the purchase price that seeds or bulbs sold are as described on the container within recognized tolerances. Seller gives no other or further Warranty, express or implied.

# This book is a Complete Guide To Better Gardens

Do you know exactly how much lettuce seed to plant for the number of feet of row you want?

- . . . or what kind of soil you need for cucumbers? And how to get it?
- . . . or what are the reasons behind inter-cropping, catch-cropping, and succession cropping?
- ... or the special fertilizer needs of dahlias?

In this "Garden Annual" you'll find the answers to hundreds of questions like these! Unlike most seed catalogs, this book devotes nearly half its space to the "How-when-where-why" of gardening.

You see, we want your garden to be a rousing success! We want you to get the most results with the least effort. We want your gardening to be fun.

So, in this book as in our store, we do everything possible to help the gardeners we serve

Our job as seedsmen, we believe, is to provide know-how, as well as merchandise. We provide it through our Spring Garden Annuals. We keep on providing it in our store, throughout the year!

## YEAR-ROUND!

We offer a complete, year-round, local garden service.

We offer only good, fresh seeds—packet or bulk.

We offer a complete supply service.

We offer cheerful, expert garden counsel.



## Just between us home folks-

As you've already noticed, this "Garden Annual" comes to you from a neighbor. Unlike most seed catalogs, it's a local affair. That's very important, we think.

For one thing, it means that this book tells about **local** gardening—and offers you seeds and garden materials **suited to your own** area and your own growing conditions. It means, also, that you don't have to send a thousand miles away to get what you want for your garden. You can get the very best, right here in your own neighborhood!

Another very important point—as you know, there are many flower and vegetable seed varieties which do well in some areas, but are uncertain in other parts of the country. So we always make sure the seed we offer is truly suitable for use hereabouts. Often we rule out very attractive varieties, because we want your garden to be successful, from start to finish!

Isn't it **just good sense**, then, to do your garden shopping here—where **your** needs are understood! Certainly it's easier—and safer!

PRICES: All prices in this catalog are subject to change without notice.

MAIL ORDERS: On mail orders, all packet seeds are sent postpaid. On all other items, add parcel post charges to your remittance.

## KELLER SEED STORE

SHAWNEE, OKLAHOMA



# How to Grow and Maintain a Beautiful, Rich, Green Lawn!

#### STARTING A NEW LAWN

**SOIL PREPARATION.** Spade or plow the area to a 6 or 8 inch depth. Pulverize the soil thoroughly. A heavy clay soil can be lightened by mixing with sand and humus. A light soil can be improved by adding a top dressing of heavier soil. For best results soil should be slightly heavy. If the soil is acid, scatter crushed limestone.

Peat moss or Terralite are invaluable additions to both light and heavy soils because they help retain soil moisture without allowing the water to be dissipated down below the root lines. Too, they keep soil particles loose and friable. Spade them into the soil or apply as a top dressing at least half an inch deep. In a heavy clay soil use one inch or more. A newly planted lawn needs a rich well balanced soil, because grass roots are heavy feeders. By feeding the soil the vital elements contained in plant food, such as nitrogen, phosphorous, potash, etc., you are headed toward a successful planting. We can recommend the best plant food for your local soil condition.

Mix the lawn food with a top dressing or rake and work it well into the soil. Because fresh manure usually contains weed seeds its use is not advisable for a new lawn.

SEEDING. The generally accepted rule for the amount of seed required is five pounds per thousand square feet. Skimping on seed in quality or quantity is costly in time and labor. A well sown lawn checks the immediate introduction and development of weeds. Too much seed retards growth. Choose a calm windless day for sowing. A more uniform distribution of seed is possible with a spreader, Whether sown by hand or spreader, however, sow in two directions, one at right angles to the other. This insures against leaving bare grassless areas.

Rake the seed into the soil lightly or brush it in by dragging some light flexible object over it such as a sack. The seed should be covered by an eighth of an inch of fine soil or new top dressing.

ROLLING. May be properly employed to press the soil firmly around the new seed. Use a light water ballast roller, empty to one third full. Remember the soil becomes compacted if rolled too heavily too often or when wet and sticky. For leveling your lawn whether new or old use top dressing, never a roller.

WATER with a fine spray so the seed bed will not be disturbed. If the normal moisture is enough to keep the lawn just slightly damp try not to water it again until the seed has germinated, but do not let it get dry at any time.

#### SPRING LAWN CARE

Fine lawns start with very early spring care. Here are some suggestions,

- 1. REMOVE all the winter accumulations of leaves and debris by raking.
- 2. APPLY PLANT FOOD as directed by the manufacturer. If grass has started apply when grass is dry, then soak the lawn to wash the plant food off the blades and into the soil.
- 3. **RE-SEED** thin and bare spots using about a pound to each 200 square feet. Pulverize the soil in bare spots, then cover the seed lightly.
- 4. **ROLL** the lawn with a lightweight roller when soil is dry enough to prevent compacting

Fall planting offers many advantages in lawn starting. If you plant in the spring, seed early—long before you begin work on your flower garden, for seedlings need a chance to grow sturdy before weeds germinate. Planting delayed until midsummer can be successful if diligently followed by ample watering and weeding.

#### SUMMER LAWN CARE

- 1. MOW frequently enough to keep grass from exceeding a 2½ inch height. Set the mower to cut about 1¼ inches high. Very close cutting scalps the rough spots and unless done extra-frequently injures the grass by sudden exposure to the sun after it has been shaded by dense growth. Short mower clippings left on the lawn are beneficial. They are harmful however if the quantity is so great the grass is smothered and new growth retarded.
- 2. WEED CONTROL with the many excellent and selective types now available assures weed elimination with the least effort and time. Get those weeds early before they seed or spread and your summer lawn care is considerably easier. Refer to our weed killer selection in the back of our Garden Annual.
- 3. WATERING is a point that depends much on your good judgment. If the turf is dry it is far wiser to soak limited areas to a six to eight inch depth on successive evenings than to sprinkle the whole lawn with a limited supply of moisture that will attract the dry grass roots up to the surface. Water sloping areas more liberally at the top to compensate for drainage losses.

#### **FALL LAWN CARE**

**FEEDING** the lawn with a balanced plant food and seeding the bare and thin spots will amply reward your effort the following spring with a sparkling, healthy new growth.

Fall Is A Good Time To Make a New Lawn. During the moderate fall weather, grass seed germinates quickly and makes vigorous growth. Also, few weeds germinate in the fall, thus permitting the lawn to flourish without interference.

# LAWN SEED

## A better lawn for your home? We can help you!

When a seedsman operates in only one area, he soon knows just about all there is to know about lawn-building in that area.

We've been at it for quite along time, hereabouts! So we can assure you that **we know what your lawn needs.** Whatever your lawn situation may be, it's a good idea to ask us about it!

#### **Unhulled Bermuda Grass**

Best for sunny exposure and summer lawns. Makes vigorous and persistent growth, lasts for years, stands long, hot summers well and grows well in any soil not too wet. Ideal for lawns, golf courses and athletic fields. Makes a tough, even turf without clumps and recovers quickly after cutting. For best results, sow when ground is thoroughly warm and moist.

#### **Hulled Bermuda**

Highest grade Bermuda. Removal of the hard, almost water-tight hull speeds germination. With proper moisture conditions, seed germinates in one to two weeks and develops rapidly into a beautiful green lawn.

#### Winter Rye Grass

The winter grass for all the south. Fast-growing annual grass with long, flat leaves. Stands close and frequent mowings. Scratch seed into Bermuda sod for green lawn until Bermuda comes out again in summer. Makes a delightful green lawn in sun or shade. Must be replanted each year.

#### **Kentucky Blue Grass**

Deep, vivid green. Very narrow leaf blades. Plants are slightly creeping. A fine lawn grass under proper conditions. However, we recommend it only where it has been proved.

#### **Carpet Grass**

Exceedingly hardy. Does better than any other grass in poor, sandy soil. The more mowing and trampling it gets the better it likes it. Good only in certain areas.

#### Red Top

Good for low, wet spots. Stands wet weather, and even overflowing, better than other grasses. Does well on any good, rich soil. Often thrives where Blue Grass fails.

#### White Dutch Clover

Although not a grass, White Clover is used extensively to supplement lawn grasses in mixtures. Succeeds best on moist ground or during a wet season.

#### Other Grasses

In addition to the lawn grasses listed here, we can supply just about any other variety you need. We carry a complete line of all grass varieties that can be grown successfully in this part of the country.

# LAWN SEED FROM A Home SEEDSMAN Who Knows the Lawn Needs of His Territory

When you see a really good lawn hereabouts, you're most likely looking at one that got its start in our store. We KNOW what kind of seed it takes to make a good lawn in this area—and that's the kind of seed we sell.

## Keller's QUALITY GRASS SEEDS

Weed-free, high germinating grasses for making new lawns or renewing old ones.

Your Guarantee of Rich, Velvety Turf.


## Keller's LAWN MIXTURES

Available for all types of soil. They are blended of fine, quick growing grasses.

Oklahoma's Oldest Seed House.


KELLER SEED STORE-SHAWNEE

# WHATEVER THE NEED!



#### **BRIGHT SUN**

Some sunny lawns require one type of seed; some need another. No single variety or mixture of varieties can take care of all situations. But whatever the need, we can supply the seed that is best suited.



#### DEEP SHADE

Wherever cool shade makes it difficult to obtain a good lawn, our special shade mixture is heartily recommended. We have chosen excellent quality, shade enduring grasses and clovers that will give you good results.



#### SPECIAL USES

We have just the right grass seed for every purpose. We can give you special deep-rooted grasses for the sloping lawn, the ideal grasses for planting on golf courses, parks, estates, cemeteries . . . or for just any other special use. Just tell us what you want.



From among all the thousands of available varieties, we have selected those which will produce the best quality and the greatest yields in the gardens of our territory. So we offer you this compact selection as a safe, sound base for your plans.

## VEGETABLES FOR FREEZING

The Symbols (fr) following the variety names indicates vegetables suitable for home freezing.

#### **ASPARAGUS**

A hardy perennial; will bear over 20-year period if properly cared for. We recommend purchase of ASPARA-GUS ROOTS rather than seeds, as roots produce crop 2 years earlier. If seed is used, sow thinly in drills in early Spring. Cover to 1/2" depth. Soak seed 24 hrs. before planting. Sow in loose, rich, moist soil after weather warms up. Thin to stand 6" apart. When a year old and in early spring transplant in well enriched beds in permanent position, 24" apart, in rows 20" apart. Set in hole so that crown is 8" below surface, but only cover tips with 3" of soil. As plants grow, fill in until level. Don't cut first year after setting.

Mary Washington (fr)—Thick, tall green spears with purple tops. Highly rust resistant. Rapid growing. Tender.

## BEANS Green Podded, Dwarf or Bush

Don't plant until the weather is warm and settled.

Sow beans in bottom of furrow, 3" to 4" deep and from  $2\frac{1}{2}$  to  $3\frac{1}{2}$  feet between rows, but do not fill in with more than  $1\frac{1}{2}$ " of soil over seeds. Press soil firmly over seeds, but do not pack hard. Thin to stand 4" to 6" apart in row. Bean seedlings are likely to be slowed up pushing through heavy soil. In such soils, cover seeds with mixture of half sand and half soil, or sand and peat

or any other loose, light material that will allow seedlings to break through easily.

Thin young plants to about 6" apart. Keep cultivated until plants blossom. (DO NOT CULTIVATE when blossoms are at prime or when plants are wet with dew. Keep vines picked to insure a larger bearing period.) Make plantings every two weeks for supplies throughout the season.

—Two scientific facts about beans will help produce better crops. First, being legumes, they should be incoulated with special legume culture listed in supply section. This enables plants to manufacture their own nitrogen from the air. Second, bud drop of the tiny flowers (even before they can be easily seen) cuts the early set of pods. By spraying with a fruit setting spray these buds are held on and the early crop increased by as much as 100 per cent.

**Black Valentine Stringless (fr)**—Hardy, early maturing, very productive. Pods, dark green, 6-6½ in. long, brittle, smooth, stringless. Seeds black. 49 days.

**Bountiful** (fr)—An early, heavy-yielding variety. The leading flat podded bean for market and home use. Flat, light-green, stringless, but slightly fibrous pods of finest quality. 47 days.

Stringless Green Pod (fr)—Large, sturdy plants. Meaty, round pods, brittle and strictly stringless at all stages. Medium green pods, oval, yellowish-brown seed. 54 days.

**Logan**—Plants vigorous and erect, resistant to common bean Mosaic and powdery mildew. Pods will set in hot weather, borne rather low; round, green stringless. 55 days.

Longreen (fr)—Large, sturdy, prolific plants. Long pods, nearly round when fully mature. A recent All-America selection, 52 days.

Tendergreen (fr)—Large, erect plants. Abundant, round, dark-green pods, strictly stringless and fleshy. 54 days. Tennessee Green Pod—Plant medium, dark green, spreading hardy, productive. Pods 6½" long, flat, broad, curved, medium green, depressed between seeds. Stringy, somewhat tough but of particularly good flavor. 50 days.

#### Wax Podded, Dwarf or Bush

Improved Golden Wax (fr)—Small, erect plants, moderately productive. Straight, thick, flat pods, creamy yellow and stringless. 51 days.

Sure Crop Stringless—Handsome, rich yellow pods. Sturdy, brittle. 6-6½ in. long. Strictly stringless. 53 days.

#### Beans, Pole

In warm ground, set poles 4' to 8' long slanting a bit to the north in rows 4' apart. (Extending north and south the poles will be 3' apart in the row.)

Anchor well as heavy beanvines blow over easily.

Plant 5 to 8 beans about 1" deep around each pole. When growth is sufficient thin to four plants.

Sometimes three poles set to form a tepee are used and several seeds planted around each tepee.

Caution: To avoid spreading plant diseases, do not cultivate or pick when plants are wet.

Genuine Cornfield (Striped Creaseback)
—Vigorous-growing, prolific. Pods round,
straight, light green: fleshy, tender, but
somewhat stringy. 71 days.

Kentucky Wonder (fr)—Strong climber, hardy, long-bearing. Curved, almost round pods. Slightly stringy, but brittle and fibreless. Meaty. 65 days.

McCaslan—Dry shelled or snap, good climber. Medium green thick, flat pods. Meaty, stringless and tender. 65 days.



# ALL VEGETABLE SEEDS 10c PER PACKET UNLESS OTHERWISE NOTED

Stringless Black Creaseback—Earliest and most prolific, stringless, greenpodded pole bean. Pods 5 inches long, round, slightly curved, borne in clusters. 58 days.

#### Lima, Dwarf or Bush

Plant in dry, warm ground. Make rows 2' apart and drop beans 6" apart in row. Plant Lima Beans with the eye down to assist quick germination. Cover with 1" of soil. Can also be planted in hills, 3' apart one way and 2' apart the other way. Use 4 to 6 beans per hill.

Baby Potato (fr)—1940 All-America. Small, thick-seeded butter bean with real flavor, early maturity and prolific growth. 12 to 16-in. tall.

Burpee's Improved Bush (fr)—Best of flat seeded bush limas. Pods contain four or five large beans of excellent quality. 75 days. Pkt. 15c.

Fordhook Bush (fr)—Straight pods with plump, large beans, excellent quality. Henderson's Bush (fr)—Known as Baby Lima or Butter Bean. Plants small, early and bushy. 65 days. Very productive.

Jackson Wonder (Speckled Bush)—Pods medium size with 4 to 5 thick, large beans. Drought resistant and prolific. Dry beans mottled in color. 66 days.

#### Lima, Pole

Follow same plan as for other pole beans but plant seed two weeks later.


Florida Butter Bean-Dependable, popular, prolific. 78 days.

King of the Garden (fr)-Flat, smooth pods with four or five white, large, flat beans. 88 days.

Sieva, Carolina or Small White-Plant 10 to 12-ft. tall, and bears over a long season. Medium green pods with 3 to 4 beans of excellent quality. 77 days.

#### **BEETS**

Deep, rich sandy loam produces finest beets. As soon as ground can be worked sow in drills 18" apart and press soil firmly over seed. Each "seed" is a fruit with several true seeds. No matter how thinly beets are sown, they will need thinning. Make three sowings, one early, one three weeks later and one 60 days before fall. When tops are 3" to 6" tall pull them and use for cooked greens. Continue this until roots stand 6" apart.



The beans illustrated here (to give you a comparison of sizes) are: 1-Improved Golden Wax; 2—Giant Stringless; 3—Tendergreen; 4—Bountiful; 5—Kentucky Wonder; 6—Henderson's Bush Lima, and 7-Fordhook Bush Lima.

Crosby's Egyptian (fr)—Widely grown for early beets. Flattened globe shaped roots with small tap root. Excellent quality, tender and sweet. 60 days.

Detroit Dark Red (fr)-Standard of excellence in table beets. Smooth, globular roots of deep ox-blood red-sweet and tender. 68 days.

Early Blood Turnip—Medium early. Tops medium, somewhat coarse. Bright red. 65 to 70 days.

Early Wonder—Early variety. Semiglobular, tender, blood-red. 58 days.

#### **BEETS, STOCK (Mangel** Wurzel)

Sow seeds in early fall and spring in rows  $2 \frac{1}{2}$  to 3' apart. Later thin to 10" apart.

Mammoth Long Red-Very popular, 30 to 50 tons per acre. Roots grow half above the ground. Light red, flesh white with rose tinge, 110 days

#### **SWISS CHARD**

Requires about same treatment as beets. Cultivate frequently. Leaves may be gathered during summer and fall. New ones will grow quickly.

Lucullus—Most popular Chard. Upright in growth, with yellowish-green curled, crumpled leaves. Thick, broad and light green stems. 50 to 60 days.

Rhubarb Chard — Heavily crumpled leaves, dark green with a translucent crimson stalk. Easily grown, everywhere. A different, tasty, delicious flavor -cook stalks and leaves together for a new taste thrill. 60 days.

#### BROCCOLI

Plant and cultivate like cabbage and cauliflower.

Italian Green Sprouting (fr)—Plant bears a succession of sprouting heads about 5-in. long, which, if kept cut, will be replaced by others for 8 to 10 weeks. 55 to 65 days.

# PLANT FOOD

#### FEEDING IMPROVES QUALITY AND YIELD!

By feeding their vegetables adequately, home gardeners can not only enjoy increased yields, and higher quality, but can reduce substantially the work involved in gardening. Expense of feeding plants remains practically at its prewar figure.

To apply, stretch the line to mark the row in which seeds are to be planted. Then not less than two inches away on either side, make a furrow four inches deep. Pour plant food into each furrow at the rate of one pound (or pint) for 50 feet, and cover it with earth. Then make the drill in which seed are to be sown and proceed with planting as usual.

The standard application of a balanced plant food for evenly distributed area coverage is 4 pounds per 100 square feet (a space 10x10 feet square). You may figure one pound per pint, so an area 10 by 10 ft. requires two quarts. One quart will feed 50 square feet and one pint 25 square feet.

#### **BRUSSELS SPROUTS**

Easy to grow wherever conditions are favorable for late cabbage, and requires same culture. As sprouts begin to form remove lower leaves so that all nourishment sent to lower stem will be forced into the sprouts. Do not use until after heads have matured.

**Long** Island Improved—Compact, uniform dwarf size plants. Cabbage-like sprouts  $1\frac{1}{4}$ " to  $1\frac{1}{2}$ " in diameter. One of the most dependable varieties. 90 days.

#### CABBAGE

Sow seed in drills 6" apart across the bed, dropping the seed 5 to 6 to the inch. Firm soil after covering, then water thoroughly. Keep beds moist but not soaking wet. Seed germinates 3 to 8 days depending on temperature. Transplant to open ground when plants have made fourth pair of leaves. Space 12" x 24". Use plenty of good commercial fertilizer. Cultivate frequently, every 5 or 6 days until cabbages are large.

#### FOR LATE CABBAGE

Direct-seed four months before crop is wanted. Or start plants indoors 30 days before needed, transplanting outdoors 90 days before frost. Don't water freely when heads are nearly filled, as this promotes splitting; irrigate only enough to keep plants growing well.

Charleston Wakefield — Pointed-head, large, hardy. Splendid first early cabbage for home use. Plants medium, vigorous, slightly spreading. Leaves rather large, smooth and thick. 71-75 days.


**Copenhagen Market**—Excellent, early short season type. Short stems, 6½-in., 3½ to 4-lb. heads. 65 to 70 days.

**Early Jersey Wakefield**—Pointed heads, small and firm. Earliest pointed variety. Plants compact. 62 days.

**Early Flat Dutch**—Good second early variety. Plants medium. Very vigorous. Large, flat solid heads 6-in. deep, 11 to 12-in. in diameter, 11 to 12-lb. 90 days.

Golden Acre—Extra early variety producing uniform well-balanced head. Weighs about 3 lbs. Excellent quality. 65 days.

Glory of Enkhuizen—Large heads, round, solid, gray-green outer leaves. Excellent quality, mid-season variety. Good shipper, for local markets and sauerkraut. 77 days.



Some carrots reach deeply into the soil for food and moisture while others widen themselves in the topsoil. Above are comparative sizes and shapes of carrots. (1) Chantenay; (2) Imperator; (3) Danvers Half Long; (4) Red Cored Chantenay; (5) Oxheart.

#### CHINESE CABBAGE

Must never be grown as a spring crop since it will only go to seed. Plant after June 15, as days are getting shorter, then it will head. An excellent succession crop to follow early peas.

Chihili or Improved Pekin—Dependable, early. Solid, tapered heads, 3 to 4-in, thick, 18 to 20-in, long, 75 days.

#### **CARROTS**

Use sandy loam enriched by manure the previous year, if possible; but any good land if deeply and well worked will produce a good crop. Sow seed as early as ground can be worked. Sow seed ½" to 1" deep in drills 16" to 18" apart. Press soil firmly above seed. When plants appear use cultivator or wheel hoe and thin from 2" to 6" apart, according to type. Keep cultivated.

Chantenay, Red Cored (fr)—Root has thick shoulder and tapers to slight stump root, 5-in. long. Red cored. 70 days

**Danvers Half Long**—Sweet, tender roots, 6 to 7-in. long tapering to a blunt point. Fine for storing. 75 days.

Improved Imperator (fr)—Fine-grained, tender. Rich orange, indistinct core.

Roots smooth, tapered to semi-blunt. 77 days.

Long Orange (Stock Carrot)—Large, strong tops, 11" roots taper to a point. Red-orange color. Flesh similar in color to exterior with core of lighter shade. 88 days.

Oxheart or Guerande—Excellent for shallow soil, easy to harvest. Chunky, tender and sweet. Bright orange. Keeps well. 72 to 75 days.


#### **CAULIFLOWER**

#### Packet, 25c

Needs rich soil and abundant watering. Cultivate same as cabbage but protect heads from sunlight to insure the prized white curd. This is done by gathering leaves together loosely as soon as heads begin forming, and tying them at the top.

**Early Snowball (fr)**—Best and most widely used early variety. Medium, firm compact heads of fine flavor. 6-7 inches in diameter. 55 days.

ALL PRICES IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE



#### PROPER GARDEN SPADING A REAL ART

When the soil can be crumbled in your hand it is dry enough to spade. Spading wet soil forms clods that are difficult to break up. Mould a ball of soil in your hand and pat it to make a mud pie. If the pie holds together the soil is too wet to spade.

If you are going to tackle a sizable job of spading, it's good strategy to work at it only an hour a day. Then you'll be done before you realize it and the job will not be so exhausting.

There's a trick to spading for best results. Drive the spade straight down. Dig a trench and lay the soil from the trench, aside at the end. Now spade with the

blade not parallel to the trench but at right angles to it. Lift it up and turn the spade over so that the top soil, humus and plant food which you have added are dropped underneath and into the trench you have spaded previously.

When the last row is dug, carry the soil removed from the first row to fill in the last trench. If the good soil is deep, spade to a depth of 8 to 12 inches. If the top soil is shallow, avoid digging up the subsoil. Pulverize the soil, breaking up clods with iron rake and removing stones or trash. Just before planting any area of the garden, work that part finely and smooth off with a rake before laying out the rows.

#### CELERY

Start in shaded hotbed 60 days before needed. Cover seed ½". Transplant when 6" high. In setting outdoors, don't get soil in or over crown. Set 7" to 12" apart. Soil must be rich, moist and loose. As soon as plants have grown to 14" to 15" tall, set 12" boards on both sides of row and hold in place with earth. Or 4" drain tile can be used to blanch individual stalks. Celery must have warm, settled weather: if chilled, plants are likely to go to seed. Keep soil well fertilized and moist. Crop matures in cool weather of autumn.

Golden Self Blanching, Dwarf—Compact plants, yellowish green foliage. Broad solid stalks, nutty flavor, Blanches readily. 120 days.

#### **COLLARDS**

Sow seed heavily and transplant when 4" high; or sow in rows in permanent beds and thin to 16" to 18" apart when plants are well started.

Cabbage Collards—Combines qualities of cabbage and collards, but finer flavored than either.

Southern or Georgia—An excellent cooked green. Long stemmmed plant, with clustered leaves. Withstands heat and bad soil. 24 to 36 days.


#### **SWEET CORN**

#### CORN, 15c PKT

For the home gardener, the simplest way to plant sweet corn is in rows or drills, not in hills. Plant on north side of garden or so late summer shade from your corn does not retard growth of other nearby vegetables. Space the rows 36" apart, and plant a seed about every 3". Thin stalks to stand 9" to 12" apart in row. The drill should be 3" to 4" deep, but don't cover seed with more than 1" of soil. The drill or furrow can be filled in as the plants grow to anchor them against the wind.

In hills, plant 4 to 6 grains per hill. Later thin to 2 to 3 stalks to a hill. Space several plantings at intervals of 14 days for continuous crop.

Removing suckers has been standard practice with practically all growers. Now, experiments prove that removing suckers merely takes away extra food-producing leaves and so hurts rather than helps growth. Also, suckering often disturbs roots



Most Sweet Corn is really sweet only if it is home grown. As soon as it's picked, the sugar begins to turn to starch, and six hours after it's picked, most of the sweetness is gone. Illustrated above showing comparative row and kernel characteristics are (1) Golden Bantam (2) Golden Cross Bantam (3) Country Gentleman.

enough to injure plant. Always plant corn in several short rows side by side rather than one long row. Corn is pollinated by wind and rows side-by-side mean that all the stalks can be reached by the pollen. Many home gardeners, on reading newspaper accounts of corn de-tasseling, assume that this is necessary to set ears. On the contrary, removing tassels may cut the crop seriously.

Detasseling is **only** done where hybrid corn is raised for seed purposes. The more pollen that flies, the better the set of kernels. So don't detassel sweet corn in the home garden. If weeds are under control, stop cultivating. If weeds are bad late in the season, work the soil as shallow as possible to avoid injuring surface feeder roots.

#### **Hybrids**

We offer Hybrid Sweet Corn varieties known as the best for your garden—the finest that can be procured anywhere. We list here only a few of these choice kinds. Whatever your needs or your preference, be sure we can supply you with the kind of corn you want. Talk it over with us.

Golden Cross Bantam (fr)—Extremely uniform. Ears 10 to 14 rows, slightly lighter yellow than Golden Bantam. Highly resistant to Stewart's disease. 85 days.

Ioana (fr)—1940 All-America. Ears 7½ to 8-in., well-filled with 12 or 14 rows of deep, medium narrow, light yellow kernels. Highly resistant to drought and bacteria wilt. 87 days.


#### **Open-Pollinated**

Country Gentleman or Shoe Peg (fr)—Prolific late variety. Favored by canners. Irregular kernels, very deep, sweet. 93 days.

Golden Bantam (fr)—The best and most favorably known of all the yellow varieties. Stalks often have 2 ears. Ears 8 rowed, kernels broad, with tender

Stowell's Evergreen—White. Large ears about 8" long. Big kernels. Very sweet. Good late variety. 93 days.

Continued on next page



#### SMART THINNING CAN INCREASE YIELD

There is no satisfactory way to avoid thinning. When too many come up, be thankful and consider the thinning out as an opportunity to select the best plants as the ones to survive.

For best results, thinning should be done gradually. In case of a crop which grows best when the plants stand four inches apart, do not at first thin it to one plant for each four inches.

It is foolish to discard all excess plants prematurely when accidents, insects or disease may destroy many which are left. If thinning is done by stages as the plants grow, they will finally stand at the optimum distance from each other, and there

will be small chance of vacant spaces in the row.

Lettuce plants, thinned to stand an inch apart, will soon reach a size when alternate plants can be removed to make a salad; and this process may be continued until the spacing is right for the remaining plants to mature.

Carrots may be thinned the first time when they are as thick as a pencil; and a dish of the thinnings will give those who have never eaten such tiny carrots before, a new idea of this vegetable.

Beets may be allowed to grow until about six inches tall, when their roots have just begun to swell,

## **SWEET CORN, Continued ROASTING EAR CORN**

Adams Improved or Large Early-Large-eared roasting variety, earlier than Trucker's Favorite, 12 to 14 rowed. Kernels white and tender when young. 70 to 73 days.

Trucker's Favorite—Extensively used for roasting ears and shipping. Ears 12 to 16 rowed. Kernels white, fairly tender, and moderately sweet. 70 to 75 days. Plant early or late.

#### CUCUMBER

Select soil fully exposed to sun and enrich thoroughly with fertilizer. Sandy soils with plenty of compost are best. Roots have difficulty on heavy soils. Plant 8 to 10 seeds in a "hill." Plant each hill about 36" apart. Cucumber vines like to stretch out, so plant rows about 4 feet apart. The old tale that melons or squash will cross pollinize with cucumbers and affect their taste if planted nearby is untrue. When vine is 6" long, thin to three strongest plants. Keep fruits picked to promote continuous fruiting. Use plenty of moisture: cucumbers are 90 per cent water.

A and C-A long dark green cucumber which merits a trial. Uniform, nearly cylindrical, well rounded at ends.

**Chicago Pickling**—Vigorous grower. **Fruits** medium dark green. 6" to 7" long when grown. Slightly tapering of even size. 58 days.

Early Fortune—Rich, dark green fruits with firm, crisp, pure white flesh. Grows to 9 by 2½-in. Ships well and is highly resistant to disease. 66 days.

Long Green Improved-Black spined, good pickling. Grows 10 to 15 in. long, 70 days.

Straight Eight—Unsurpassed as slicing cucumber. All-American Selection. 21/2lb. fruits, rounded at ends, medium green. 68 days.

White Spine Improved-One of the earliest and most prolific of the white spine cucumbers, Fruits 7" to 9" long, in diameter. Dark green. 60 days.

#### EGGPLANT

Requires continuous warm weather for best results. Seed should be started in a hotbed, as it is slow to germinate. Set plants in open ground when 2" tall and protect from hot sun when young. Be sure to keep young plants developing rapidly. Cultivate freely. To produce large fruits, remove lateral branches so as to reduce number of fruits per plant. Spray to protect from potato bugs.

**Black Beauty (fr)**—Large, egg-shaped, smooth, very dark purple fruits. Keep well. Plant bears 4 to 5 fruits. Early.

Florida High Bush-Plant upstanding, holding fruit off the ground. Fruits elongated tapering toward stems. Dark purple. Hardy variety, resistant to drought and root rot. 85 days.

#### ENDIVE

Strictly a cool-weather crop: gets bitter at temperatures much above 80 degrees. Even moderately warm weather causes the plants to produce seed stalks. Plant very early. For late fall, sow early in middle autumn. Use last planting as late fall salad crop, and store surplus in cold frame or cellar by digging each plant with ball of soil. Plant in shallow drills with rows spaced 18" apart. When 4 inches tall, thin out to stand 6 inches to a foot apart. To blanch, gather the outer leaves together and tie with soft twine or raffia. Do this when plant is nearly grown. Strings should be untied after a rain to permit leaves to dry and avoid rotting.

Full Heart or Escarole—A strongly bunched mass of thick, slightly crumpled leaves, well blanched heart. Upright growing plant about 12 inches in diameter. 71 days.


Green Curled Ruffec-Plants 16 to 18in. in diameter. Fine fall variety. White, tender, fleshy. 95 days.

#### HERBS

#### (Aromatic, Medicinal and Kitchen)

Every garden has a place for herbs, in the vegetable garden or for their ornamental appearance in the flower

Anise—An annual—used for garnishing, seasoning and for cordials. Seeds have an aromatic flavor. Plants 14". 75



#### HERBS

1. Chives 2. Dill 3. Fennel, Sweet 4. Sage 5. Sweet Basil 6. Thyme.

Basil—Sweet—Annual; Ht. 12" to 18". Leaves, green or dried, are chiefly used as a seasoning for soups, stews, etc. 85 days.

Borage—Annual; Ht. 12-18". Young tender leaves are used as salad and also used to flavor lemonade and other cooling drinks. 80 days.



#### TO SAVE SPACE, LET THEM CLIMB . . .

All cucumbers will climb if they are permitted to do so. In a small vegetable plot, cucumbers, tomatoes, peas, and beans can be grown on the fence.

When garden space is limited, wise home gardeners will exploit the air rights of their holding, and grow those vegetable crops that like to climb.

Cucumbers are among these, and any cucumber will be happy climbing a fence, whether it is called a climber or not. Even those with the largest fruits so heavy you might think they would need support, seldom do.

Careful tests have shown that on a given ground area more tomatoes can be grown on plants pruned to a single stem and tied to a stake or fence, than in any other way. They ripen earlier, too, and in many ways this method is best for the small vegetable garden.

Keeping tomato plants pruned and tied needs constant attention. At the joint where each leaf grows on the main stem, a branch will develop, and this must be cut or pinched off before it is four inches long, otherwise its removal may weaken the plant.

Varieties of normal vine growth are the only kind that should be staked and pruned.

# ALL VEGETABLE SEEDS 10c PER PACKET UNLESS OTHERWISE NOTED

#### **HERBS**, Continued

Caraway—Biennial; Ht. 18-24". Seeds used for flavoring. Young leaves and shoots used for flavoring salads. 70

Coriander—Annual; Ht. 24-30". Seeds used for flavoring and in candy and to mask taste of medicine. 75 days.

Chives-Perennial; Ht. 6". Tops, finely chopped for adding mild onion flavor to soups, stews, salads, etc. 80 days.

Dill—Annual; 2' to 3'. Seeds and leaves used for flavoring—especially for dill pickles. 70 days.

Fennel, Sweet—Biennial; Ht. 2' to 4'. Leaves are used for garnishing, fresh stems tender, eaten raw like celery or in salads. Seeds used for flavoring. 60 days.

Margoram, Sweet—Annual: Ht. 1' to 2' Used for seasoning either fresh or dried. 70 days.

Rosemary—Perennial used as annual-2' to 4'. Fragrant odor and warm, pungent taste, acceptable seasoning.

Sage—Perennial; Ht. 14" to 16". Used for seasoning either fresh or dried. 75

Thyme—Perennial; Ht. 8" to 12". Aromatic foliage used as seasoning. 85 days.

#### KALE OR BORECOLE


Early fall or spring sowing. Either in rows or broadcast. To produce large plants have rows 2' apart and thin to 2' in rows. Leaves are best after coming of cool weather in fall.

Dwarf Siberian—Hard and productive. Bluish green foliage. Leaves large and spreading. 65 days.

#### KOHLRABI

Sow seed in early spring or fall and when well established thin to 6" apart in the row. Even better to start it in beds and transplant same as cabbage. Planting at intervals of 10 days gives tender bulbs until hot weather. Must be used when young. Woody when old.

White Vienna Early (fr)-8 to 10-in. leaves on slender stems. Bulbs 2 to 3-in., globular light green. Crisp, tender, clear white flesh. 55 to 60 days.



The kind of lettuce you can grow at home—really crisp, fresh lettuce is the kind every master chef sighs for. Three types of lettuce are shown above, (1) Black Seeded Simpson; (2) Iceberg; (3) Cos.

#### **LETTUCE**

Keep lettuce growing rapidly for best results. A light, rich soil needed for this. Earliest varieties must be started from seed in cold-frame. As soon as open ground can be worked, transplant. For later use, sow seed in open ground as soon as weather is favorable. Thin plants in rows 4" to 8" depending on variety.

Remember that lettuce is a fast-growing, rich feeding crop. Give it plenty of water. And use your compost or well-rotted manure liberally on the lettuce row. A light sprinkling of nitrate of soda will pay, too, because lettuce thrives on lots of nitrogen.

#### **Heading or Cabbage**

Big Boston or Mammoth Boston-Popular for cold frame forcing and outside culture. Medium, compact heads with creamy yellow heart. Smooth, glossy

**ALL PRICES** IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE

leaves, edges wavy, and slightly tinged with reddish brown. 75 days.

Great Lakes—All-America award. An outstanding new Iceberg or Crisp-head type. A summer lettuce that stands heat well and is very resistant to tip burn. Heads medium size, solid, crisp.

Iceberg-Late, large variety. Compact heads, crumpled, crisp and sweet. Leaves light green, slightly brown on edges. 85 days.


Imperial No. 847 (Florida Iceberg)-Heads are of good size and solid. Does well in hot weather, and is resistant to tip burn. Very hardy. 83 days.

**New York**—Long distance shipper. Large curled heading lettuce. Dark green. Curled edge leaves. blanched heads. Sweet, tender. 80 days. White Paris Cos or Trianon-Medium large self-folding, dark green loaf shaped heads. Greenish-white, well blanched interior. 66 days.

#### **Loose Leaf Varieties**

Black Seeded Simpson-Light green, frilled and crumpled. 45 days.

Oak Leaf—The most popular leaf lettuce for home gardens. Rich, dark green leaves, tender and delicious. Outstanding resistance to hot weather.



#### HUMUS A MUST FOR SOIL CONDITIONING

In the proper preparation of garden and lawn soil for planting, humus in most cases should be added. Without humus, soil is as lifeless and inert as sand. Humus consists of decomposed plant and animal matter microscopic and larger. Peat Moss is a humus, a many years accumulation of decayed water plants and organisms from bogs or ponds.

The addition of peat moss to soil accomplishes a four fold objective: (1) it supplies the plants with many elements essential to growth; (2) blotter-like in quality it absorbs and retains moisture in the topsoil where it is most needed; (3) the soil texture is improved by making it looserallowing plant roots greater freedom in their reach for food and moisture; (4) creates an environment suitable for bacteria

and other microscopic life to break up the complex soil chemicals in simpler forms more easily absorbed by the plant.

A very recent scientific addition is Vermiculite. Vermiculite, also known as Terra-Lite, is the new mineral which likewise performs many of the functions of peat moss. Its freedom from weed seeds and exceptional ability to retain moisture makes it well worth your consideration for soil conditioning.

The type and amount of humus to use and methods of application ARE STRICTLY A LOCAL PROBLEM TO MEET LOCAL SOIL CONDITIONS. Another sound reason why your local seedsman KNOWS BEST. See our Supply Section in the back of this book.

# ALL VEGETABLE SEEDS 10c PER PACKET UNLESS OTHERWISE NOTED

#### MANGEL WURZEL (See Beets, Stock) MELONS

Muskmeion and Cantaloupe

Easily injured by cool weather. Before planting, spade liberal forkful of well rotted manure into each hill. Plant 8 to 10 seeds to a hill. Thin plants to four per hill after third leaf develops, and train vines in different directions. On moist ground, use shingles to hold melons off ground to prevent rotting. If grown in cool weather or where nights are cold, will not bear well and melons will have poor flavor.

Banana—Fruits smooth and slender, 20 inches long and 4 inches thick, resembling a banana. Flesh salmon color, with banana-like flavor. 90 days.

Hale's Best-Flesh thick, deep salmonpink, sweet and tasty. Heavily netted rind, with faint stripe. Small seed cavity. Outstanding variety, resistant to powdery mildew. 4 lbs. 86 days.

Hearts of Gold or Improved Hoodoo-Nearly round 2-lb. fruit, distinctly ribbed, deep green with fine grey netting. Thick, deep salmon flesh, tender sweet. 94 days.

Honey Dew-The well-known greenfleshed melon for warm climates. Smooth, ivory colored skin. Flesh is sweet and juicy. 112 days.

Rocky Ford, Golden Lined-Fruits small, with rather large seed cavity. Nearly round, weight 2½ lbs. No ribs. Heavily covered with hard grey netting. Flesh thick, green with gold tinge at center. Very juicy and spicy. Excellent quality. 92 days.

Texas Resistant Number 1-New mildew and aphid resistant melon. Rich salmon-colored firm flesh, sweet and slightly musky-flavored. Small seed cavity, with few compact seeds. Moderate netting, firm rind.  $4\frac{1}{2}$  to  $5\frac{1}{2}$  in. diameter. Very prolific.

#### WATERMELON

Requires about same culture as muskmelon, except the vines need more room. Fertilize each hill liberally and cultivate thoroughly.

Cletex-Dark green, irregular mottling on lighter green background. Flesh red and sweet. Large size, cylindrical shape. 90 days.

Dixie Queen-Very prolific. Bright red, crisp, splendid quality fibreless flesh. Very few small, white seeds. 85 days.

Florida Giant or Black Diamond-A huge melon, growing sometimes to weight of 100 lbs. Oval-round with blunt ends, it has dark green skin and thick, tough rind. Flesh is of excellent quality, firm and red. 90 days.

Irish Gray—A very good shipper. Hardy and productive. Fruits large, smooth, creamy-white tinged with green. Rind tough and hard. Firm, bright red flesh, 95 days.

Kleckley's Sweet or Wondermelon-Large, cylindrical, dark bluish-green, with thin, tender rind. Bright red, juicy, sweet flesh, creamy-white seeds with traces of brown. 85 days.

Stone Mountain—Also called Dixie Belle. High quality shipping variety. Fruits very large, oval-round, blunt ends. Dark green, tough rind. Flesh rich scarlet, fine grained, sweet. Seed white with black tips. 90 days.

Tom Watson-Red heart strain. Large fruit, uniform cylindrical, with tough, elastic rind, faintly veined. 90 days.

#### MUSTARD

Sow as early as possible in the spring. Keep rows 6" to 12" apart and cover with soil ½" deep. You may also sow seed in autumn to raise greens and for salads.

Chinese Broadleaf—Large oblong, slightly crumpled leaves, scalloped at edges. Medium green, vigorous plants. 45 days.

Florida Broad Leaf-Vigorous, upright plants. Leaves large, broad and deep green; quick grower, 43 days.

Mustard Spinach or Tendergreen-Wholesome, quick-growing green, combining mustard and spinach flavors, 28

Southern Giant Curled-Large, frilled and crumpled. Light green leaves. 35

#### OKRA OR GUMBO

Sow in rows about 3' apart. Cover seeds with about 1" of fine soil firmly pressed down. Thin plants 18" to 24" apart when they reach 3"

growth. Do not plant until ground is warm, as this is a tender, hot weather plant. Pick before woody fibers develop.

Clemson Spineless-All-American Silver Medal Award. Pods are rich green, straight, uniform ridged and of best quality. 56 days.

Dwarf Green-Early, prolific dwarf growing sort. Dark green fluted, 5 to 7-in. pointed pods. Most desirable, compact growing okra. 50 days.

Perkin's Mammoth Long Pod-Early and prolific. Very tender, long pods. Deep green and slightly corrugated. 68 days. White Velvet—Early and prolific. Pods pale greenish-white, 6 to 7-in. long. Meaty, tender, Strong, tall-growing, 31/2 feet in height. 62 days.

#### ONIONS

Plant as soon as soil can be prepared. For best yield, plant on very fertile land—fall plowed, and thoroughly fertilized. When plants are a few inches tall, thin to prevent crowding —using the plants removed as green onions. Leave 4" apart for globetypes and 6" for the big Spanish types to mature for dry onions. Latter can also be started indoors for largest bulbs and can be set out 6" apart after frost danger has passed. All onions need liberal feeding and watering. Those left to become fully ripe can be stored for winter. Cultivate and hand weed every 2 weeks during summer.

#### **Yellow Varieties**

Prizetaker-Large, globe shaped, with glossy, thin straw-colored skin. Coarse, mild flesh. Sometimes weigh as much as 4 lbs. each, 102 to 104 days.

Yellow Sweet Spanish—Large, globeshaped, exceptionally mild and sweetexcellent for eating raw or boiled. Light yellow skin and pure white, firm, crisp, and tasty flesh. 112 days.

Yellow Bermuda-Very early, medium sized, flat. Thin loose skin. Flesh nearly white, mild and sweet. The most widely grown Bermuda Onion. 92-94 days.

Yellow Globe Danvers—An oval shaped straw-colored onion. White flesh, crisp and mild. Splendid keeper. 110 days.

Continued on page 14



Hills are "holes" on points, and distinguished from drills, which are rows. Plants sown in hills are usually either wines, or large bushes, which need so much room in the row they cannot be sown in drills. For example, cucumbers, melons, squash, sweet corn, bush squash and tomatoes.

The procedure is to stretch a line, just as you would for a seed drill, and along this mark the location of the hills at the proper intervals

Scoop out a shallow depression and mix with the soil at its bottom a quantity of plant food, which may vary from a tablespoonful to a pint. The latter heavy dose is recommended by southern watermelon experts, for hills in which this crop is

sown. Mix the plant food thoroughly and cover it with fresh soil, almost filling the hole; then sow the seed and cover with light soil, which can be depended upon not to form a crust before the seeds have sprouted.

When the seeds sprout they should be thinned out to the required number of plants. For those that grow in bush form, one plant to a hill is all that should be grown. Sweet corn is sometimes grown three plants to a hill; and vine crops the same. Thinning should be gradual, at first enough to insure each infant plant a chance to grow without interference from neighbors. Then as the plants become established the weakest should be eliminated until only the desired number remain.



# How? When? HOME GARDENING GUIDE Where? Why?

#### DOWN-TO-EARTH ANSWERS TO EVERY-DAY QUESTIONS

The Home Gardening Guide sections of this and following pages of our Garden Annual tells, in as few words as possible, what every gardener should know. It is planned to be of informative value to you the whole gardening season, not as a mere garden starter. Here you will also find practical every day facts you'll want as a foundation for successful gardening.

All the data in the Home Gardening Guide sections is necessary information for the gardener of limited experience. We urge all such gardeners to study and follow the suggestions offered here.

The good seed we sell you will yield results in direct ratio to your observance of these notes. Much of what we say is, of course, already known by the old timers. But some of our facts are necessary reference material for all gardeners.

If you still have questions unanswered after reading this book, come in and let's talk them over. Take advantage of our wealth of experience . . . it's yours for the asking.

#### 8 Fundamentals of Planning

No one can fully plan your garden for you, because garden planning is a highly personal, individual matter. Give your own ideas and desires plenty of play-and you'll enjoy your garden more.

There are certain absolutely basic facts that apply to all home garden planning. 1-Plan to use your garden full time. To do this you'll need catch crops, intercrops (also called companion crops) and succession crops. Catch crops are early vegetables, like spinach, that you grow very early before a crop like late cabbage is set out. Intercrops are planted between the rows of larger vegetables, like head lettuce between rows of broccoli. Succession crops are catch crops in reverse-they follow early crops. For instance, Chinese cabbage will mature fine heads if planted after an early crop of peas has been taken.

2-Divide the garden into three sections if possible, (1) Root vegetables, (2) Leaf vegetables, and (3) Fruit vegetables. switching these three groups every year you avoid many soil-borne diseases and insects and get better use of fertilizers. This isn't absolutely necessary, but it is one of those details that the smart gardener watches.

3—On level ground, you can run either east and west or north and south. If eastand-west layout is used, be sure to plant taller vegetables to the north. On sloping ground, the rows must run across the slope, not up and down. Otherwise all your plant food and much of your topsoil will go down the hill when it rains.


4—Plan to grow enough vegetables for storing and canning. Remember that correct storage begins with planting so provide for this when planning your garden and ordering seed.

5—In smaller gardens, don't plant spacewasting crops like Potatoes, Pumpkins, Sweet Corn and Vine Squash, On the farm these can be grown with the field crops, saving the more highly cultivated garden space for the more productive vegetables that need closer attention. Many gardeners report that Zucchini and other bush squashes gave better results than Eggplant and satisfied many of the requirements for vining Squashes.

6-Include perennial vegetables when possible. Rhubarb, Asparagus, Horse Radish and Perennial Onions can be grown on one side of the garden where they won't interfere with plowing or cultivating. Small fruits should be included whenever space will permit, since the quality of homegrown berries is far better than any you can buv

7-Avoid growing vegetables your family doesn't like and won't eat, but be sure to include plenty of those they do like. If they're fond of beans, for instance, don't be satisfied with a single large planting, but make several smaller plantings at two weeks intervals.

8—Study the chart on page 22. This will tell how far apart rows should be, how long each crop takes to mature, and how much space you will need to provide the vegetables your family likes. After you have taken into consideration the crops you want to grow, make a rough sketch showing the location of each crop, with catch crops, intercrops, succession crops



#### ONIONS, Continued White Varieties

Crystal Wax Bermuda—Sometimes called White Bermuda. Bulbs flat, mediumsized, clear white. 92 to 94 days.

White Portugal or Silverskin-Excellent flat variety. Dependable cropper, excellent for sets, for green bunching, or as a pickler. 100 to 102 days.

#### **Red Varieties**

Red Wethersfield-Bulbs medium large, flat on the bottom, sloping top. Purplish red. Fine grained, firm flesh, white slightly flushed with pink. Strong flavor. 100 days.

#### **ONION SETS**

Onion sets used instead of seeds will produce earlier crops of green onions or large bulbs. Plant sets right side up and cover with garden rake; then firm the soil well over the sets.

The quickest way to get onions early. We offer choice, select, dry sets, of the highest quality. (Prices on application.)

#### ONION PLANTS

Sturdy, hardy plants that come to you all ready to set out. Ask for prices.

#### PARSLEY

Does best in rich, mellow loam. Seed is slow to germinate, and is helped by soaking in warm water overnight before planting. Sow early and not too deeply. Space plants 6" apart. When curled varieties are about 3" tall, cut off leaves. The new growth will be brighter and curlier.


Moss Curled or Triple Curled-Compact, dark green leaves, curled and finecut. 70 days.

#### PARSNIP

Needs rich, mellow soil for best growth. Must be planted as early as ground can be worked. Soil must be loose to a depth of 12" and cannot be heavy. Rows shoulld be 15" to 18" apart. Cover seed  $\frac{1}{2}$ " and press down soil. Thin out to 4" when plants have made a good start. Cold weather turns starches into sugar and improves flavor. Roots are hardy: leave in ground over winter if desired.

Hollow Crown (fr)—The most generally grown kind. Roots 21/2 to 3-in, thick at shoulder. 12 to 14-in. long, uniformly tapered, hollow crowned. 95 days.

Early peas need a light, warm soil; but general crop thrives best in moderately heavy soil. (Avoid fresh manure and very rich or wet, mucky soil as this produces large growth of vine at the cost of quality of the peas.) Plant seed in rows at 2" depth.



Peas, a comparison of shapes and sizes: (1) Laxtons Progress; (2) Little Marvel;

- (3) Alderman or Dark Podded Telephone;
- (4) Mammoth Melting Sugar.

Keep rows 21" to 28" apart for dwarf varieties and 28" to 42" for the taller types. Gather crop as fast as it is fit to use or new pods will cease to form and those partly advanced will cease growth.

Plant variety Alaska as soon as ground can be dug. Plant wrinkled varieties (which have better flavor) when narcissus buds show color or when crocuses are in bloom. Peas are not satisfactory when weather turns hot. Tall varieties must be staked. Most home gardeners prefer dwarf varieties like Little Marvel. Peas want well-limed soil. Don't forget, inoculation improves production.

#### **Early and Second Variety**

Alaska-Wilt resistant. Used for canning and early home garden. Blunt, straight, light-green, 3-in. pods. Plants 32-in. 60 days.

Hundredfold or Laxtonian-Exceptionally choice and prolific. Dark green, rather coarse vines, producing straight pointed, well-filled  $2\frac{1}{2}$ -in. pods. 62 days.

Laxton's Progress (fr)—Medium dark green vine, 16 to 18-in. Single pods almost an inch wide and 4½ to 5-in. long, with 7 to 9 large peas. 62 days.

Little Marvel (fr)—Outstanding, dwarf. Fine quality, large yield. Single and double, dark green, 3-in. pods—blunt, plump, well filled with 7 to 8 medium sized, light green tender peas. 62 days.

Thomas Laxton (fr)—Medium height. Strong vine bears numerous dark green. blunt ended pods, 4 to 41/2-in. Retains flavor and sweetness. One of earliest. 57 days.

#### Later Varieties

Alderman or Dark-Podded Telephone (fr)—Large podded variety of the Telephone family. Excellent for home gardens, truckers, shipping to distant markets and for freezing; resistant to Fusarium wilt. Vine dark green, coarse. Pods single, very broad, plump, straight, dark green, pointed; contains 8 to 10 peas of highest quality. Seed large, wrinkled, light green. 74 days.

Everbearing-Long season, wilt resistant marrowy peas. Pods plump, blunt, straight, 32-in. vine. 76 days.



#### WHEN PLANTING PEAS REMEMBER . . .

Since only the seed of garden peas are used, the food yield is small compared to the space they take.

The first sowing of peas should be made early as possible, having in mind that the finer varieties, which have wrinkled seed, may decay if the soil remains cold and damp too long after they are sown. Smooth seeded peas will not decay so easily, but they are not of as high quality as the wrinkled kinds.

When spring comes late and summer follows quickly, only one crop of peas is likely to be successful. In new gardens, or old ones where peas have not been grown before, the seed will grow better if inoculated with a bacterial culture which can be obtained for that purpose.

Plant food should be applied at the rate of 4 pounds to 100 feet of row, either mixed well with the soil before sowing, or spread in trenches on either side of the row, a little deeper than the seed are sown.

Where weather conditions are favorable to peas, it is possible to grow them in twin rows six inches apart; in the space between the rows the weeds are pulled, but the soil is not cultivated. In less favorable sections however, single rows, regularly cultivated, will be found more dependable.

# ALL VEGETABLE SEEDS 10c PER PACKET UNLESS OTHERWISE NOTED

#### PEPPERS

Need long growing season: start indoors 8 weeks before plants are wanted. Set plants 15" x 24" and feed liberally for bigger fruits.

Warm, mellow soil in sheltered location is best. Cultivate regularly, drawing soil up around stems. When plants are 7" to 8" tall, hoe in light dressing of commercial fertilizer. Do not plant hot peppers near sweet; they are apt to cross.

#### Sweet

California Wonder Improved-Number one quality peppers, about 4-in. long and  $3\frac{1}{2}$ -in. diameter, very smooth, 3and 4 lobed, glossy green, turning bright crimson when ripe. Remarkably thick walls, tender, sweet. 75 days.

**Large Bell or Bull Nose**—Very prolific, Fruits 3" to 3½" long and 3" thick. Broad end almost Square. Flesh thick and sweet with mildly pungent ribs. Deep green when young and bright crimson when ripe. 60 days.

Pimento or Perfection-Best of the medium sized sweet peppers. Excellent for stuffing. Smooth, heart-shaped, about 3-in. long. 125 days.

World Beater-One of the best large peppers. Glossy-green, changes to bright red. Mild, very sweet, thick flesh. 75 days.


Long Red Cayenne—The hot favorite. For canning, pickling, drying. Pungent flavored fruit, tapering and twisted. 70

#### PUMPKIN

Plant in middle of spring among corn; or in hills 8' apart each way. Drop 4 seeds to a hill. If planted in hills, cultivate the same as melons and cucumbers. For winter use gather before frost (leave stem 3" to long) and store in warm, dry place.

Kentucky Field or Large Cheese-Dull orange, large ribbed fruit. Coarse, deep yellow flesh, good flavor. 120 days.

King of the Mammoth-Largest of all pumpkins. Valuable for stock feeding and exhibition. Globular, slightly ribbed, flattened, weigh 60 to 90-lb. Flesh solid, yellow-orange, coarse, but good quality. 120 days.



Fresh tempting crisp radishes! Usually the first food your garden yields, plant a variety and sow them intermittently at 10 day intervals for season-long enjoyment. In our illustration above is a comparison of varieties: (1) Chinese Rose Winter; (2) Long Black Spanish; (3) White Icicle; (4) Crimson Giant; (5) Early Scarlet Globe, and (6) French Breakfast.

Small Sugar or New England Pie-Desirable for pie or general use. Round, flat end fruit, deep orange. Thick, yellow-orange flesh. 118 days.

Striped Cushaw-For stock feed. Crooknecked, 11-lb., white and green striped, thick, coarse yellow meat. 112 days.

#### RADISH

Soil should be light, quick and rich to insure rapid growth. Slow growth makes the flavor too strong. Sow as early as ground can be worked, as radishes are very hardy. Make successive sowings up to hot weather. When in the third leaf, thin to give roots plenty of room. Pull promptly when mature. The secret of crisp, delicious radishes is quick growth, prompt picking.

Crimson Giant-Large round, 1 to 11/2in. Deep crimson roots. Very crisp and tender for its size, 28 days.

Early Scarlet Globe-Globular, slightly elongated, bright scarlet. 24 days.

Early Scarlet Turnip, White Tipped -Carmine red with white tip. Flesh white, crisp and mild, 26 days.

French Breakfast—Roots thicker toward bottom.  $1\frac{1}{2}$ -in. long by  $\frac{1}{2}$  to  $\frac{3}{4}$ -in. Dull scarlet, white tipped. 25 days.

Long Scarlet - Long, straight, smooth.

4 to 5-in. long and 3/4-in. thick at shoulder. Grows partly above ground. 30 days.

White Icicle—Tapering roots 5 to 51/2in., very white, mild flesh. 27 days.

#### Fall and Winter Varieties

Chinese Rose Winter or Scarlet China-Popular, very distinct winter sort. Good for late salads. Cylindrical blunt, smooth, bright rose-red. Flesh white, very firm and pungent. 52 days.


#### RUTABAGA (See Turnip)

#### SALSIFY

Light, rich soil best and it must be stirred to a considerable depth. Sow in rows 18" apart. Cover seeds firmly with  $\frac{1}{2}$ " of fine soil and thin plants later to 2" to 3" apart in the row. Cultivate the same as carrots.

Mammoth Sandwich Island - A palatable and nutritious vegetable when cooked. Flavor is remarkably similar to oysters. 120 days.

ALL PRICES IN THIS CATALOG ARE SUBJECT TO CHANGE WITHOUT NOTICE



#### PLANNING ON PAPER, SAVES TIME AND LABOR

That old remark, "To save headaches later, plan it on paper!" isn't a very good rhyme, but it's extra good sense. Once you've tried it, you'll never again plant without a carefully drawn plan!

The best procedure is to start with a very rough sketch. Try all your ideas and combinations during this rough sketch stage. Then, when you've got what you want, convert your rough sketch into a final plan, drawn to scale. A scale of one-quarter of an inch representing one foot works

very well, because by using 1/16 of an inch as three inches, almost any standard spacing of the rows can be shown in exact scale. Save this plan from year to year so you can remember where each crop was. This will enable you to rotate root crops, leaf crops and fruit crops.

With the plan complete, you are now ready to order your fertilizer, seeds, tools and insecticides. It is to your advantage to do this as early as you can. Late in the season many desirable varieties may be sold out.

# How? When? HOME GARDENING GUIDE Where? Why?

#### 5 Facts on Site and Soil

Even though you may not have any freedom of choice for the location of your garden, there is still much that you can do to make the most of your site and soil. 1-Locate the garden in an open spot that receives at least six hours of direct sunlight each day, away from the roots of trees that might rob the soil of moisture and fertility.

2-A rich sandy loam is the best garden soil, but if you have either heavy clay or light sand, the same materials will improve both—decayed vegetable matter old rotted manure, peat moss, commercial humus or well-rotted leaves.

3-Don't apply lime unless it is really needed. Usually a soil that will grow good beets is all right. If beets do poorly and grow irregularly, you can add about 50 lbs. of hydrated lime or 100 lbs. of ground limestone to each 1,000 square feet of garden. If you have a pH tester, most flowers and vegetables will do well in a soil between 6.0 and 7.0.

4-Do supply plant food. Before digging or plowing the garden, apply 4 lbs. of balanced fertilizer over every 100 sq. ft. of garden. Divide fertilizer into two lots, sowing one with the wind and the other across the wind. Or, better yet, use a fertilizer spreader.

5-Don't plant in wet ground. No soil is right for gardening that can't pass the "mud pie" test. To make a mud pie test, pick up a handful of soil and squeeze it slightly. If it balls or packs together and won't crumble when you apply light pressure, it is too wet to work.

#### Planting the Seed

Place a stake at each end of the row and stretch a line tightly between them. Don't try to make rows without a line or straight

Make the furrow for the seed with a hoe. Fine seed (onion, lettuce, cabbage, etc.) should not be planted more than 1/2" deep. Medium seeds (okra, spinach, cucumber) deep. In heavy soils, beans, squash, onion sets and peas need not more than l" but the soil must be moist. In lighter soils, 2" is deep enough.

The old theory that seed should be planted deep enough to come in contact with soil moisture still holds, but in dry weather the soil should be watered thoroughly before planting so the moisture will be right at the surface. If the row is then covered with a board until the seed germinates, it will not be necessary to bury the seed even though the weather is dry. Tear the corner from the pocket. If seeds are very small, mix with three times their bulk of perfectly dry sand, then hold the packet over the row, tapping gently with your forefinger. This enables you to distribute the seed more evenly and avoid sowing too thickly.

Don't sow seed too thickly. wastes both seed and labor as the crowded seedlings must later be thinned by hand to allow space for proper development. Also, poor growth and poor quality vegetables result if seed is sown too thick and not properly thinned. (This is true whether planting in seed flat, hotbed or in open ground.)

#### When to Sow


Seed catalogs and garden books usually offer you a list of definite planting dates. We'd like to do this, too, but experience has taught us that such dates are often dangerous. Weather variations from year to year are likely to make the most carefully compiled dates look foolish.

Here's a guide to planting time that doesn't rely on dates, but rather on Nature's own

FULLY HARDY CROPS: Sow as soon as the ground can be worked in spring, or when the farmer plants oats. In some years crocuses and snowdrops may be in bloom at this time, but if the ground is ready sooner, plant anyway. These crops include lettuce, cabbage, broccoli, carrots, cauliflower, kale, kohlrabi, parsnips, radishes, rutabagas, spinach and turnips. Also round-seeded peas.

HARDY CROPS: When the daffodils and earliest tulips bloom, or when maple trees are in full flower, plant these: Beets. wrinkled peas, Swiss chard, and onion

TENDER CROPS: When the Lilacs, Darwin Tulips and Apple Blossoms are in full bloom, plant these: Bush beans, sweet corn, pumpkins, and squash are included. TROPICAL CROPS: When the petals on apple blossoms will have fallen and the tall late irises are in full bloom plant: Okra, Lima beans, Pole beans, muskmelons and cucumbers, and set out plants of tomatoes, peppers and eggplant. These can't stand frost and should not be planted until the weather is warm and settled.



# ALL VEGETABLE SEEDS 10c PER PACKET UNLESS OTHERWISE NOTED

#### SPINACH

Plant seed in very rich soil in rows spaced 14" to 18" apart. Keep plants thinned out from 3" to 6" apart in the row. (Seed may also be sown broadcast.) Sown in fall for winter use and spring for early use.

Bloomsdale Savoy, Long Standing (fr)-A few days later than regular Bloomsdale Savoy. Holds from 12 to 14 days longer. 42 days.

Giant Nobel or Giant Thick Leaf-Large, vigorous, spreading plant, slow to form seed stalks. Heavy yielder. Large, thick, smooth, deep green leaves. 45 days.

New Zealand— Thrives in dry hot weather. Can be picked repeatedly all season. Not a true spinach, but similar

when cooked 70 days.

Viroflay — Very large, broad thick leaves, slightly crumpled. Old standard variety suitable for spring or fall sowing. Good for canning, 46 days.

#### SQUASH

Follow same planting and culture as for melons and cucumbers. Plant summer varieties 6 or 8 seeds in hill 3' to 4' apart each way and winter squash 8' apart. Plants bear longer if squash is picked off as soon as it is ready for use.

#### **Summer Varieties**

Early Prolific Straightneck (fr)-Earlier, smaller, and more productive than Giant Summer Straightneck, and more uniform. Brilliant yellow. Fine for home or market. 50 days.

Early White Bush Scallop-Fruits greenish when young, become white at maturity. 3-in. long, 7½ to 8½-in. wide.

Giant Summer Crookneck-Prolific, bush type plant, curved neck fruits around 4 to 5-lb., 20 to 24-in. long. 4 to 5-in. diameter. 56 days.

**Zucchini**—Straight, cylindrical fruits, 3 to 4 lb., 3 to 5-in. through, 10 to 14-in. long. Mottled and striped green-creamygray. Delicate flavored flesh. 60 days.

#### Fall and Winter Varieties

Improved Green Hubbard (fr)-Most widely grown of any winter squash. Round, warted, dark green with thick yellow flesh. Weight 12 to 14 lbs. 100

Table Queen or Des Moines or Acorn (fr)—Acorn-shaped, green, deeply furrowed flesh rich yellow, dry, mealy, delicious. Convenient size for baking and serving in halves. 100 days.

#### SWISS CHARD (See Beets, Leaf)

#### TOMATOES

Do best in sandy, well pulverized loam. Sow seed in hotbed or indoors. When plants are about 2" high, set apart, in boxes or pots-later transplant into the garden. Or keep in flats until weather is warm and settled, and then set plants out directly into the garden. Water around the roots of the plants when setting them out if ground is dry. Cultivate frequently until plants shade the ground. Remove all but the two or three strongest branches. Study methods of staking and training vines and adopt the one best suited to your situation.

**Earliana** — Open, spreading, medium small vines. Red fruits run to medium size. Thick; smooth fruit. 66 days. Jubilee — Orange colored fruit, Juicy with few seeds, Weighs about 6 oz. Bears over a long season. 72 days. June Pink - The earliest of the pinkfruited varieties. Plant open spreading and rather short. Medium size, flattened and smooth. Purplish pink. 69 days.

Marglobe-Moderately productive, with heavy foliage. Vigorous and resistant to wilt and rust. Fruits medium large, nearly round, smooth, and solid. Deep red. 77 days.

Ponderosa—One of the largest varieties. Spreading large vines. Solid, fine flavored, pink, with small seed cells. Somewhat rough and flat. Have a tendency to crack. 88 days.

Pritchard's Scarlet Topper-Medium to large round, with thick, firm flesh and small seed cavities. Brilliant red throughout, coloring right to top, without hard green spots. Free from acidity, one of the best home canners. Early.

Rutgers—Second early variety. Large

thick stems, vigorous foliage. Fruits similar to Marglobe but flatter at stem end. Bright red, with thick walls. Red, firm flesh, low acidity, 72 days.

Stone Improved—Medium late. Ripens evenly and is uniform. Fruits large, flattened but deep. Smooth, attractive, scarlet-red, of fine flavor. 86 days.

Stokesdale - An extremely important development. Smooth 7-oz. fruit, brilliant color, exceedingly solid flesh and small seed cavities. Matures in the secondearly group, a full week earlier than Marglobe.

#### Small Fruited

Red and yellow varieties, shaped like miniature pears, plums, and cherries; very attractive for preserves.

#### TURNIP

For summer greens or roots, sow as early as radishes and lettuce. Then cut when plants are 6" high. Sow again in summer for fall and winter use. Turnips do best when most of their growth is made in autumn or early spring. Should be grown rapidly for best flavor and texture.

Amber Globe—Chiefly grown for stock. Tops large, cut leaved. Roots round, large, smooth, globe-shaped, light yellow with green top. Flesh, yellowish white, of good quality. 76 days.

Purple Top White Globe (fr)—Large, sweet tops. Smooth, globe-shaped roots, purple-red above, white below. Sweet tender, crisp, white flesh, 50 to 60 days.

White Egg—Cut leaved, medium sized, upright tops. Egg shaped roots, all white. Smooth grained. 55 to 60 days.

#### **Foliage Turnip**

Seven Top or Winter Greens - For greens or forage. Young shoots extremely tender. 50 days.

Shogoin or Japanese Foliage-Recently introduced and rapidly gaining popularity. 18 to 20-in. bright green tops, strap leaved. Roots are semi-round and white. Very mild. 70 days.

#### Rutabaga or Swede Turnip

American Purpletop - Hardy and productive. Tender firm, light yellow, sweet flesh. 88 days.




Whether your crop is in grasses, grain or row crops there is a 2-4D solution that will conquer weeds and mean more money to you at harvest time.

PASTURE AND TURF - Should be sprayed early in the spring to control susceptible weeds. Dosages can be regulated so that White Dutch and Ladino Clovers will not be permanently affected. Legumes' loss however must be expected. It is generally considered more economical to treat pastures at least twice during the season than to treat once and allow later weeds to seed.

When to Use 2-4D

2-4D FOR SMALL GRAINS - Wheat, Oats, Barley and Rye may be sprayed at any time after tillering (stooling) is complete, except during the "boot" and blossom stages.

FIELD CORN is most resistant when less than 6" high or more than 3' high. Spraying should be done during these resistant periods if possible. CAUTION -treatment at other periods may cause temporary effects such as leaf curl and stem bending or permanent effects such as twisting of the brace roots. After spraying do not cultivate until brittleness disappears.



#### Starting in Coldframes, Hotbeds, or Indoors

The gains you can make by "beating the weather" are well worth going after, particularly on tomatoes, cabbage, peppers, cauliflower, broccoli, and kohlrabi.

But remember that a plant which hasn't been treated right in the flat will not be a good plant in the garden. A transplant that has had to struggle against over or underheating, too much water or too little, etc., will not do as well as a direct-seeded plant or a purchased transplant that has had expert attention.

However, the right conditions for a successful indoor start are not difficult to achieve. Any gardener can do the trick by applying a reasonable amount of care and attention.

Don't begin too soon, unless you have a greenhouse or light hotbed and can give the seedlings plenty of room. For most vegetables, 6 to 7 weeks is time enough to allow between seeding and transplanting.

Fill shallow boxes (flats) with a mixture of 1/3 good garden soil, 1/3 clean sand and 1/3 compost, leaf mold or other well-rooted organic matter. Make very shallow rows or furrows with the edge of a ruler or a wood lath, 3" apart. Sow seeds in these rows 1" apart in the row.

DON'T let your soil dry out, and don't let it be soggy. Spray lightly two or three times a day, using an atomizer or bulb sprinkler. When the best seedlings can be selected, thin out to stand 2" to 3" apart. Before transplanting into the garden, withhold water for 2 or 3 days.

#### Transplanting

Tomato, eggplant, and pepper plants are tender and should not be set out before danger of frost is past. Cabbage, cauli-flower, and kohlrabi are less tender but it is not safe to set them out much before the frost-proof date.

#### Where care is needed

Use care in transplanting or you will injure the tender plants.

When soil is sufficiently moist so a ball of soil can be retained around each individual root there is less chance of injury or of air pockets being left around roots. Use a trowel, (It is important that roots be kept in close contact with soil so they can get moisture.)

When seedlings are to be transplanted without a ball of soil, long tap roots should be shortened, and the whole root system placed and "firmed in" so that it is well spread out, not bunched. Soil in which roots are placed must be finely pulverized.

When roots have been carefully placed in position, firm the soil around each plant enough to insure that roots are in contact with the soil, and that there are no air

Transplant in cool, cloudy weather or at evening or early morning.

As soon as the garden has been planted, water thoroughly but gently with a fine spray. This, by the way, is the only time we sprinkle a garden; once the plants are established, any watering should give the soil a good soaking.

#### Watering

Soak, don't sprinkle. Your garden needs water when the leaves look wilted in the sun and do not recover freshness over night.

Except for transplants, try to avoid watering the garden until it really needs water.

Don't wash away topsoil
When you do water, soak, don't sprinkle.
Do a thorough job. The hose or sprinkler should be allowed to run on one spot until water stands on the surface.

The best way to do a thorough soaking job is to use a canvas hose that leaks all along its length, placed along a row at a time. Let the water run until the soil is saturated to a good depth. Then move hose to next row.

If an overhead sprinkler is used be sure it doesn't have too much force, or it will wash the soil away.

If you have only an ordinary hose (without holes), remove nozzle and place a small board under the end of the hose to distribute water gently.

Water in the evening or early morning. After watering, the soil should be moist to a depth of five to six inches. Check this with a spade to be sure.

#### A Program for **Garden Sanitation**

About 75% of the work and much of the damage caused by insects can be eliminated by a simple, regular program of sanitation. Preventive dusting or spraying is much easier than waging a losing battle against bugs when they appear. Usually, less than 30 minutes a week should be needed for a regular sanitation program for both flowers and vegetables.





## How? When? HOME GARDENING GUIDE, Where? Why?

#### Cultivation and Weeding

Frequent, shallow cultivation or hoeing is best. It requires less effort and gives better results. Never let the weeds get a start. They rob the plants of food and moisture.

Cultivate after each rain or soaking, as soon as soil is dry enough, and as often between as necessary to keep weeds under control.

'Destroy them young" should be the first principle in controlling weeds. Weeds rob the soil of moisture and food. Worst of all, if allowed to grow, they shade the crops that require six hours of full sunshine to grow normally. Plan to spend half an hour a day hoeing weeds and the average garden can be kept up without difficulty.

2. Keep the soil from caking or cracking because when rain comes, it cannot penetrate the hard surface and may run off and be lost. A prong cultivator will leave the surface loose and ready to absorb rain. 3. Air is vital to plant growth: stir the soil as soon as the ground is dry enough after a rain or after watering. This also saves moisture. Use the hoe and save the hose. 4. When cultivating stay as far away from the plants as you can to avoid packing the soil around the roots.

#### Harvesting

The big advantage the home gardener has over the commercial grower is that he can pick his vegetables one minute and have them in the kitchen the next. All vegetables are better if left on the plant until ready to serve. Sweet corn in particular loses sweetness every minute it is off the stalk. Pick only what vegetables you can use right away and not until you are ready to use them.

Most vegetables, particularly summer squash, sweet corn, cucumbers, carrots, beets, peas and string beans, should be used much younger than usually harvested by the commercial growers. Learn the "feel" of an ear of corn that is ready to pick. The tip of the ear will feel full and the silks should be turning brown.

Muskmelons do not get sweeter after picking. For full flavor leave them on the vine until a crack appears all around the point of attachment between the stem and melon. The free end should feel definitely soft when the melon is ready.

Avoid harvesting beans while the plants are wet with dew or rain, as moisture spreads disease.

#### Cover crops--after vegetables --to improve your soil

Save and improve your soil and plant food supply by growing cover crops. After a row of vegetables has been harvested (if you aren't planting a succession crop in this spot) sow some quick-growing plant that will take up any excess fertilizers and store them in its tissues. Plow under that plant just before the next crop goes in, and decay will release that plant food just in time to do the most good. Also, the rotting vegetable matter produces humus, without which good crops cannot be grown. Ask us for advice on cover crops for the garden.

Ask us also how to control root maggots that harm cabbage, Brussels sprouts, onions, radishes, and turnips—also how to guard against the carrot rust fly.

For insecticides always see the

seedsman!

#### These Vegetables STORE Well

Beets, Carrots, Turnips, Winter Radishes-Do not wash. Pack in loose moist sand or fine moist soil. Store in unheated cellar, or in ventilated room away from heat.

Cabbage—Roughly trim heads, cut off roots. Store in temperature of 40 to 60°, with high humidity or cover heads with moist soil or sand.

Celery, Kale, Chinese Cabbage, Endive, Leeks—Store in trenches outdoors or in boxes of soil in basement. Outdoors must be covered with straw to prevent freezing.

Squash, Pumpkins-Harvest as they mature, leaving 3 or 4" of stem. Cure for a few days at 80 to 85°. Store in dry place.


Peas, Beans-May be picked off plants or the whole plant pulled and placed in dry airy place to cure. After thoroughly dried, shell, clean, sort and store in jars or cans in cool, dry, dark place.

Onions—Pull as soon as most of the tops fall over. Place in racks or spread out on dry wooden floors-or hang in dry airy place. Store in dry well-ventilated place at a temperature just above freezing.

Parsnips, Salsify, Horseradish-Not injured by freezing, and may be left in the garden, or stored in moist soil or sand in cool building.

Potatoes-Should be kept in slatted bins for ventilation and left uncovered. Protect from strong light. Keep longer at 36 to 40°, but cook better if stored at higher tempera-

Sweet Potatoes-Dig as they mature or after first killing frost. Sort them as dug, and place in crates. Cure for two weeks at 80 to 85°F. before storing. Best storage temperature 50 to 55°.



# KELLER'S 5 GREAT VARIETIES OF ONION PLANTS

We are proud to offer for the home gardener or the commercial grower the prize product of our South Texas farms—ONION PLANTS IN 5 GREAT VARIETIES \_\_\_\_\_

We think you'll be interested in the story behind these famous plants. The first irrigated Keller Plant Farm was opened in the now famous "Winter Garden District" near Crystal City, Texas, in 1912. Even then the tertile South Texas soil was yielding large quantities of mature Bermuda onions.

The Keller Plant Farm owns and operates all of the land, irrigation plants and equipment necessary to successfully produce onion plants in rarge quantities.

The Keller Farm was one of the first to develop its lands for growing Bermuda onion plants. This enables us to be one of the few growers to continue producing genuine Bermuda plants from the finest seed stocks.

When you order from Keller you know you are getting plants that come from genuine Bermuda onion seeds. We have continued to purchase the best improved seeds regardless of cost because we have found these strains will make fine bulbs wherever onions are grown in the United States. We have not found this to be true of many other strains of imported wax onion seeds from other countries; in many cases such plants and mature onions have failed to produce bulbs, causing a total loss to the growers.

Several years ago we added the Yellow Sweet Spanish or Valencia and the White Sweet Spanish varieties to our plant growing operations. These are meeting with splendid demand over most of the country. They make good yields and keep well. They are mild in flavor but do not mature quite as early as the Crystal White Wax and Yellow Bermudas.

We use only the best American grown seed stocks for our plantings. If you have not tried these popular Valencia onions in your section, it will pay you to order a few crates.


**CRYSTAL WAX**—White Bermuda type, early maturing, round flat bulb, very sweet, pure white in color.

YELLOW BERMUDA—Light straw color, sweet, early maturing, better keeper than White Wax.


YELLOW SWEET SPANISH OR VA-LENCIA—Later maturing than Bermuda types, globe shape, light yellow color excellent for storage. A vigorous grower that overcomes thrip damage—produces tremendous tonnage.

WHITE SWEET SPANISH OR WHITE VALENCIA—A new strain that grows fine large bulbs, stores over a long period, and yields along with the regular Yellow Sweet Spanish—white flesh and mild flavor.

**EARLY BABOSA**—A new strain globe type, early maturing, good keeper. Both yellow and white varieties available.



GENUINE BERMUDA
ONION PLANTS
GROWN
FROM THE FINEST
DOMESTIC AND IMPORTED
SEED STOCK IN THE
HEART OF THE
"WINTER GARDEN
DISTRICT"



SWEET SPANISH ONIONS
FROM THE BEST
AMERICAN GROWN
SEED STOCK

A COMPLETELY EQUIPPED AND IRRIGATED PLANT FARM

## 1950 Moon Phases and Positions

Many gardeners like to govern their planting by the phases of the moon. For them, we show here all the necessary information generally shown by more voluminous arrangements. As seedsmen,

we cannot vouch for the effectiveness of this method, but we are glad to provide this complete and up-to-date chart for those who want it.

#### Signs of the Zodiac and Their Influence

TARIES: Tends to dryness, barrenness. Fairly good for cultivating, spraying and weeding.

**TAURUS:** Fairly productive. A good sign for planting root crops particularly potatoes and bulbous plants.

☐ GEMINI: Dry and barren. Not good for any kind of planting or transplanting. Kill noxious growths.

CANCER: Moist, very fruitful, most productive of the Zodiac. Planting and transplanting should yield good crops. Irrigate, bud, graft, transplant.

a LEO: Most dry and barren sign. Use only to kill weeds, destroy roots, etc.

my VIRGO: Moist but barren. Not recommended for planting or transplanting; good for cultivating and destroying.

← LIBRA: Fairly fruitful. Seed for hay, corn, fodder, etc. Produces vigorous pulp growth, reasonable amount of grain. Good for flowers.

m SCORPIO: Next to Cancer in productiveness. Irrigate but do not dig potatoes.

# SAGITTARIUS: Generally considered barren but used by many for onions, seeding for hay, destroying weeds, etc.

V3 CAPRICORN: Earthly, fairly productive. Similar to Taurus but drier, Bulbous flowers, potatoes, tubers, root crops.

## AQUARIUS: Somewhat barren. Good only for cultivation and extermination of pests.

\*\* PISCES: Similar to Cancer so use for same purposes. Very productive. Do not dig potatoes.

#### When to Plant

The tables at right show when the moon enters each sign of the Zodiac. It also shows the moon's changes.

Under each month, we show first the time at which the moon enters each SIGN (day of the month and hour of the day, Central Standard Time). Then we show the moon CHANGES (day and hour) for each month.

—During 1st Quarter of Moon plant the following: Asparagus, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Corn, Cucumbers, Endive, Kohlrabi, Leeks, Lettuce, Spinach, Barley, Oats,

Ist QUARTER MOON, INCREASING

Rye, Wheat.

) 2nd QUARTER, MOON INCREASING -During 2nd Quarter of Moon plant the following: Beans, Egg Plant, Melons,

Peas, Peppers, Pumpkins, Squash, Tomatoes, flowers, and cereals.

When possible, plant seed while the Moon is in the fruitful signs of Cancer, Scorpio or Pisces. The next best signs are Taurus, Libra and Capricorn.

② 3rd QUARTER, MOON DECREASING -During 3rd Quarter of Moon plant the following: Beets, Carrots, Chicory, Parsnips, Potatoes, Radishes, Rutabagas, Onions, Turnips, Tubers.

( 4th QUARTER, MOON DECREASING -In 4th or Last Quarter of the Moon turn sod, pull weeds, and destroy noxious growths, especially when Moon is in barren signs, Gemini, Leo, Virgo or Aquarius.

| JANUARY   | FEBRUARY  | MARCH  | APRIL   | MAY  | JUNE   |
|---|---|--|---|--|--|
| 1 ∏ . 0:00a   | 1 St 4:32p  | 1 St 2:25a   | l <b>∽</b> 6:40p  | 1 m 5:35a  | 1 V33:28p  |
| 3 ∽ 0:53a   | 3 mg 8:36p  | 3 mg6:21a  | 3 m 6:35p   | 3 1 . 4:52a  | 3 ‱ . 5:18p  |
| 5 St 7:55a  | 5 <b>-</b> 11:20p   | 5 <b>△</b> 7:59a   | 5 1 6:38p   | 5 V35:13a  | 5 € 11:00p   |
| 7 mg. 1:05p   | 8 m 1:51a   | 7 m 8:57p  | 7 V38:30p   | 7 🗯 8:28a  | 8 Υ 8:48a  |
| $9 = \frac{}{2} 5:08p$  | 10 ₹ . 4:53p  | 9 1 10:40a   | 10 ‱ . 1:28a  | 9 <del>)</del> € . 3:35p   | 10 8 . 9:20p   |
| 11 m 8:28p  | 12 V3 8:47p   | 11 V32:09p   | 12 € . 9:41a  | 12 Υ2:19a  | 13 ∐ 10:04a  |
| 13 \$\frac{1}{4}\$.11:16p   | 14 2 2:00p  | 13 am 7:53p  | 14 T8:32p   | 14 82:59p  | 15 %9:44p  |
| 16 V32:08a  | 16 <del>X</del> 9:13p   | 16 →4:03a  | 17 8 9:00a  | 17 Ⅲ . 3:51a   | 18 St 7:35a  |
| 18 2 . 6:10a  | 19 Υ7:04a   | 18 Υ . 2:21p   | 19 ∐9:54p   | 19 5 3:49p   | 20 mg3:31p   |
| 20 ★0:44p   | 21 87:11p   | 21 8 . 2:33a   | 22 5 . 9:59a  | 22 V32:04a   | 22 <del></del>   |
| 22 Υ 10:39p   | 24 II . 8:01a   | 23 II . 3:28p  | 24 St. 7:55p  | 24 mg9:47a   | 25 m 0:17a   |
| 25 8 11:09a   | 26 5 7:02p  | 26 5. 3:13a  | 27 mg . 2:25a   | 26 <b>≏</b> 2:24p  | 27 II . 1:25a  |
| 27 ∐ 11:40p   | 20 _D / . 02.p  | 28 St. 00:00p  | 29 <b>△</b> . 5:21a   | 28 m 4:00p   | 29 VS. 1:50a   |
| 30 5 9:46a  |   | 30 mg 4:59p  | 20 : 0.214  | 30 \$ 3:42p  | 20 V)1.00a   |
| Changes   | Changes   | Changes  | Changes   | Changes  | Changes  |
| ② .41:48a   | ② .24:16p   | ② .44:34a  | ② .22:49p   | © .1.11:19p  | ( .75:35a  |
| ( 114:31a   | ( .90:32p   | ( 108:38p  | ( .95:42a   | ( .84:32p  | 159:53a  |
| 182:00a   | ● 164:53p   | 18. 9:20a  | • 17 2:25a  | • 166:54p  | <b>)</b> 22.11:12p   |
| ) 25.10:39p   | <b>)</b> 247:52p  | ) 26 . 2:09p   | ) 25 . 4:40a  | ) 243:28p  | ② 291:58p  |
| 20.10.00p   | 21  | 202.00p  | <b>)</b> 20 1. 10d  | ② 31 6:43a   |  |
|   | <u></u>   | <u>                                     </u>   | <u> </u>  | 0.100  | 1  |
|   |   |  |   | l .  |  |
| JULY  | AUGUST  | SEPTEMBER  | OCTOBER   | NOVEMBER   | DECEMBER   |
| JULY<br>1 xx3:19a   |   | <b>SEPTEMBER</b> 3 Ⅲ 8:46a   | <b>OCTOBER</b> 3 5 4:57a  | <b>NOVEMBER</b> 1 \$\Omega\$ .11:37p   | DECEMBER<br>1 mg. 3:53p  |
| 1 ‱3:19a  |   |  |   | 1 St. 11:37p   | 1 mg. 3:53p  |
| 1 ‱3:19a<br>3 €6:04a  | 21:02a  | 3 ∏8:46a<br>5 ≤8:54p   | 3 5 4:57a<br>5 St 3:38p   | 1 St. 11:37p<br>4 mg8:20a  | 1 mg. 3:53p<br>3 <b>←</b> 10:28p   |
| 1 ‱3:19a<br>3 ★6:04a<br>5 Ŷ4:24a  | 21:02a<br>40:07p<br>70:44a  | 3 ∏8:46a<br>5 ⊆8:54p<br>8 Ω6:34a   | 3 5 4:57a<br>5 St 3:38p<br>7 mg . 10:53p  | 1 St. 11:37p<br>4 mg8:20a<br>6 ≃1:12p  | 1 mg. 3:53p<br>3 <del></del>   |
| 1 ‱3:19a<br>3 ★6:04a<br>5 ♈4:24a<br>8 ♉4:13a  | 2 .1:02a<br>4 .0:07p<br>7 .0:44a<br>9 .0:26p  | 3 II 8:46a<br>5 S 8:54p<br>8 S 6:34a<br>10 mg 0:54p  | 3 5 4:57a<br>5 € 3:38p<br>7 mg . 10:53p<br>10 ← 2:29a   | 1 St. 11:37p<br>4 mg8:20a<br>6 ←1:12p<br>8 mt. 2:26p   | 1 mg. 3:53p<br>3 = 10:28p<br>6 m. 1:19a<br>8 1 1:16a   |
| 1 ≈3:19a<br>3 ÷6:04a<br>5 °4:24a<br>8 84:13a<br>10 □5:02p   | 2 .1:02a<br>40:07p<br>70:44a<br>90:26p<br>119:35p   | 3 ∏ . 8:46a<br>5 ⊆ . 8:54p<br>8 Ω . 6:34a<br>10 mg . 0:54p<br>12 ≏ . 4:26p   | 3 5 4:57a<br>5 € 3:38p<br>7 mg . 10:53p<br>10  2:29a<br>12 m 3:30a  | 1 S. 11:37p<br>4 mg8:20a<br>6 ← 1:12p<br>8 m 2:26p<br>10 ‡ 1:49p   | 1 mg. 3:53p<br>3 = 10:28p<br>6 m . 1:19a<br>8 ‡ . 1:16a<br>10 √30:15a  |
| 1 ≈3:19a<br>3 ≠6:04a<br>5 °4:24a<br>8 ×4:13a<br>10 ∏5:02p<br>13 ≈4:34a  | 2 .1:02a<br>4 .0:07p<br>7 .0:44a<br>9 .0:26p<br>11 .9:35p<br>14 .4:02a  | 3 ∏ . 8:46a<br>5 ⊆ . 8:54p<br>8 Ω . 6:34a<br>10 m . 0:54p<br>12 ← . 4:26p<br>14 m . 6:27p  | 3 5 4:57a<br>5 € 3:38p<br>7 mg .10:53p<br>10 2 2:29a<br>12 m 3:30a<br>14 ∏ 3:44a  | 1 St. 11:37p<br>4 mg8:20a<br>6 ←1:12p<br>8 m2:26p<br>10 ‡1:49p<br>12 √31:27p   | 1 mg. 3:53p<br>3 \( \times \) 10:28p<br>6 m \( \times \) 1:19a<br>8 \( \times \) 1:16a<br>10 \( \times \) 0:15a<br>12 \( \times \) 0:35a   |
| 1 ≈3:19a<br>3 ≠6:04a<br>5 °4:24a<br>8 84:13a<br>10 ∏5:02p<br>13 ≈4:34a<br>15 °1:52p   | 21:02a<br>40:07p<br>70:44a<br>90:26p<br>119:35p<br>144:02a<br>168:31a   | 3 II8:46a<br>5 II8:54p<br>8 II6:34a<br>10 III0:54p<br>12 II4:26p<br>14 III6:27p<br>16 II8:12p  | 3 5 4:57a<br>5 0 3:38p<br>7 mg 10:53p<br>10   | 1 S. 11:37p<br>4 mg8:20a<br>6 ←1:12p<br>8 m2:26p<br>10 ‡1:49p<br>12 √31:27p<br>14 ‱3:16p   | 1 mg. 3:53p<br>3 ← 10:28p<br>6 m. 1:19a<br>8 ‡ . 1:16a<br>10 √30:15a<br>12 ≈0:35a<br>14 ←4:10a   |
| 1 ≈3:19a 3 ★6:04a 5 Ŷ4:24a 8 ★4:13a 10 Ⅲ5:02p 13 ≈4:34a 15 Ω1:52p 17 ₥9:06p   | 21:02a<br>40:07p<br>70:44a<br>90:26p<br>119:35p<br>144:02a<br>16 .8:31a<br>18 .11:48p   | 3 II8:46a 5 II8:54p 8 II6:34a 10 III0:54p 12 II6:27p 14 III8:12p 18 V3.10:49p  | 3 5 4:57a<br>5 0 3:38p<br>7 mg 10:53p<br>10   | 1 S. 11:37p<br>4 mg8:20a<br>6 - 1:12p<br>8 m . 2:26p<br>10 \$\frac{1}{2}\$ . 1:49p<br>12 \$\frac{1}{2}\$ . 1:27p<br>14 \$\mathrightarrow\$ . 3:16p<br>16 \$\frac{1}{2}\$ . 8:38p | 1 mg. 3:53p<br>3 = 10:28p<br>6 m. 1:19a<br>8 \$\frac{1}{2}\$ . 0:15a<br>10 \gamma \cdot 0:035a<br>14 \gamma . 0:01p  |
| 1 ≈3:19a 3 ★6:04a 5 Ŷ4:24a 8 ୪4:13a 10 Ⅱ5:02p 13 ≈4:34a 15 ℂ1:52p 17 ₥9:06p 20 ≈2:33a   | 21:02a<br>40:07p<br>70:44a<br>90:26p<br>119:35p<br>144:02a<br>168:31a<br>18 .11:48p<br>202:35p  | 3 II8:46a 5 II8:54p 8 II6:34a 10 III6:254p 12 II6:27p 16 II8:12p 18 V3.10:49p 21 III3:00a  | 3 5 4:57a<br>5 0 3:38p<br>7 mg 10:53p<br>10   | 1 S. 11:37p<br>4 mg8:20a<br>6 ←1:12p<br>8 m2:26p<br>10   | 1 mg. 3:53p<br>3 - 10:28p<br>6 m. 1:19a<br>8 1.1:16a<br>10 V30:15a<br>12 m0:35a<br>14 +4:10a<br>16 γ0:01p<br>18 8.11:10p   |
| 1 ≈3:19a 3 ★6:04a 5 Ŷ4:24a 8 ୪4:13a 10 Ⅲ5:02p 13 ≈4:34a 15 ℂ1:52p 17 mg9:06p 20 ≈2:33a 22 m6:27a  | 21:02a 40:07p 70:44a 90:26p 119:35p 144:02a 168:31a 18 .11:48p 202:35p 225:22p  | 3 ∏ 8:46a<br>5 ⊆ 8:54p<br>8 Ω 6:34a<br>10 mg . 0:54p<br>12 ≃ . 4:26p<br>14 m . 6:27p<br>16 ‡ 8:12p<br>18 ⅓ . 10:49p<br>21 ‱ 3:00a<br>23 ★ 9:10a  | 3 ⊆4:57a<br>5 Ω3:38p<br>7 mg .10:53p<br>10 ≃2:29a<br>12 m3:30a<br>14 ∐3:44a<br>16 V34:55a<br>18 ≈8:27a<br>20 ←2:52p<br>22 Υ .11:59p   | 1 S. 11:37p<br>4 mg8:20a<br>6 ←1:12p<br>8 m2:26p<br>10 ‡1:49p<br>12 √31:27p<br>14 ≈3:16p<br>16 ←8:38p<br>19 °5:37a<br>21 ×5:08p  | 1 mg. 3:53p<br>3 - 10:28p<br>6 m. 1:19a<br>8 \$ 1.1:16a<br>10 \$ 3.0:15a<br>12 \$0:35a<br>14 \$4:10a<br>16 \$ 90:01p<br>18 \$ .11:10p<br>21 Π 11:50p   |
| 1 ≈3:19a 3 ←6:04a 5 °4:24a 8 84:13a 10 ∏5:02p 13 ≈4:34a 15 °1:52p 17 mg9:06p 20 ≈2:33a 22 m6:27a 24   | 21:02a 40:07p 70:44a 90:26p 119:35p 144:02a 168:31a 18 .11:48p 202:35p 225:22p 248:54p  | 3 ∏8:46a<br>5 ⊆8:54p<br>8 Ω6:34a<br>10 mg0:54p<br>12 ≃4:26p<br>14 m6:27p<br>16 ‡8:12p<br>18 ∀3.10:49p<br>21 ‱3:00a<br>23 ¥9:10a<br>25 Υ5:31p   | 3 5 4:57a<br>5 S 3:38p<br>7 my 10:53p<br>10   | 1 S. 11:37p<br>4 mg8:20a<br>6 ←1:12p<br>8 m2:26p<br>10   | 1 mg. 3:53p<br>3 = 10:28p<br>6 m. 1:19a<br>8 f. 1:16a<br>10 V30:15a<br>12 m0:35a<br>14 +4:10a<br>16 γ0:01p<br>18 × 11:10p<br>21 Π.11:50p<br>24 ω0:47a  |
| 1 ≈3:19a 3 ★6:04a 5 Ŷ4:24a 8 ୪4:13a 10 Ⅲ5:02p 13 ≈4:34a 15 ℂ1:52p 17 mg9:06p 20 ≈2:33a 22 m6:27a 24 ‡8:46a 26 ⅓ .10:39a   | 21:02a 4 .0:07p 70:44a 90:26p 119:35p 144:02a 16 .8:31a 18 .11:48p 202:35p 225:22p 24 .8:54p 272:02a  | 3 ∏8:46a<br>5 ⊆8:54p<br>8 Ω6:34a<br>10 mg0:54p<br>12 ≃4:26p<br>14 m6:27p<br>16 ‡8:12p<br>18 ⅓.10:49p<br>21 ‱3:00a<br>23 ¥9:10a<br>25 Ŷ5:31p<br>28 ୪4:09a                               | 3 5 4:57a<br>5 S 3:38p<br>7 my 10:53p<br>10   | 1 S. 11:37p 4 mg8:20a 6 ←1:12p 8 m2:26p 10   | 1 mg. 3:53p<br>3 $\stackrel{\frown}{\sim}$ 10:28p<br>6 m. 1:19a<br>8 $\stackrel{\frown}{\prime}$ . 1:16a<br>10 $\stackrel{\frown}{\prime}$ 3. 0:15a<br>12 $\stackrel{\frown}{\sim}$ . 0:35a<br>14 $\stackrel{\frown}{\rightarrow}$ . 4:10a<br>16 $\stackrel{\frown}{\gamma}$ . 0:01p<br>18 $\stackrel{\frown}{\sim}$ . 11:10p<br>21 $\stackrel{\frown}{\coprod}$ 11:50p<br>24 $\stackrel{\frown}{\sim}$ . 0:47a<br>26 $\stackrel{\frown}{\sim}$ . 11:45p   |
| 1   | 21:02a 4 .0:07p 70:44a 90:26p 119:35p 144:02a 168:31a 18 .11:48p 202:35p 225:22p 248:54p 272:02a 299:46a  | 3 ∏8:46a<br>5 ⊆8:54p<br>8 Ω6:34a<br>10 mg0:54p<br>12 ≃4:26p<br>14 m6:27p<br>16 ‡8:12p<br>18 ∀3.10:49p<br>21 ‱3:00a<br>23 ¥9:10a<br>25 Υ5:31p   | 3 5 4:57a<br>5 S 3:38p<br>7 my 10:53p<br>10   | 1 S. 11:37p<br>4 mg8:20a<br>6 ←1:12p<br>8 m2:26p<br>10   | $\begin{array}{c} 1 \text{ mg. 3:53p} \\ 3 \overset{\frown}{\sim} .10:28p \\ 6 \text{ mg. 1:19a} \\ 8 \overset{\rat}{\sim} .1:16a \\ 10 \text{ V30:15a} \\ 12 \overset{\frown}{\sim} .0:35a \\ 14 \overset{\rat}{\rightarrow} .4:10a \\ 16 \text{ Yg. 0:01p} \\ 18 \text{ Xg. 11:10p} \\ 21 \overset{\rat}{\searrow} .11:50p \\ 24 \overset{\rat}{\sim} .0:47a \\ 26 \text{ Gg. 11:45p} \\ 28 \text{ mg. 9:40p} \end{array}$   |
| 1   | 2 .1:02a 4 .0:07p 7 .0:44a 9 .0:26p 11 .9:35p 14 .4:02a 16 .8:31a 18 .11:48p 20 .2:35p 22 .5:22p 24 .8:54p 27 .2:02a 29 .9:46a 31 .8:19p                                  | 3 ∏ 8:46a<br>5 ⊆ 8:54p<br>8 S 6:34a<br>10 m 0:54p<br>12 ≃ . 4:26p<br>14 m . 6:27p<br>16 ‡ 8:12p<br>18 ⅓ . 10:49p<br>21 ‱ 3:00a<br>23 ★ 9:10a<br>25 Ŷ 5:31p<br>28 ⊗ 4:09a<br>30 ∐ 4:26p | 3 ⊆4:57a<br>5 S3:38p<br>7 my .10:53p<br>10 ≃2:29a<br>12 m3:30a<br>14 ∐3:44a<br>16 V34:55a<br>18 ≈8:27a<br>20 ★2:52p<br>22 Y .11:59p<br>25 X .11:03p<br>27 ∐ .11:21p<br>30 ⊆0:06p                        | 1 S. 11:37p 4 mg8:20a 6 ←1:12p 8 m2:26p 10   | $\begin{array}{c} 1 \text{ mg. } 3:53p \\ 3 & \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}{c} \end{array} \end{array} \end{array} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}{c} \end{array} \end{array} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array} \end{array} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \end{array} \end{array} \begin{array}{ccccccccccccccccccccccccccccccccc$ |
| 1 ≈ .3:19a 3 ← .6:04a 5 ° .4:24a 8 × .4:13a 10 ∏ .5:02p 13 ≈ .4:34a 15 ° .1:52p 17 m .9:06p 20 ≈ .2:33a 22 m .6:27a 24 ↑ .8:46a 26 ∨ .10:39a 28 ≈ .0:56p 30 ← .5:19p  Changes | 2 .1:02a 4 .0:07p 7 .0:44a 9 .0:26p 11 .9:35p 14 .4:02a 16 .8:31a 18 .11:48p 20 .2:35p 22 .5:22p 24 .8:54p 27 .2:02a 29 .9:46a 31 .8:19p  Changes                         | 3 ∏ 8:46a<br>5 ⊆ 8:54p<br>8 S 6:34a<br>10 m 0:54p<br>12 ≃ . 4:26p<br>14 m . 6:27p<br>16 ∤ 8:12p<br>18 ⅓ . 10:49p<br>21 ‱ 3:00a<br>23 ★ 9:10a<br>25 Υ 5:31p<br>28 ⊗ 4:09a<br>30 ∏ 4:26p | 3 5 4:57a<br>5 S 3:38p<br>7 my .10:53p<br>10 ≤2:29a<br>12 m3:30a<br>14 ∐3:44a<br>16 V34:55a<br>18 ≈8:27a<br>20 ★2:52p<br>22 Y .11:59p<br>25 8 .11:03p<br>27 ∐ .11:21p<br>30 ≤0:06p                      | 1 S. 11:37p 4 mg8:20a 6 ←1:12p 8 m2:26p 10   | 1 $\mathfrak{m}$ . 3:53 $\mathfrak{p}$<br>3 $\stackrel{\frown}{\sim}$ .10:28 $\mathfrak{p}$<br>6 $\mathfrak{m}$ .1:19a<br>8 $f$ .1:16a<br>10 $V$ 30:15a<br>12 $\stackrel{\frown}{\sim}$ .0:35a<br>14 $\stackrel{\frown}{\rightarrow}$ .4:10a<br>16 $\stackrel{\frown}{\sim}$ .0:01 $\mathfrak{p}$<br>18 $\stackrel{\frown}{\sim}$ .11:10 $\mathfrak{p}$<br>21 $\stackrel{\frown}{\coprod}$ .11:50 $\mathfrak{p}$<br>24 $\stackrel{\frown}{\sim}$ .0:47a<br>26 $\stackrel{\frown}{\sim}$ .11:45 $\mathfrak{p}$<br>28 $\stackrel{\frown}{\mathfrak{m}}$ .9:40 $\mathfrak{p}$<br>31 $\stackrel{\frown}{\sim}$ .5:20a<br><b>Changes</b>  |
| 1   | 2 .1:02a 4 .0:07p 7 .0:44a 9 .0:26p 11 .9:35p 14 .4:02a 16 .8:31a 18 .11:48p 20 .2:35p 22 .5:22p 24 .8:54p 27 .2:02a 29 .9:46a 31 .8:19p  Changes 5 ( .1:56p              | 3 ∏ 8:46a 5 ⊆ 8:54p 8 S 6:34a 10 mg . 0:54p 12 ≤ 4:26p 14 m 6:27p 16 ‡ 8:12p 18 ∀3 . 10:49p 21 ‱ 3:00a 23 ★ 9:10a 25 Ŷ 5:31p 28 ୪ 4:09a 30 ∐ 4:26p  Changes 4 《 7:53a                  | 3 ⊆4:57a<br>5 S3:38p<br>7 my .10:53p<br>10 ⊆2:29a<br>12 m3:30a<br>14 ∐3:44a<br>16 V34:55a<br>18 ≈8:27a<br>20 €2:52p<br>22 Y .11:59p<br>25 8 .11:03p<br>27 ∐ .11:21p<br>30 ⊆0:06p<br>Changes<br>4 (1:53a | 1 S. 11:37p 4 mg8:20a 6 ←1:12p 8 m2:26p 10   | $1 \text{ m}. 3:53p$ $3 \stackrel{\frown}{\sim} .10:28p$ $6 \text{ m}1:19a$ $8 \stackrel{\frown}{\sim} .1:16a$ $10 \text{ V3}0:15a$ $12 \approx .0:35a$ $14 \stackrel{\frown}{\sim} .4:10a$ $16 \text{ Y}0:01p$ $18 \text{ X}. 11:10p$ $21 \text{ II}. 11:50p$ $24 \stackrel{\frown}{\sim} .0:47a$ $26 \text{ G}. 11:45p$ $28 \text{ m}9:40p$ $31 \stackrel{\frown}{\sim} .5:20a$ <b>Changes</b> $2 \text{ (()}.10:22a$  |
| 1   | 2 .1:02a 4 .0:07p 7 .0:44a 9 .0:26p 11 .9:35p 14 .4:02a 16 .8:31a 18 .11:48p 20 .2:35p 22 .5:22p 24 .8:54p 27 .2:02a 29 .9:46a 31 .8:19p  Changes 5 《 .1:56p 13 ● .10:48a | 3 ∏ 8:46a 5 ⊆ 8:54p 8 S 6:34a 10 mg 0:54p 12 ≤ 4:26p 14 m 6:27p 16 ‡ 8:12p 18 ∀3 . 10:49p 21 ‱ 3:00a 23 ★ 9:10a 25 Ŷ 5:31p 28 ୪ 4:09a 30 ∐ 4:26p  Changes 4 《 7:53a 11 ● 9:29p         | 3 ⊆4:57a 5 S3:38p 7 my .10:53p 10 ≃2:29a 12 m3:30a 14 ∐3:44a 16 V34:55a 18 ≈8:27a 20 ↔2:52p 22 Y .11:59p 25 X .11:03p 27 ∐ .11:21p 30 ⊆0:06p  Changes 4 (1:53a 11 ●7:33a                                | 1 S. 11:37p 4 mg8:20a 6 ←1:12p 8 m2:26p 10   | 1 m. 3:53p<br>3 ← 10:28p<br>6 m. 1:19a<br>8 f. 1:16a<br>10 V30:15a<br>12 m. 0:35a<br>14 ← .4:10a<br>16 γ. 0:01p<br>18 × 11:10p<br>21 Π.11:50p<br>24 ω. 0:47a<br>26 Ω.11:45p<br>28 m. 9:40p<br>31 ← .5:20a<br>Changes<br>2 ( .10:22a<br>9 • .3:28a  |
| 1   | 21:02a 40:07p 70:44a 90:26p 119:35p 144:02a 168:31a 18 .11:48p 202:35p 225:22p 248:54p 272:02a 299:46a 318:19p  Changes 5 (1:56p 13 0:48a 20 )9:35a                       | 3 ∏ 8:46a 5 ⊆ 8:54p 8 S 6:34a 10 mg 0:54p 12 ≤ 4:26p 14 m 6:27p 16   | 3 5 4:57a 5 S 3:38p 7 my .10:53p 10   | 1 S. 11:37p 4 mg8:20a 6 ← .1:12p 8 m .2:26p 10   | 1 $\mathfrak{M}$ . 3:53 $\mathfrak{p}$<br>3 $\stackrel{\frown}{\sim}$ .10:28 $\mathfrak{p}$<br>6 $\mathfrak{M}$ .1:19a<br>8 $f$ .1:16a<br>10 $V$ 30:15a<br>12 $\stackrel{\frown}{\sim}$ .0:35a<br>14 $\stackrel{\frown}{\rightarrow}$ .4:10a<br>16 $\stackrel{\frown}{\sim}$ .0:01 $\mathfrak{p}$<br>18 $\stackrel{\frown}{\sim}$ .11:10 $\mathfrak{p}$<br>21 $\stackrel{\frown}{\coprod}$ .11:50 $\mathfrak{p}$<br>24 $\stackrel{\frown}{\sim}$ .0:47a<br>26 $\stackrel{\frown}{\sim}$ .11:45 $\mathfrak{p}$<br>28 $\stackrel{\frown}{M}$ .9:40 $\mathfrak{p}$<br>31 $\stackrel{\frown}{\sim}$ .5:20a<br><b>Changes</b><br>2 $\stackrel{\frown}{\bullet}$ .10:22a<br>9 $\stackrel{\frown}{\bullet}$ .3:28a<br>15 $\stackrel{\frown}{\bullet}$ .11:56 $\mathfrak{p}$   |
| 1   | 21:02a 40:07p 70:44a 90:26p 119:35p 144:02a 168:31a 18 .11:48p 202:35p 225:22p 248:54p 272:02a 299:46a 318:19p  Changes 5 (1:56p 13 0:48a 20 )9:35a                       | 3 ∏ 8:46a 5 ⊆ 8:54p 8 S 6:34a 10 mg 0:54p 12 ≤ 4:26p 14 m 6:27p 16 ‡ 8:12p 18 ∀3 . 10:49p 21 ‱ 3:00a 23 ★ 9:10a 25 Ŷ 5:31p 28 ୪ 4:09a 30 ∐ 4:26p  Changes 4 《 7:53a 11 ● 9:29p         | 3 5 4:57a 5 S 3:38p 7 my .10:53p 10   | 1 S. 11:37p 4 mg8:20a 6 ← .1:12p 8 m .2:26p 10   | 1 m. 3:53p<br>3 ← 10:28p<br>6 m. 1:19a<br>8 f. 1:16a<br>10 V30:15a<br>12 m. 0:35a<br>14 ← .4:10a<br>16 γ0:01p<br>18 × 11:10p<br>21 Π.11:50p<br>24 ω0:47a<br>26 Ω.11:45p<br>28 m9:40p<br>31 ← .5:20a<br>Changes<br>2 ( .10:22a<br>9 • .3:28a  |

# VEGETABLE GARDEN PLANTING GUIDE

|                 | Seed<br>Required<br>for 50 ft,<br>of row | Between<br>Rows | Distance<br>Apart<br>In Row<br>(inches) | Depth<br>to<br>Plant<br>(inches) | Approx. Yield Per 50 ft. of row |                 | Seed<br>Required<br>for 50 ft.<br>of row | Between<br>Rows | Distance<br>Apart<br>In Row<br>(inches) | Depth<br>to<br>Plant<br>(inches) | Approx. Yield Per 50 ft. of row |
|-----------------|--|-----------------|---|----------------------------------|---------------------------------|-----------------|--|-----------------|---|----------------------------------|---------------------------------|
| ARTICHOKE       | 1/8 oz.                                  | 48              | 48                                      | 1/4                              |                                 | LETTUCE         | 1/4 oz.                                  | 18              | 12                                      | 1/4                              | 50 head                         |
| ASPARAGUS       | ½ oz.                                    | 24              | 20                                      | 1/2                              | 25 lbs.                         | MUSKMELON       | ½ oz.                                    | 60              | 48                                      | 3/4                              | 50 fruit                        |
| BEANS, BUSH     | 1/2 lb.                                  | 24              | 4                                       | 11/2                             | 20 qts.                         | MUSTARD         | 1/4 oz.                                  | 24              | 9                                       | 1/2                              | l bu.                           |
| BEANS, LIMA     | ½ lb.                                    | 24              | 3                                       | 1                                | 32 qts.                         | OKRA            | l oz.                                    | 36              | 15                                      | 1                                | 450 pods                        |
| BEANS, POLE     | $\frac{1}{2}$ lb.                        | 36              | 8                                       | 11/2                             | 30 qts.                         | ONION           | $\frac{1}{4}$ oz.                        | 18              | 4                                       | 3/4                              | l bu.                           |
| BEANS, POLE LIM | 4 ½ lb.                                  | 48              | 8                                       | 11/2                             | 11/4 bu.                        | ONION SETS      | 1 pt.                                    | 12              | 2                                       | 1                                | 60 bun.                         |
| BEETS, TABLE    | ½ oz.                                    | 24              | 3                                       | 1/2                              | 1½ bu.                          | PARSLEY         | 1/4 oz.                                  | 12              | 6                                       | 1/2                              | 45 bun.                         |
| BEETS, MANGEL   | ½ oz.                                    | 28              | 4                                       | 1                                |                                 | PARSNIPS        | ½ oz.                                    | 18              | 4                                       | 1/2                              | l bu.                           |
| BROCCOLI        | ½ oz.                                    | 24              | 24                                      | 1/2                              | 25 head                         | PEAS            | 3/4 lb.                                  | 24              | 2                                       | 1                                | l bu.                           |
| BRUSSELS SPROUT | S 1/8 oz.                                | 24              | 18                                      | 1/2                              | 15 qts.                         | PEPPERS         | 1/8 oz.                                  | 30              | 20                                      | 1/2                              | 300 fruit                       |
| CABBAGE         | 1/4 oz.                                  | 24              | 12-24                                   | 1/2                              | 35 head                         | PUMPKIN         | 2 oz.                                    | 96              | 60                                      | 3/4                              | 25 fruit                        |
| CHINESE CABBAGE | 1/2 oz.                                  | 24              | 12                                      | 1/2                              | 40 head                         | RADISH          | $\frac{1}{2}$ oz.                        | 12              | 2                                       | 1/2                              | 50 bun.                         |
| CARROTS         | 1/4 oz.                                  | 16              | 3                                       | 1/2                              | 24 qts.                         | RHUBARB         | ½ oz.                                    | 48              | 48                                      |                                  | 100 stem                        |
| CAULIFLOWER     | $\frac{1}{4}$ oz.                        | 24              | 20                                      | 1/2                              | 25 head                         | RUTABAGA        | ½ oz.                                    | 24              | 6                                       | 1/2                              | l bu.                           |
| CELERY          | ½ oz.                                    | 24              | 6                                       | 1/4                              | 100 stalk                       | SALSIFY         | ½ oz.                                    | 18              | 2                                       | 1/2                              | 300 roots                       |
| COLLARDS        | 1/4 oz.                                  | 30              | 18                                      | 1/2                              | 3 bu.                           | SPINACH         | 3/4 oz.                                  | 18              | 5                                       | 3/4                              | 1½ bu.                          |
| CORN, SWEET     | 4 oz.                                    | 36              | 9                                       | 1                                | 100 ear                         | SPINACH, N.Z.   | ½ oz.                                    | 36              | 18                                      | 1                                | 50 lbs.                         |
| CORN, POP       | 3 oz.                                    | 34              | 8                                       | 1                                |                                 | SQUASH, BUSH    | 1/4 oz.                                  | 48              | 48                                      | 1                                | 60 fruit                        |
| CUCUMBER        | ½ oz.                                    | 48              | 36                                      | 1/2                              | 100 fruit                       | SQUASH, WINTER  | 1/4 oz.                                  | 72              | 72                                      | 1                                | 35 fruit                        |
| DILL            | $\frac{1}{4}$ oz.                        | 18              | 4                                       | 1/2                              |                                 | SWISS CHARD     | ½ oz.                                    | 18              | 15                                      | 1                                | 25 lbs.                         |
| EGG PLANT       | 1/8 oz.                                  | 36              | 24                                      | 1/2                              | 75 fruit                        | TOMATO          | $\frac{1}{16}$ OZ.                       | 40              | 36                                      | 1/2                              | 2 bu.                           |
| ENDIVE          | ½ oz.                                    | 18              | 12                                      | 1/2                              | 50 fruit                        | TURNIP (roots)  | 1/4 oz.                                  | 18              | 4                                       | 1/4                              | l bu.                           |
| KALE            | ½ oz.                                    | 32              | 22                                      | 1/2                              | 50 plant                        | TURNIP (greens) | ½ oz.                                    | 12              | 4                                       | 1/4                              | 1½ bu.                          |
| KOHLRABI        | 1∕4 oz.                                  | 24              | 6                                       | 1/2                              | l bu.                           | WATERMELON      | ½ oz.                                    | 96              | 96                                      | 3/4                              | 20 fruit                        |
|                 |  |                 |   |                                  |                                 |                 |  |                 |   |                                  |                                 |


BEANS, Improved Golden Wax

PEAS, Little Marvel (Top) Early Thos. Laxton (Bottom)

BEETS, Crosby's Improved Egyptian




BEANS, Fordhook Bush Lima



BEANS, Plentiful







## BEATING THESE INSECTS IS EASY WITH KNOW-HOW

Ever since the first garden was planted, the fight between gardeners and insects has gone merrily along.

But nowadays that fight is growing easier, year by year. Just reasonably good strategy is all the gardener needs

To make the job even easier, we present here a highly valuable anti-bug weapon. This is our series of natural color portraits of the common garden enemies (at the right).

#### To Beat Them, KNOW THEM!

These unique pictures have just one purpose-to help you identify the pests in your own garden.

Once you know exactly which insect you are fighting, the job is easy. There's a proper insecticide for every one of them.

That's where our color pictures are so extremely useful. When you have these life-like portraits before you, identification is easier and more certain than ever!

#### Ask Us for the Remedy!

Insects are spread over the season and in different stages of life from the egg, the larva to the bug itself. Their methods of attack vary in two ways either as chewers or suckers. The wide variety of harmful insects in their varied stages of life require in some cases vastly different chemicals to meet the immediate requirements.

To link up each bug with the insecticide that will handle him, JUST ASK US. We keep very close watch on all new developments. We know exactly which of the new formulas have proved themselves . . . and what they can do. This practical knowledge is at your service, whenever you need it!

So-with this weapon at hand, let's work together. You identify 'em! We'll prescribe for 'em! And from then on, Mr. Bug will have a pretty bad time

### For Insecticides SEE THE SEEDSMAN!


You can buy insecticides in many types of stores.


But there's only one type of store where the necessary KNOW-HOW goes along with the merchandise.

A good seedsman isn't only a merchant. He's a garden doctor, always on the job to help you make your home more beautiful, more fruitful. He KNOWS!

Therefore, plain common sense says,


"FOR INSECTICIDES SEE THE SEEDSMAN!"







Sow Bug - 1/2" Mealy Bug — 3/16" Gladiolus Thrip - 1/16




San Jose Scale





Oyster-shell Scale



# Locally Tested -KELLER'S SEED- Locally Proved

#### CANE, SEED

Arizona Hegari. Registered Arizona grown Hegari as produced by members of Arizona Crop Improvement Association is beyond doubt the purest seed stocks obtainable. We offer only this extra fancy and well bred type of Registered Hegari, unless you expressly order Texas grown stocks, which are of course produced only in the regular commercial way. We have very fancy

stocks of Texas grown Hegari for our trade. Registered Arizona Hegari.

Darso. Darso is one of the sweet grain sorghums the stalks of which are rich in sugar content, thereby making an excellent feed. Being a great drouth resister and also heavy yielder of grain, we assure you that it has a place on your farm.

Combine Kaffircorn. This splendid new heavy grain producer developed right here in Oklahoma is gaining in favor. It is early in maturing, hence can be planted late and is well adapted for harvesting by combines. Our stocks produced from certified seed stocks.

**Texas Hegari.** This fine lot of Texas grown Hegari produced from Certified seed is one of the finest lots of commercial seed we have ever received. Color is very bright, high purity and germination.

**Honey Drip Cane.** Sorghum making on the farm has been the most profitable money crop that we know of. Thou-

sands of gallons have been sold for good prices.

This cane was thoroughly matured when headed, and the seed is the best we have ever handled. It is thoroughly rogued and inspected.

#### GRASSES

Alta Fescue—New all-purpose, all-location grass. An Improved Tall Fescue. Highest yielding grass for pasture, hay, silage. Grows on wet or dry, acid or alkali soil. Takes a year to establish, but lasts 20 years or more.

Bermuda Grass. Each year finds an increasing demand for Bermuda Grass Seed. Folks have found that good stands are possible when fields are carefully prepared and sown with our new crop Arizona grown Eclipse Brand quality of high germinating Bermuda Grass seed.

**Sweet Sudan Grass.** This new Sudan grass has shown itself to be far superior to the regular Sudan grass, both as a hay crop or for pasture. Cattle



| ALFALFA (A)   |
|---|
| Sweet, Bur, Hubam                                   |
| Clovers   |
| Size Retail   |
| l bu. each\$ .50                                    |
| 100 lbs. each70                                     |
| CLOVERS (B) Red. Alsike, Crimson, White and Ladino. |
| l bu. each\$ .50                                    |
| 100 lbs. each70,                                    |
| LESPEDEZA (L)<br>100 lb. size (Inocu-               |

| ELOTEBLEA (E)         | u  |
|-----------------------|----|
| 100 lb. size (Inocu-  |    |
| lates up to 100 lbs.) |    |
| \$ .50                |    |
| PEAS, (C)             | P  |
| VETCHES (All          | ٦  |
| Varieties)            |    |
| 100 lb. size (Inocu-  | 3  |
| lates up to 100 lbs.) | 31 |
| ea. \$ .50            |    |


|              | (0)    |
|--------------|--------|
| SOYBEANS     |        |
| Size         | Retail |
| 2 bu. each.  |        |
| 5 bu. each.  |        |
| 25 bu. each. | 2.25   |
| 30 bu. each. | 2.95   |
| (6-5 bu.     |        |

| Beans (D)  |
|--|
| Navy, Pinto, Wax.                                  |
| String, Kidney and                                 |
| Great Northern                                     |
| String, Kidney and Great Northern I bu. each\$ .50 |
|  |
|  |

| PEANUTS,         |
|------------------|
| COW PEAS (E)     |
| 2 bu. each\$ .30 |
| 5 bu. each50     |
| 30 bu 2.95       |
| (6-5 bu. cans)   |
|                  |

LUPINES (All Varieties 100 lb. Size (Inoculates up to 100 lbs. seed) . . ea. \$.50

GARDEN SIZE—Peas, Beans, Sweet Peas, Lupines, Lima Beans and Edible Soybeans. Enough for 8 lbs. seed—Price 15c each.



#### Select Your Seed Corn from Local Leaders

More and more the problem of selecting seed corn is becoming localized as new hybrids are developed and released. It is important to have those hybrids best fitted to your growing conditions. Our selection of seed corn is built on an intimate knowledge of the varieties that have done the best in our territory.

For detailed descriptions of hybrids especially adapted to your particular soil and climate see Page 47.

prefer to graze on it, as it carries more sweet in its stalk, plants are leafier, so for hay or pasture it is more palatable.

**Carpet Grass.** This grass will grow only in our milder climates and is an excellent pasture grass. **Ask for prices.** 

Red Top Grass. Splendid pasture and hay grass in well watered areas. 1 lb. 80c; 2 lbs. \$1.50, postpaid.

Weeping Love Grass Seed. This wonderful new grass is acclaimed one of the wonder pasture grasses in Oklahoma. One pound of seed will plant 4 acres of prepared land when drilled in rows. 1 lb. \$1.00, postpaid.

#### **CLOVERS**

Ladino Clover. This new giant growing type of White Dutch Clover has been proven a good clover to use in your pasture mixtures. Past two seasons this clover has shown wonderful results in different experimental plots over southeastern Oklahoma. \$2.25 per pound, postpaid.

White Dutch Clover. This well known clover serves as a fine lawn clover and does well in all mixed pastures. 1 lb. \$1.35, postpaid; 2 lbs. \$2.45, postpaid. Special 100 pound prices quoted on request.

Small Yellow Hop Clover. This clover is showing good results in winter pastures all over eastern Oklahoma. 1 lb. 70c; 2 lbs. \$1.30, postpaid. \$50.00 per 100 lbs. F.O.B. Shawnee, Okla.

Giant Yellow Hop Clover. This new strain introduced from Tennessee where it makes double the growth of ordinary Hop Clover. Has won instant popularity in Oklahoma. \$1.75 per pound, postpaid.

Black Medic Clover. You can sow it in Bermuda or other native pastures with excellent results. It is a good pasture and soil building crop. 1 lb. postpaid, 60c: 2 lbs. postpaid, \$1.10 or \$35.00 per 100 lbs. F.O.B. Shawnee, Okla.

**Hubam Clover.** This wonderful annual white bloom sweet clover is gaining in popularity. Can be sown with any grain crops, either in fall or spring. Makes good pastures and is a great soil builder.

Yellow Madrid Clover. A splendid biennial growing clover which is leafy, fine stemed, producing excellent pastures and is recognized a great soil builder. Autauga Reseeding Crimson Clover. "The Crimson Clover you plant only once." Reseeds and grows in oats, grain sorghum, hybrid corn, soybeans, lespedeza sericea, Johnson Grass and other legumes and grasses; also wheat, barley and pecan groves.

#### OTHER SEEDS

Texas Red Rustproof Oats. This time tried variety of rustproof oats will always give high yields under the average soil and weather conditions. Our stocks are grown from only the best certified seed, so you are assured of securing good quality and pure seed stocks from us. Treat your seed stocks with "CERESAN" and increase your yields by preventing smut.

**Dwarf Essex Rape Seed.** Holland grown Rape produces fine pasture for hogs, sheep and poultry. It can be planted early and will last until late frost. **One pound 35c; 2 lbs. for 60c, postpaid.** Ask for prices in large quantities.

Sunflower Seed — Mammoth Russian grown for shade and feed. Will produce 30 to 40 bushels to the acre. Is an excellent feed for poultry. Can be planted as late as July 15th and mature a crop. Price: Pkt. 10c; lb. 40c; 2 lbs. 70c, postpaid.

Sinkers Cotton Seed. All acid delinted, perfectly graded, treated with Ceresan, showing 90% or better germination. Sinkers costs less to plant, showing perfect stands in 3 days. Ask for special circular. Plant with corn planter, saving nearly all chopping costs. Packed in 50

lb. bags. Following varieties are available—Paula; D.&P.L.14 and 15; Stone-ville 2B; Improved Rowden and others.

**Alfalfa.** The king of all field crops and natural soil builders. We carry a full range of varieties.

**Cow Peas.** The triple-purpose crop, good for table use, stock feed, and soil improvement. Adapted to practically every soil. Food value is exceptionally high. Be sure to inoculate with Nitragin "E."

Lespedeza. Produces plenty of high quality hay; also good soil builder—particularly when inoculated. Stands dry, hot weather. Our selection includes Korean, Kobe, and Sericea.

**Millet.** Its quick growth makes it particularly desirable for hay and pasturage especially in times of drouth.

**Peanuts.** One of the most profitable crops for light, loamy or sandy soil.

Combine Milomaize. There are a number of good and improved varieties of combine maize. Planted early or late they make good grain yields, Popular varieties are Martins-Westland-Wheatland and Plainsman.

**Vetch.** A great producer for hay, pasturage, or silage. Good cover crop and soil builder. May be sown spring or fall, is not particular as to soil and needs only moderate moisture.

Mung Beans. Our area grows both Domestic and Oriental varieties. They are good soil builders and of course make excellent feed for all livestock. Also, used for making bean sprouts.



#### **Window Boxes**

There's nothing finer than window and porch boxes to make a house look "lived in" and gay.

The necessary boxes may be bought readymade, or constructed at home. Redwood or cypress are the best lasting materials, but ordinary yellow pine will do nicely if well painted. Paint at least two coats, and use brass screws instead of nails to join the boards.

Drainage of flower boxes is important. Use about two inches of coarse gravel at the bottom. Cover this with a layer of sand, and then with good, rich soil. Fertilizing may be done with liquid manure, but commercial plant tablets are even better, and much easier to apply.

Plants suitable for window boxes are quite numerous. Among the best are Petunias, Nasturtium, Ageratum, Candytuft, dwarf Marigold, Corn-flower, Babysbreath, Lovein-a-mist, Verbena, Sweet Alyssum, Vinca. English Ivy adds a nice touch, as do various ferns.

#### **Good Points to Remember**

Pinch 'em off! To make annual flower plants branch and grow more flowers, most of the plants should have the top of the stem pinched off when they are a few inches high. Remove only the end bud, about 1/4".

Divide your perennials. Most perennials must be divided every 3 or 4 years. Cut away all the dead roots and stalks, save the best portions, and start afresh.

Flower bed preparation. A good border needs a well prepared sub-soil. Dig deep and condition the subsoil just once, and you needn't bother about it again for many years. For this happy situation, break up heavy subsoil with sand, peat moss, humus, or lime. Top this off with fine loam. The double-dug bed will be higher than before, but will soon settle.

#### Formula for Pansy Growing

Pansies are not annuals but near-hardy perennials that need special culture. Cold frames, with glass sash and mats for winter protection are essential. Soil should be rich: up to one-third of soil can be wellrotted manure or sifted compost. Sow seed in August. Protect frame with shades made by tacking muslin or cheese cloth over window screens. Thin plants to stand 4" x 4". After first frosts, cover with glass and mats, and allow to freeze slowly. Remove mats in early spring and allow sun to warm frame. Move plants into permanent position when in full bloom. Keep faded flowers picked; they will stop blooming if any seeds are allowed to form. Growing good Pansies from seed is the test of a real gardener.

#### **Two Interesting House Plants**

The Heavenly Blue Morning Glory makes an excellent house plant for winter flowering if grown in a sunny window. Start new plants in late August, using 6" pots (they make heavy root growth). They can be trained up strings on either side of the window. Lobelia plants can be lifted just before frost, cut back, potted and will flower indoors in late winter.

#### 5 "Where to Plant" Ideas


Flowers in the vegetable garden. To have plenty of cut flowers without disturbing your flower borders, plant a few rows of flowers along the edge of your vegetable garden. Or set them out between rows of early lettuce or radishes, where they can bloom after the vegetables have been


Annuals in the tulip bed. Just after the late tulips finish blooming, set out some annuals between the tulip plants. If you do this, you may safely leave the tulip bulbs in the ground for several years, or at least until they need separating.


Flowers for trellis or fence. Vines for quick cover here are quite numerous. For brilliant color effects, plant Cardinal Climber, Scarlet Runner Bean, Cypress Vine, or Japanese Morning Glory. Less colorful are the Cup-and-Saucer Vine, Hyacinth Bean, Balloon Vine, and Heavenly Blue Morning Glory. For heavy foliage effects, gourds are good.

For garage cover. Sometimes it is highly desirable to screen off the bare walls of the back-yard and garage. For quick results, the taller annuals, such as cosmos, hollyhocks and sunflowers are desirable. Any of the vines named in the last paragraph above are suitable, too.

Between drive and property line. This narrow strip is often a very nice place for a long flower border. A low effect may be had by plantings of balcony petunia, portulaca, and sweet alyssum. Or a hedgelike effect is easy to get with Kochia, Four O'clocks, Zinnias, or Marigolds.







RUSSELL LUPINES





NASTURTIUMS Gleam Hybrids

PANSY Swiss Giant



## How? When? HOME GARDENING GUIDE Where? Why?

## 103 FLOWER SUGGESTIONS FOR PLANNERS

#### **For Shady Locations**

Most annuals need plenty of sunlight, but there are a few which do fairly well in the shade, or with partial sun. The following are worth a trial in shady spots:

Cornflower Cleome Candytuft Nasturtium Larkspur Pansv Lupine Vinca Coreopsis Godetia Nicotiana Lobelia English Daisy Bleeding Heart

In the vine group, those which often prosper in fairly shady places are Cardinal Climber, Cup-and-Saucer Vine, and Morning Glory.

#### For Hot, Dry Locations

In spots where the sun beats down mercilessly all day long, many flowers can not prosper. But some of the annuals can do well, even in these difficult locations. Here's a good list:

ing

rds

Sweet Alyssum Petunia Phlox, Annual Ageratum Bachelor Button Poppy, California Cosmos Portulaca Dianthus Scabiosa Dimorphotheca Zinnia Four O'Clock Gaillardia Marigold Salvia

Perennials for hot locations are less plentiful, but you can usually do well with Babysbreath, Perennial Asters, Sedum Acre, Statice, and Blanket Flower (Gaillardia).

#### Flowers for Poor Soil

Of course, the right answer to poor soil conditions is "Improve the soil! But if you can't or don't want to do this, you can usually get fairly good results in poor soil with these:

Amaranthus Marigold Balsam Nasturtium California Poppy Petunia Calliopsis Portulaca Gaillardia Sweet Sultan

#### These Need Successive Sowings

Some of the annuals which come into bloom quickly, keep blooming for only a little while. If you want them in bloom through the season, make several successive sowings at two to four week intervals. Flowers in this class include:

Calliopsis Candytuft Cornflower Forget-me-not Gypsophila Larkspur Mignonette Poppy

#### For Late Gardens

Even in mid-summer, there's still time to start some of the annuals from seed and have lots of bloom before the season is over. The soil must be well prepared and fertilized. The proper flowers for such late planting are:

Babysbreath Calendula Cornflower

Cosmos Portulaça Shirley Poppy

Petunias and Snapdragon seedlings may be started late, too.

#### **Most Dependable Annuals**

As every experienced gardener knows, some annual flowers succeed under exactly the same growing conditions which let other flowers fail. There is quite a list of annuals which are highly dependable. Given proper soil and care, these "old reliables" are practically sure to produce good results:


Balsam Marigold Calendula Nasturtium California Poppy Polunia Calliopsis Phlox Cornflower Pinks Cosmos Portulaca Flowering Salvia tobacco Scabiosa Four O'clock Shirley Poppy Gaillardia Snow-on-Globe amaranth the-mountain Hollyhock Sweet Alyssum Larkspur Zinnia

#### **Annuals for Fragrance**

We are often asked, "What annuals are really fragrant?" We recommend Alyssum, Candytuft, Carnation, Mignonette, Gleam Nasturtiums, Petunia, Scabiosa, Stocks, Sweet Peas and Wallflower.

#### For Winter Bouquets

Several flowers can be dried and used for winter decorations. The everlastings are best known but Statice and Gypsophila are also fine. Celosia will last a long time but is not as showy as the others.



Red Head

DIANTHUS Single, Mixed

CARNATION Chabaud's Enfants



# FLOWER SEEDS

# The finest in the world

#### KEY TO SYMBOLS

The symbols below the name of each flower give you the following information.

(a)—Annual

(b)-Biennial

(hp)—Hardy Perennial

The Culture Number shown for each variety refers to the "How to Grow" information on page 33.

#### **AGERATUM**

(a) Culture I, 4-9"

Blue Cap—A new, very compact sor with rich blue flowers. Pkt. 15c.

Blue Perfection—A deep amethyst blue Grows to 9 inches high.

Midget Blue - Small 4-inch plants are covered with azure blooms. Pkt. 25c.

#### **ALYSSUM**

(a) Culture II (hp) VI, 4-6" Carpet of Snow (a)-Masses of tiny pure white flowers on 4-inch plants. Violet Queen (a) — Deep violet highlighted by white in center. Pkt. 15c. Saxatile (hp)—Dwarf perennial. Golden flowers in earliest spring. Pkt. 15c.

### ANTIRRHINUM—Snapdragon

(a) Culture I,  $1\frac{1}{2}$ -3'

Half-Dwarf, Large flowered — Heavy spikes on 2-foot plants. Mixed colors. Pkt. 15c.

Tall Giant, Large flowered - Large 3foot spikes with huge flowers. Pkt. 15c. Lemonade—Clear primrose-yellow. Long, strong stems. A double snapdragon which forms extra petals in each floret. Pkt. 50c.

Maximum—Tallest kind. All colors. Pkt.

Super-Majestic — Semi-tall to 2 feet. Large flowers, ideal for garden. Pkt. 25c. Tetra-Rust resistant. Immense flowers in many fine colors. Produce many spikes. Mixed. 25c.

#### **ANCHUSA**

(a) Culture I, 2'

Blue Bird-Bushy plants with sprays of clear blue, white-eyed flowers. Pkt. 15c.

#### **AQUILEGIA—Columbine**

(hp) Culture VI,  $2\frac{1}{2}$ Mrs. Scott Elliott's Long Spurred-Large colorful blooms. Pkt. 25c.

#### ARABIS—Rock Cress

(hp) Culture VI, 1'

Creeping plants with small flowers in early spring. Fine for edging. Pkt. 15c.

#### **ARCTOTIS**—Blue-Eyed African Daisy


(a) Culture I or II, 3'

Grandis — Two-inch daisies of pearly white with bluish center. Pkt. 15c.

#### ARMERIA—Thrift

(hp) Culture VI, 11/2'

Dwarf rock plants with grassy foliage and globular flowerheads. Pkt. 15c.



ASTER-El Monte

#### **AUBRIETIA—Purple** (hp) Culture VI, 6"

A creeper with large colorful flowers in early spring. Ideal with bulbs. Pkt. 25c.

(a) Culture I,  $\frac{1}{2} - 2\frac{1}{2}'$ 


American Branching-Four inch double flowers of compact form. Brilliant colors. California Giants - Large double with curled petals. 3' plants. Pkt. 15c.

El Monte-A huge flower 8" across, Interlaced crimson petals. Pkt. 20c.

Giant Crego—Large 4-inch flowers with fluffy effect. All colors. Pkt. 15c.

Los Angeles-Huge flower with curled petals of shell pink. Feathery. Pkt. 20c. **Pompon** — Early 18-inch plants. Many brilliant colors. Mixed Pkt. 20c.

Princess—Three-inch flowers are compact with a crested center. Mixed. 15c. Queen of the Market — Early. Short plants. Compact double flowers. Mixed Pkt. 15c.



ASTER—California Light Blue

Sunshine — 4" flowers. Loose row of petals, quilled center. Pkt. 25c.

#### **BACHELOR'S BUTTONS—** Centaurea, Cornflower

(a), Culture II or IV, 3'

Blue Boy-A fine, clear blue. Flowers are large. Colors intense. Pkt. 15c. Pinkie—Lovely rose pink. Pkt. 15c. Red Boy-Bright crimson. Pkt. 15c. Snow Man-Snow white. Pkt. 15c. Jubilee Gem—Dwarf, l' plant. Large, frosty blue blooms. Pkt. 15c. Mixed— All colors. Pkt. 15c.

Blanket Flower-See Gaillardia.

#### Balloon Vine—Love in a Puff

(a) Culture I,  $1\frac{1}{2}-2\frac{1}{2}$ 

A clean, free-growing vine with small white flowers, and balloon-like seeds.

## **BALSAM—Lady Slipper**

(a) Culture II,  $1\frac{1}{2}$ -2'

Mixed — Double Camellia-like flowers all summer on bushy plants. Pkt. 15c.

Bellis Perennis—see Daisy, English. Blue Lace Flower—see Didiscus. Brachycome—see Daisy, Swan River. Burning Bush-see Kochia. Butterfly Flower—see Schizanthus.



CALENDULA—Sunset Shades

ALL FLOWER SEEDS

10c PER PACKET UNLESS OTHERWISE NOTED

# ALL FLOWER SEEDS 10c PER PACKET UNLESS OTHERWISE NOTED

#### CALENDULA—Pot Marigold

(a) Culture II or IV, 11/2

Orange Shaggy—Large orange flowers with fringed overlapping petals.

Orange Quills-Mid-Orange, bright, Unusual petal habit, curves beneath blossom to meet underneath. Pkt. 25c.

Sunshine-Golden flowers, with drooping petals. Odorless. Pkt. 15c.

Pacific Beauty, Persimmon — Large, bright orange, double flowers. Pkt. 15c. Sunset Shades—Large flowers in shades of yellow and orange. Pkt. 15c.

Mixed—Fine mixture of many colors and types. Good for cutting.

### **CALLIOPSIS**—Tickseed

(a) Culture II or IV, 1-3

Dwarf mixture -- One-foot plants with many colors of yellow and red. Tall mixture—A splendid range of colors on tall plants.

#### **CAMPANULA**—Canterbury Bells

(b) Culture VIII, 2'

**Single**—Large bell-shaped flowers in many colors. Graceful plants. Mixed. Double-Fine double flowers in blue, pink and white shades. Mixed. Pkt. 15c. Cup and Saucer — Bell-shaped. Saucer of petals at base. Mixed. Pkt, 15c.



CELOSIA

## **CANDYTUFT**—Iberis

(a) Culture III, 1'

White Hyacinth — Large conical spikes of snowy flowers. Fine for edging. Umbellata mixed—Umbrella-like flower clusters. Many fine colors.

#### CARDINAL CLIMBER-Imp. Cypress Vine

(a) Culture III, 10-15'

Slender vine with bright green fernlike leaves. Bright red flowers. Pkt. 15c.


#### CARNATION

(a) Culture I or VIII, 18" Chabaud's Giants—Large double flowers with sweet fragrance. All colors. Flower in six months. Pkt. 15c.

#### **CASTOR BEAN**—Ricinus

(a) Culture III or VII, 10'

Zanzibariensis -- Tall, strong plant for bold effect. Large lobed bright green leaves. Fine for backgrounds.



COSMOS-Sensation

#### CELOSIA—Cockscomb

(a) Culture I or III, 1-3'

Shades of Red-Low grower with large crested heads. Like rooster combs. **Feathered** — Tall, feathery heads of flowers in red and yellow shades.

#### **CHRYSANTHEMUM**

(a) Culture II or IV,  $1\frac{1}{2}$ Single Painted Daisy, mixed — Showy daisy-like flowers. Rings of red, yellow, on white, red or yellow flowers.

#### CENTAUREA—See Bachelor's Buttons CLARKIA

(a) Culture II or IV, 2'

Double mixed-Large double flowers in many gorgeous colors. Graceful plant. Does well in light shade.

#### **CLEOME—Spider Plant**

(a) Culture II or IV, 3-4'

Pink Queen-A tall plant with many clear pink flowers. Neat foliage. Pkt. 15c.

#### COCKSCOMB—See Celosia COREOPSIS

(hp) Culture VI, 2'

Sunburst—Large double flowers of rich golden color. Fine for cutting. Pkt. 15c.

COLUMBINE-See Aquilegia CORN FLOWER—See **Bachelor's Button** 

#### COSMOS

(a) Culture II or IV, 3-4'

Dazzler-Wavy fluted petals of a velvety crimson-maroon. Pkt. 25c.

Orange Flare-Vivid orange flowers on long stems. For brilliant effect. Pkt. 15c. Orange Ruffles - Semi-double flowers. Golden orange, Airy effect. Pkt. 25c.

Yellow Flare — Butter-yellow flowers. Similar to Orange Flare. Pkt. 15c.

Radiance — A bi-color! Beautiful, deep rose flowers have a rich crimson zone in center. Striking! Pkt. 25c.

Sensation mixed—Huge single flowers with wavy petals, many colors. Pkt. 15c.

#### CYNOGLOSSUM—Chinese Forget-Me-Not

(a) Culture II, 15"

Firmament - Hundreds of tiny indigo blue flowers. Resemble Forget-me-nots. Bloom all summer. Pkt. 15c.

#### DAHLIA

(a) Culture I or II, 14"

Unwin's Ideal Bedding - Semi-double flowers on low bushes. Fine for beds or borders. Many colors. Pkt. 20c.

DAISY, AFRICAN-See Arctotis

#### DAISY, ENGLISH—Bellis Perennis

(hp) Culture VI, 8"

Low plants with colorful double daisies in early spring. For beds, edges. Pkt.

#### DAISY, SWAN RIVER-**Brachycome**

(a) Culture II, 10"

Mixed-Many colored small daisy-like flowers freely produced all summer. Pkt. 15c.

#### DELPHINIUM—Perennial Larkspur

(hp) Culture VI, 5'

Giant Pacific Hybrids - World famous strain of immense double flowers on tall stems. Many new colors. Pkt. 35c.

Shades of Blue - A fine mixture of large showy kinds in light and dark blue, Pkt. 35c.

#### DIANTHUS—Pinks

(a) Culture I or VIII, 1'

Double and Single mixed—Fine mixture of colorful, sweet-scented, garden pinks.

Gaiety—Fringed petals in a wide range of flower colors and shapes. Pkt. 15c.

Heddensis - New tetraploid hybrids! Larger flowers, longer stems, better growth. Many fine colors. Pkt. 15c.

## **DIDISCUS**—Blue Lace Flower

(a) Culture I or II,  $2\frac{1}{2}$ 

Coeruleus-Lacy heads of lavender and blue flowers. Lovely to cut.

DIGITALIS—See Foxglove

#### ESCHSCHOLTZIA—California Poppy

(a) Culture III, 1'

Large single poppy-like flowers in many showy colors. Fern-like leaves.

#### **EVERLASTING FLOWERS**

(a) Culture II,  $1\frac{1}{2}$ -3'

Mixed — Contains such favorites as Strawflower and Globe Amaranth, Fine for dried bouquets and winter use.

FLOWERING FLAX—See Linum

EUPHORBIA-See Snow-On-The-Mountain

## FOUR O'CLOCK—Mirabilis

(a) Culture III, 2'

Bushy plants covered with flowers of red, pink, white, violet, and yellow. Flowers close in bright sun. Pkt. 15c.

## **FOXGLOVE—Digitalis**


(b) Culture VIII, 3'

Tall spikes of lovely thimble-shaped flowers of pink, rose, and purple. Blooms second year.


HELIANTHUS, Sun Gold



ZINNIA, Exquisite




AGERETUM, Midget Blue



PHLOX, Drummondi

MORNING GLORY, Cornell



## HOME GARDENING GUIDE

### HOW TO GROW BETTER, BIGGER ROSES

Give roses the best location possible, They want: well-drained soil; at least a half-day's full sunlight (morning sunlight is not especially desirable); shelter and protection from prevailing winds. They should not be too close to large trees. Prepare the rose beds in advance, if pos-sible. Where the soil is good garden law sible. Where the soil is good garden loam which has been under cultivation for some time and is well drained, so there is no standing moisture, the preparation is easy. Dig to twice the depth of a spade—about 24 inches, Mix thoroughly generous quantities of Manure and Bonemeal and two tablespoonfuls of Sulphate of Potash with soil in bottom of hole. Let stand and settle.

#### **Summer Care**

Giving your Roses close attention throughout the summer months can add a great deal to the enjoyment you get from them. Here are some of the things to be con-sidered in growing the full-blooming beauties that are the pride of every

gardener.

CULTIVATION—Throughout the summer, until September, roses should be cultivated regularly to destroy weeds and aerate the soil. The soil should never be allowed to bake. One method used to keep

a crust from forming is the application of a peat or terra-lite mulch. This also helps conserve moisture. After a heavy rain, it is advisable to hoe and rake rose beds just as soon as the soil has dried sufficiently.


WATERING — Any watering should be thorough. Sprinkling is actually bad for your roses since it brings feeding roots to the surface and causes burning. Water early in the morning, preferably. This way, foliage will be dry by nightfall, lessening the danger from mildew, a disease which likes the combination of cool nights and wet foliage. During extremely nights and wet foliage. During extremely hot periods, it is a good idea to hose plants with a strong stream of water several times during the day.

several times during the day.

DISBUDDING—Beautiful flowers for cutting may be had by disbudding. The central bud of a cluster is usually the best and by allowing only this bud to develop, you can enhance its beauty. This applies to Hybrid Teas and Hybrid Perpetuals. Polyanthas and landscape Roses need no disbudding. In cutting flowers, it is best to cut in early morning before petals start to unfold. Cut the stems two buds above the point where they two buds above the point where they branch from the main stem.

#### **How to Plant Perennials**

The soil should be well worked and free The soil should be well worked and free of big lumps and air pockets. The average planting distance for perennials is one foot apart. Vigorous growers like peonies and mallows require as much as three feet apart. No. 1 plants (see below), such as iris, should be planted with the main root just below the surface of the ground. No. 2 plants, such as peonies should be planted with the tips of the buds at or just below the surface of the ground No. 3 plants, in which the leaves spring from just below the surface of the ground No. 3 plants, in which the leaves spring from the crown, should be planted with this crown on the level of the dirt line No. 4 plants, such as hollyhocks, should be planted with the root straight down and the bud just below the surface of the dirt. Spread roots out naturally, Bring the soil in contact with all roots and press firmly. If the plants are watered, water the roots and not the tops.



MARIGOLD, Mission Giant Yellowstone

#### **How to Plant Shrubs**

Keep roots covered with damp sack or something similar and do not let them become dry. Spade ground deeply, digging large holes with perpendicular sides. Cut off broken or bruised roots and cut Cut off broken or bruised roots and cut back top one-third to one-half. Plant slightly deeper than they stood in nursery. Tamp soil firmly around roots and fill top of hole with several inches of loose earth to serve as mulch.

#### How to Prune and **Plant Trees**

With shade trees having a heavy top, at least one-third of the top should be re-

least one-third of the top should be removed. Prune to avoid crowding branches. Cut out some of the small branches, shorten back the side branches, but do not cut off the leader or main stem. Try to get well developed head, strong leader and branches at wide, not close, angles. Cut off all broken roots.

In choosing trees for the home grounds, study the house and the effect you want to produce. If the house appears tall or seems to stick up too much in the air, plant trees that will tower and spread over it, or trees that will shoot up tall and narrow and make it appear lower in contrast. If it is a low house it can be made to hug the ground or to appear higher by a judicious selection of trees.

PETUNIA, Radiance





# HOW TO GROW All flowers listed in this Gorden

# this Garden Annual

The numbers, I to VIII, found with every flower listing refer to the following culture notes which give directions for growing all of the flowers we list.

One of the important problems in the garden is that of maintaining a continuous show of bloom. This calls for the use of several different types of annuals, such as those that must be planted early to grow in cool weather (Culture IV) and those which bloom later in summer heat (Culture I and II). If some of the coolweather annuals from Group IV are sown in mid-summmer and kept well watered, they will grow slowly until the cooler days of fall start them into more active growth. These will produce late flowers. Quick-growing annuals from **Group II** may also be sown at intervals for a succession of bloom during the summer.

One way to lengthen the blooming period One way to tengthen the blooming period of annuals is to cut off all flowers as soon as they fade. Annuals complete their life span when seed is formed and frequently stop flowering as soon as the seed ripens. By preventing the seed from forming through removal of all old flowers, the plants are kept growing and blboming.

#### Culture I

These flowers need a long season and must be started indoors if a full blooming period is to be had. If early bloom is not important, they will bloom later in the summer when sown directly in the garden. Some gardeners sow both ways to obtain a succession of flowers. When starting seedlings indoors, select a place with plenty of light. North or shaded windows may be too dark for best results. Cold frames are generally very good. The seed is planted in small boxes (or flat) that have good drain-

good. The seed is planted ir (or flat) that have good drainage and will fit the space you are going to use. Fill them with a mixture of ½3 good soil, ⅓3 sand and ⅓3 humus such as peat. Press the soil down firmly and make small rows with the edge of a ruler or lath and slowly shake the seed from slowly shake the seed from the packet into the rows. Sift a light covering of the soil mixture over the seed and moisten with a fine spray. Keep soil moist until the seeds have sprouted. Very fine seed such as that of petunias should be dusted carefully onto a smooth soil surface and covered with a pane of glass. Shade it with newspaper until the seeds sprout. These are best watered by setting the flat in a pan of water until the soil has become thoroughly dampened all the way the way through. When the seedlings have formed the second true leaves, transplant them into other flats so the plants are about 21/2 inches apart. This will give them room to grow to good size before being set out. Expose gradually to outside conditions and plant outside after the weather is warm and settled. When sown directly outdoors, follow directions under Culture

#### Culture II

These are the quicker-growing annuals that can be sown directly in the garden and will bloom in time to make a good display for

most of the summer. If wanted especially early, they should be started as directed under **Culture I.** Some flower seedlings are rather delicate. Extra care in preparing the seed bed will pay dividends in better

Prepare soil with a liberal amount of mixed fertilizer and organic matter and dig it in. Rake the surface until it is smooth and pulverized. Sow the seed at a depth equal to three times the diameter of the seed. Fine seed can be spread on the surface and pressed in without covering.

Keep soil moist by light spraying until the seedlings have formed the first true leaves. When they are large enough to handle, they may be transplanted to other parts of the garden.

#### **Culture III**

These flowers do not transplant well. They should be planted where they are to

Sow as soon as the weather begins to warm in the spring. Otherwise the culture is the same as II. Sow seed thinly or remove the smaller plants after they are up. These can be handled as pot-grown plants as in Culture VII.

#### Culture IV

These flowers are unusually hardy annuals that can withstand very cool weather. They are often sown late in fall so they can start growing the first warm days of spring. If not sown in fall, they should be planted as early in the spring as possible. Fall sowing gets the seeding job out of the way before the spring rush.

#### Culture V

These flowers, while garden subjects, are also useful for winter-flowering house plants. For garden use, handle as in Culture II. For winter flowering indoors, plant the first the flowering indoors, plant the flowering indoors are provided to the flowering indoors. fairly late in the season and transplant

PETUNIA—Fire Chief, 1950 Gold Medal Winner. The first flower development to win the gold medal in eleven years! This "natural color" reproduction cannot do justice to the real life, fiery-red brilliance and beauty of Fire Chief. A wonderful addition to your garden. Be sure to ask us about it.



into small pots as soon as they are large enough. Keep moving them to larger pots as roots fill the soil until they are finally in six-inch pots. Annuals in pots should have at least six hours of direct sunlight daily if they are to flower.

#### Culture VI

Perennials can be seeded at almost any time of the year. Best periods are early in the spring or in early summer when the rush of spring work is over. A cold frame or sheltered bed which can be shaded from the direct sun is best. Prepare soil thoroughly with plenty of organic matter. A loose, friable soil will produce a thick mat of roots so that the seedlings will transplant more easily. Perennial will transplant more easily. Ferenman seedlings are rather weak growers needing extra care. In covering the drills in which the seeds are sown, use either pure, clean sand or a mixture of half sand and half peat. This prevents packing of the soil over the seeds. Always water with a fine spray.

As soon as the second leaves form, seed-As soon as the second leaves form, seedlings may be transplanted into their permanent position. Or, if more convenient, they may be left in the seed-bed until the following spring. Under this culture, only a few species will bloom the first year and they will not produce normal flowers until the following year. Planting earlier does increase the chances for flowers the first year. But, if it is more convenient, Culture I may be used.

#### Culture VII

These varieties need a longer growing season than can be given them outdoors. And because they do not transplant well, they must be started in pots and set out without disturbing the roots. Otherwise Culture is the same as I. The use of plant bands allows you to set the seedlings out

without disturbing the roots. The bands soon rot away and the seedlings will grow as though started in the garden.

If clay pots are used, the excessive drying can be avoided by placing the pots in a flat and filling the space between them with damp peat or vermiculite. Be sure to keep this material moist or it will draw moisture from the pots.

#### Culture VIII

These flowers are biennials. They make a leafy growth the first year but do not flower. The leafy growth of the first year forms food for blooming the following year. The flowers appear the second year and then the plant

This means that a continuous show from biennials must be provided by starting new plants every year to replace those that are flowering. Biennials are handled in the same way as perennials except that they are started early in the spring to allow the plant to store as much food as possible for the next year's

Many gardeners start biennials in the vegetable garden or special starting bed and then transplant the ones needed to the flower garden the following spring. During the winter, biennials should be given the same treatment as perennials.

#### **GAILLARDIA**—Blanket Flower

(a) Culture II, (hp) VI, 2'

Single, Mixed (a)—Large daisy flowers in many brilliant colors. Pkt. 15c.

Double, Mixed (a)—Double flowers in wide range of showy colors. Pkt. 15c. Picta (a)—Showy round flowers with tubular petals. Many brilliant colors. Pkt. 15c.

Monarch (hp) — Superb daisy type flowers in shades of red and yellow.

GILLIFLOWER—See Stocks
GLOBE AMARANTH—See
Everlasting Flowers
GOMPHRENA—See
Everlasting Flowers

#### GODETIA—Satin Flower

(a) Culture I or II, 2'

**Double, Mixed**—Azalea-like flowers of many colors on bushy plants.

#### GOURDS, ORNAMENTAL

(a) Culture III, 12'

**Mixed**—Large and small kinds that will be useful for drying and novelties.

#### GEUM

(hp) Culture VI,  $1\frac{1}{2}$ ' Mrs. Bradshaw—Glowing Scarlet flowers. Bright green foliage. Pkt. 20c.

#### GYPSOPHILA—Baby's Breath

(a) Culture I, (hp) VI, 1\frac{1}{2}-3'

**Annual White (a)**—Open, bell-shaped blooms on branching stems give airy touch to garden or bouquet.

**Annual Pink (a)**—The small flowers are a rosy pink. Like above.

**Perennial white (hp)**—Large loose clusters of small flowers give misty effect.

#### **HELIANTHUS**—Sunflower

(a) Culture II, 6'

Sun Gold—Large double flowers of a brilliant golden yellow. Pkt. 15c.

## HIBISCUS—Rose Mallow

(hp) Culture VI, 4'

Giant mixed—Huge bell-shaped flowers in white, pink, red. Tall plants for damp spots. Pkt. 15c.

## HUNNEMANNIA—Mexican Tulip Poppy

(a) Culture III, 11/2'

**Sunlite**—Soft yellow double poppy type flower. Bluish fine cut leaves. Pkt. 15c.

#### HOLLYHOCK

(hp) Culture VI or VIII, 5'

**Double mixed**—Large double flowers on tall spikes. Bloom in midsummer. Excellent backgrounds. Pkt. 15c.

#### KOCHIA—Burning Bush or Summer Cypress

(a) Culture III,  $2\frac{1}{2}$ 

Compact pyramid. Needs no trimming. Bright green foliage makes neat, quick hedge. Turns bright red in fall.

## LARKSPUR—Annual Delphinium

(a) Culture II or IV, 3'

**Blue Spire**—Tall spikes of large double flowers in a lovely violet blue. Pkt. 15c.

White King — Pure glistening white spikes. Tall and stately. Pkt. 15c.

**Pink Perfection** — Lively light salmon pink. Glorious when cut. Pkt, 15c.

**Regal**—Rose color. Long, thick spikes with exceptionally large florets. Vigorous and early. Pkt. 25c.

**Ruby**—A genuine ruby red. A bright color in garden or bouquet. Pkt. 15c. **Giant Imperial mixed**—A fine mixture of the above kinds and others. Pkt. 15c.

#### LATHYRUS LATIFOLIUS—See Perennial Sweet Pea

## LAVATERA—Annual Mallow

(a) Culture II, 2-3

**Loveliness**—Large bowl shaped, rosy pink flowers all summer. Attractive bronzy foliage. Pkt. 15c.

## LINUM—Flowering Flax (a) Culture III, (hp), VI, 1-2'

Scarlet (a)—Bright red flowers in a con-

stant succession all summer.

Perennial Blue (hp)—Low bushy plant

blooming from spring to mid-summer. Small, clear blue flowers in profusion. Pkt. 25c.

#### LOBELIA

(a) Culture I or V, 4''

**Crystal Palace**—Compact border plant with myriads of tiny bright blue flowers. For all low use. Pkt. 25c.

#### LUPINE

(hp) Culture III or VII, 3'

Russell's Mixed—Finest of all the lupines! Brilliant colors in long, strong spikes of pea-shaped flowers. Pkt. 25c.

MALLOW, ANNUAL—See Lavatera
MALLOW, ROSE—See Hibiscus

#### MARIGOLDS

(a) Culture I or II, Tall Types 11/2-3'

Burpee Gold—Large carnation-like flowers in bright orange. Odorless foliage. Pkt. 15c.

**Guinea Gold**—Large round flowers in a rich gold. Very popular.

Yellow Supreme — Light yellow, large flowers of carnation form, Pkt. 15c.

**Sunset Giants** — Huge dahlia-flowered strain. Lemon and gold. Pkt. 15c.

**Crown of Gold**—Golden flowers with crested center and broad collar of petals. Odorless foliage. Pkt. 15c.

#### Double Dwarf Types 1/2-1'

**Melody**—Foot high plants with loads of orange ball-shaped flowers. Pkt. 15c. **Spry**—Compact plants with showy yellow flowers bordered with mahogany. Pkt. 15c.

Sunkist—Compact plants with masses of golden orange blooms. Pkt, 15c. Scarlet Glow—Compact, with bright red, 2" blooms. Reddest of all. Pkt, 15c.

**Double French Hybrids mixed** — Compact plants with flowers in yellow, orange, mahogany, and bronze. Pkt. 15c.


#### Single Dwarf Types, 1-11/2'

**Flash**—Plants have many 1¾" flowers in tangerine and red shapes. Grows about 18". Pkt. 25c.

Naughty Marietta—Open 2½" flowers are rich gold with maroon at base of petals. Splendid for edging. Pkt. 25c.

Red Head — New! 1948 All-America Award. Crested center of gold edged maroon, petals deep changeable red. Pkt. 25c.

Royal Scot—Alternating stripes of red and gold. Very different, Pkt. 15c.



## HANDY PLANTING GUIDE FOR FLOWER GARDEN PLANNERS

Shape

Plant

bushy

bushy

erect

bushy

bushy

erect

bushy

bushy

bushy

bushy

tall

erect

branchy

spreading

KEY—For classification of flowers by purpose, location, etc., see the second column below. The meaning of the key letters in this column is as follows:

Suitable

for

E F J

BCDEFIJ

CIL

CEF

ΑE

D

F

BFI

ABCDEIJ

ΑE

DEH

Α

ABD

F

L

F

A-For dry, hot locations

B-For a succession of blooms

Height

(Inches)

4-12

2-12

12-60

18-36

14-20

12-36 18-24

6-18

18-36

24-36

12-36

36-60

18-36

14

36-72

30-48

C-For shady locations

D-For poor soil

E-For edging

Ageratum
Alyssum, Sweet

Antirrhinum

Aquilegia

Calendula

Campanula

Candytuft Centaurea

Celosia

Cosmos

Coreopsis

Delphinium

Digitalis

Dahlia, Dwarf

Chrysanthemum

Balsam

F-For the rock garden.

G-For their foliage

H-Everlasting for winter bouquets

Average Approx.

Germinate Bloom

5-10 10 Wks.

5-10 6 Wks.

20-25 3-4 Mos.

15 3 Mos.

10-14 12-14 Wks.

8-15 10-12 Wks.

5-10 8-10 Wks.

5-20 3-4 Mos.

5-20 8-10 Wks.

5-15 10-12 Wks.

20-25 10 Wks.

10-20 4-5 Mos.

10 3-4 Mos.

15-21 3-4 Mos.

10-20 3-4 Mos.

10-12 6 Mos.

Time of

I-For their fragrance


J-For porch or window boxes

K-Climbing Vines

L-For backgrounds

Days to

| Four O'Clock    | 24-30          | ΑĐ     | 5-10  | 3-4 Mos.    | bushy     |
|-----------------|----------------|--------|-------|-------------|-----------|
| Gaillardia      | 18-30          | D      | 15-20 | 2-3 Mos.    | bushy     |
| Godetia         | 12-24          | CD     | 15-20 | 2 Mos.      | erect     |
| Gypsophila      | 18-36          | ВН     | 15-20 | 8-10 Wks. b | ranching  |
| Helichrysum     | 24-36          | Н      | 5-10  | 3 Mos.      | bushy     |
| Hollyhock       | 48-84          | L      | 5-20  | 10 Wks.     | slender   |
| Kochia          | 30-36          | A B    | 15-18 | Foliage     | bushy     |
| Larkspur, Annua | 30-72          | L      | 15-20 | 10-12 Wks.  | tall      |
| Lathyrus        | 60-72          | 1 K    | 25-40 | 2-3 Mos.    | vine      |
| Lobelia         | 4-8            | ΕJ     | 10    | 10-12 Wks.  | bushy     |
| Marigold        | 8-36           | ВJ     | 5-8   | 6-8 Wks.    | bushy     |
| Mignonette      | 10-12          | BI     |       | 3-4 Mos.    | erect     |
| Moon Flower     | 12 ft. or more | ΙK     | 5-8   | 4-5 Mos.    | vine      |
| Morning Glory   | 12 ft. or more | AK     | 5-8   | 3-4 Mos.    | vine      |
| Nasturtium      | 12-36          | DEFK   | 8-15  | 2-3 Mos. b  | ush. vine |
| Nigella         | 10-18          | BF     | 10-15 | 10-12 Wks.  | bushy     |
| Nicotiana       | 30-48          | 1      | 20-25 | 10-12 Wks.  | •         |
| Pansy           | 4-8            | CEF    | 10-15 | 10-12 Wks.  | clump     |
| Petunia         | 10-24          | DEFJ   | 18-20 | 10-12 Wks.  | bushy     |
| Phlox           | 10-18          | ABCFIJ | 20-25 | 8-10 Wks.   | bushy     |
| Poppy           | 18-36          | В      | 20    | 12-15 Wks.  | erect     |
| Portulaca       | 4-6            | ADEFJ  | 18-20 | 6 Wks.      | spready   |
| Salvia          | 12-42          | Α      | 15-25 | 3-4 Mos.    | bushy     |
| Scabiosa        | 18-30          | 1      | 18-20 | 2-3 Mos.    | bushy     |
| Stocks          | 12-24          | t      | 5-15  |             | bushy     |
| Schizanthus     | 18-36          | CE     | 20-25 | 6-8 Wks.    | bushy     |
| Sweet Pea       | 36 or more     | K      | 15-20 | 10-12 Wks.  | vine      |
| Sweet William   | 12-24          | F      | 10    | 12 Wks.     | bushy     |
| Verbena         | 6-12           | EFJ    | 8-10  | 12 Wks.     | spready   |
| Waliflower      | 12-18          | 1      |       | 2-3 Mos.    | bushy     |
| Zinnia          | 12-36          | ΑF     | 5-10  |             | bushy     |
|                 | * * * * .      |        | ,     |             |           |



#### MIGNONETTE—Reseda

(a) Culture III, 1'

Low grower with tiny, white blooms that are very sweet scented.

## **MORNING GLORY—Ipomoea**

(a) Culture III, V or VII, 12'

Blue Star-(All American Winner) Beautiful sky blue with five deep blue midribs forming a star. Early flowering. Pkt. 25c.

Heavenly Blue—Sky-blue flowers on a tall, neat climber. Flowers close in bright sun. Exquisite on fences. Pkt. 15c. Pearly Gate—A shining white form of Heavenly Blue. Pkt. 25c.

Scarlett O'Hara—Large velvety scarlet flowers. Very showy. Pkt. 20c. **Mixed**—Many lovely shades.

#### Moss Rose—See Portulaca Mourning Bride—See Scabiosa NASTURTIUM

(a) Culture III or V Dwarf or Bush Kinds 1'

Golden Globe-Semi-double flowers of bright gold. Pkt. 15c.

Scarlet Globe - Fiery scarlet double flowers, Pkt. 15c.

Mahogany Gem-Deep velvet mahogany red double flowers. Pkt. 15c.

Gem Mixed—All colors. Pkt. 15c. Single Mixed—Complete mixture of all colors in the well-known single type.

Tall or Vine Kinds 3-10

Golden Gleam—Large golden flowers. Double and fragrant, Pkt. 15c.

Scarlet Gleam — Fiery orange scarlet flowers. Double and fragrant. Pkt. 15c. Salmon Gleam—Delicate golden salmon double flowers. Pkt. 15c.

Glorious Gleam-A mixture of all the lovely colors of the Gleam series. Pkt. 15c.

Tall Single Mixed—The old single type in the tall growers. All colors.

#### **NEMOPHILA**—Baby Blue Eyes (a) Culture II, 6"

Many cup-shaped sky-blue flowers on low spreading plant. Pkt. 15c.


#### **NICOTIANA**—Flowering Tobacco

(a) Culture I or II, 2-3'

Long-tube starry flowers. Fragrant at night. White or light pink mixed.

PAINTED TONGUE—See Salpiglossis

SALPIGLOSSIS



#### PANSY

(a) Culture I, II or VIII, 8"

Swiss Giants - Large flowering strain with fine range of gorgeous colors. Best of the improved pansies. Pkt. 50c.

#### TUFTED PANSY-See Viola PERIWINKLE-See Vinca PETUNIA

## (a) Culture I or IV

Small Flowered, 10-14"

Balcony—Trailing kinds for use in window boxes and bedding. White, red, rose, or blue. Each. Pkt. 20c.

Blue Bee—A lovely violet blue. Pkt. 15c. Cheerful-Clear salmon pink with rose veining in throat. Compact. Pkt. 25c.

English Violet - A fine purple-violet color. Spreading plant. Pkt. 20c.

Fire Chief-Brilliant red. All American Gold Medal Winner for 1950. The first flower to win this award in eleven years! Pkt. 35c.

Flaming Velvet—A velvety blood red. Best of its color. Pkt. 20c.

Glow-Rich carmine red flowers on a compact plant, Brilliant, Pkt, 25c.

Martha Washington-Ruffled flowers of pale pink, violet throat. Pkt. 25c.

Rose of Heaven-Best of the rose colored strains made famous by Rosy Morn. Color is slightly deeper and more uniform. Compact. Pkt. 15c.

Silver Medal—New 1949 All American Award. A lovely salmon. Good size flowers on compact plants. Pkt. 50c.

Large Flowered, 12-20"

America—Double carnation-like flowers of a deep rose pink, Pkt. \$1.00.

Burgundy - Huge single flowers of a rich wine red, white throat. Pkt. 25c. Colossal Shades of Rose — 1948 All-

American. Large plants have huge flowers of light and deep pink shades. Very double with many frilled and fringed petals. Pkt. \$1.00.

Glamour — Huge ruffled blooms of a luscious salmon. Blooms early. Pkt. 25c. Giants of California—Huge flowers of many fine pastel tints. Pkt. 25c.

Little Giants mixed — Compact plants with medium flowers in many new colors and shapes. Pkt. 20c.

Snow Storm — Large plain glistening white flowers with creamy shading in throat. Very beautiful. Pkt. 50c.

Theodosia - Large ruffled flowers of deep rose pink with golden throat. Very showy and lovely. Pkt. 25c.

(a) Culture II, 8-12"

Lovely clusters of showy flowers on low plants from early spring on. Easily grown. Many splendid colors.

Separate colors, each, Pkt. 25c. Mixed, Pkt, 15c.

#### **PINKS—See Dianthus** PINCUSHION FLOWER—See Scabiosa POPPY

(a) Culture IV, (hp) VI, 11/2-3' Gartford—Pastel mixture. Long stemmed. Very rich. A most unusual giant flowering strain. Pkt. 35c.

Iceland mixed—Excellent perennial for borders and rock gardens. Large colorful flowers from ferny foliage, Pkt. 15c.

# ALL VEGETABLE SEEDS 10c PER PACKET UNLESS OTHERWISE NOTED

Oriental Scarlet-Huge red blooms in early summer from perennial root. Useful for bold color. Pkt. 15c.

Shirley, mixed — The easily grown, lovely annual poppy. Many bright colors. Grows easily and self-sows.

#### POPPY, CALIFORNIA-See Eschscholtzia

POPPY, MEXICAN TULIP-See Hunnemannia

#### **PORTULACA—Moss Rose**

(a) Culture, III or IV, 6'

Jewel—Huge crimson flowers. Much larger than old kinds. Pkt. 25c. Single, mixed—Many brilliant colors. Double, mixed—All double. Pkt. 15c.

> POT MARIGOLD-See Calendula

RICINUS-See Castor Bean

#### **SALVIA—Flowering Sage**

(a) Culture I, 2-3'

America or Globe of Fire-The wellknown Scarlet Sage that is a blaze of vivid scarlet in summer. Pkt. 25c.

Blue Bedder—Deep medium blue. Slender plant for airy effect. Use to lighten up thick heavy plantings. Pkt. 50c.

#### SALPIGLOSSIS—Painted Tongue

(a) Culture III, 30"

Mixed - Large petunia-like flowers of rich velvety colors, veined with gold.

#### SCABIOSA—Mourning Bride, **Pincushion Flower**

(a) Culture III or IV, 2'

Blue Moon-Large double flowers of deep lavender blue. Pkt. 15c.

Peace—Round double flowers of pure white. Fine for cutting. Pkt. 15c.

Rosette - Beautiful deep rose flowers with salmon shadings. Pkt. 15c.

Imperial Giants, mixed - Large globeshaped flowers in a wide range of red, white, coral, rose and blue. Pkt. 15c. Mixed-All colors of the old type.

SATIN FLOWER—See Godetia SCARLET FLAX—See Linum SCARLET SAGE—See Salvia

#### SCHIZANTHUS—Butterfly-Flower

(a) Culture II or IV, 11/2'

Mixed—Small flowers shaped like multicolored butterflies. Delicate cut leaves. Free flowering. Pkt. 25c.

#### SEA LAVENDER—Statice

(a) Culture I, 2'

Bonduelli-Bright yellow flowers. Useful when dried. Pkt. 20c.

Mixed—Small tubular flowers in branching spikes. Many colors, Pkt. 20c. Suworowii-Bright rose flowers crowd-

ed on slender spikes. Pkt. 20c.

SPIDER PLANT—See Cleome STRAW FLOWER—See **Everlasting Flowers** 

#### SHASTA DAISY

(hp) Culture VI, 2'

Alaska—Largest of the Shasta strains. Big, white flowers with yellow centers.

SNAP DRAGON—See Antirrhinum

#### SNOW-ON-THE-MOUNTAIN-**Euphorbia**

(a) Culture III, 2'

Bright green foliage edged with white. Effective for edging or contrast. Pkt. 15c.

#### STOCKS—Gilliflower

(a) Culture I or IV, 1-2'

Giant Imperial—Excellent double flowers on tall stems. Many bright colors. Pkt.

Beauty of Nice-Branching, with large double, fragrant flowers. Pkt. 15c.

Dwarf Ten Weeks-Low growing with strong spikes. Many fine colors.

#### **SWEET PEAS**

(a) Culture III, 3'

Early Spencer—Earliest of the many strains. Large colorful, fragrant blossoms. By variety or mixed. Pkt. 15c. Late Spencer—Large fine flowers that flower in early summer. The standard ones for outdoor use. By colors or mixed. Pkt. 15c.

Margaret O'Brien-Salmon-coral diffused with an unusual luminous orange sheen. Pkt. 25c.

Ruffled Spencer - Wavy and ruffled petals give fine effect. Many fine colors or mixed. Pkt. 15c.

Perennial Sweet Pea-Large vine and large flowers. Useful on trellis or fence. Not fragrant, Blooms all season. New stems yearly. Pkt. 15c.

#### **SWEET SULTAN**

(a) Culture II or IV, 21/2'

Mixed—Lovely colorful thistle shaped flowers. Easily grown.

#### SWEET WILLIAM—Dianthus Barbatus

(hp) Culture VI,  $1\frac{1}{2}$ -2'

Double - Double flowers crown the heavy heads of many colors. Pkt. 15c. Single—Lovely single pinks in large flat clusters. Fine for cutting.

# THRIFT—See Armeria TICKSEED—See Calliopsis

#### TITHONIA—Golden Flower of the Incas

(a) Culture I, 6

Fireball—Single dahlia-like scarlet flowers on tall plants. Pkt. 15c.

#### TRITOMA—Red Hot Poker

(p) Culture VI, 3-4'

Pfitzer's Hybrids-Narrow tubular flower on tall spikes, orange red. Graceful grassy foliage. Not perennial under some conditions. Pkt. 15c.

#### VERBENA

(a) Culture I, 8"

Lavender Glory-Lavender with white eye. Large clusters. Fragrant. Pkt. 15c. Mammoth White-Large heads of pure white. Useful for contrast. Fragrant.

Pkt. 25c. Scarlet—Flaming scarlet heads. Brilliant in beds. Pkt. 15c.

Blue Shades-Medium and dark blues in mammoth type. Pkt. 15c.

Mixed—Huge flower clusters, all colors. Ideal for beds and borders. Pkt. 15c.

#### VINCA—Periwinkle

(a) Culture III, 15"

Mixed — Colorful starry flowers on glossy-leaved, bushy plants. Does well in shade. Pkt. 15c.

#### **VIOLA**—Tufted Pansies

(hp) Culture VI, 6'

Mixed — Miniature pansies from neat plants. Flower all season. Many showy colors mixed. Pkt. 20c.

#### WALLFLOWER

(a) Culture I or V,  $1\frac{1}{2}$ 

Mixed—Blood-red and yellow flowers. Resemble single stocks. Early and fragrant.

#### WILD FLOWER MIXTURE

(a) Culture II or III  $\frac{1}{2}$ -3'

Old fashioned flowers in a fine mixture for all season flowering. Sow thinly and enjoy continuous flowers and delightful surprises. These are not wild flowers of the fields but a selection of garden flowers that gives a "wild" garden look when planted in a border. A good way to get acquainted with some of the unusual kinds of garden

#### ZINNIA

(a) Culture I or II

Small Types, 12-18"

Black Ruby — Compact, round little flowers of a deep velvety maroon. Lilliput type. Pkt. 15c.

Red Riding Hood—Deep scarlet flowers across. Free flowering. Fine border plant of Lilliput type.

Lilliput pastels—Lovely soft colors in the miniature strain. Fine for borders or small bouquets.

**Linearis** — Single daisy-like type with small flowers in orange colors. Pkt. 15c.

Mexicana—Single and double flowers in varied and variegated colors.

Navajo mixed—Resemble Gaillardias in shape. Many colors in showy mixture. Medium size plants and flowers. Pkt.

Pumila Sunshine Tints — Dwarf plants with medium flowers in a wide range of soft colors. Pkt. 15c.

Scabious Flowered—Medium size flowers on a semi-tall plant. Resembles Scabiosa in shape. Bright colors mixed. Pkt. 15c.

Tom Thumb mixed—Lilliput type flowers on a very dwarf plant. For low borders and miniature displays. Pkt. 15c.

Fantasy—Medium tall plants with medium size flowers having shaggy petals.

Melody (orchid lavender), Star Dust (golden), White Light (white), Wildfire (scarlet), and Mixed. Pkt. 15c.


Large Types, 2-21/2'
Crown of Gold—Lovely golden shades with deep golden base to the petals. A large type resembling California Giants. Pkt. 15c.

Super Crown of Gold Pastels-New, improved, with many pastel colors overlying the golden base. Pkt. 15c.

Dahlia Flowered mixed—Huge flowers in a bewildering range of bright and pastel colors. Pkt. 15c.

Giants of California, mixed-Mammoth flowers in many striking colors. Largest of all. Pkt. 15c.

Will Rogers—Dahlia type with deep scarlet color. A striking and popular variety. Pkt. 15c.



As every gardener knows, good seed alone can't make a successful garden. No matter how good the seed, it needs proper feeding. Like any living thing, it must be nourished.

As seedsmen, we do everything in our power to bring you the finest of seeds. We select seeds with the right heritage, with the inborn qualities that are needed to win out in the battle every growing thing must fight.

But once our good seed is in your hands, the rest is up to you! So-in your plans to get the best possible results from our good seed, consider carefully the information on plant feeding which we give you here.

Actually, plant feeding nowadays is a rather simple, easy job. While plants need many different elements of food for best growth, all these elements can be provided by one complete balanced plant food such as Vigoro. Without odor or muss, the modern balanced plant food takes care of all the usual plant needs of the garden—and does it inexpensively.

As to the questions of "How, when, where and why"-most of the information you need can be told in a few words. The basic routine of plant feeding for the home garden and lawn is this:

#### For LAWNS:

Follow these 3 steps . . .

- 1. Check to see that grass is dry!
- 2. Apply evenly 3 pounds of complete plant food per 100 feet of area, either with a spreader or by hand.
- 3. Soak the plant food into the ground immediately after ap-

If water is not available merely work the plant food off blades of grass with back of rake. NOTE: If plant food is applied early, before growth starts, steps 1 and 3 do not apply. Early thaws and spring rains work the plant food into the soil.

#### For FLOWERS, VEGETABLES, BERRIES . . .

Apply complete plant food at the rate of 4 pounds per 100 square feet of area before seeding or setting plants. For established perennials apply around plants or along both sides of row early in Spring and at size to eight week intervals. six to eight week intervals.

#### For TREES . . .

Make a series of holes 12 to 18 inches deep with a 2" soil auger or a pointed stick under the drip of the branches. Figure the plant food need per tree by measuring diameter four feet from the ground and allowing 3 pounds of complete plant food

per inch of diameter. Fill holes with a mixture of half plant food and half soil or sand.


As to your choice of plant food: We recommend VIGORO because of its unexcelled balance and its long record of unfailing reliability.

#### Two more gardening aids by the makers of Vigoro

Gardeners in our area are getting a lot of help from two other gardening aids presented by Swift & Company, the makers of Vigoro.


These two gardening essentials are END-o-PEST and END-o-WEED. End-o-Pest provides all the protection most gardens need against chewing insects, sucking insects and fungus diseases. It comes ready to use in a dust gun applicator that's easy to refill with a refill cartridge. End-o-Pest is also available in large economical packages for use in standard dust guns. End-o-Weed is an improved selective lawn weed killer. It kills over 100 weeds, roots and all. And it is easy to apply with the new End-o-Weed Side Spray that applies diluted End-o-Weed to the side while you walk. No pumping . . . no wet feet. The Side Spray fits on an ordinary gallon glass jug. Ask us about these two great gardening aids. You'll find them a real help in making your gardening easier and more successful.

### Year after year VIGORO develops humus in lawn soil



Vigoro helps develop vigorous root systems. Each year as part of the old roots decay, humus (organic matter) is formed in the soil rich, fertile! Your soil becomes more capable of sustaining your lawn





### PLANT FOODS and SOIL CONDITIONERS

Whenever you buy plant foods, remember that the safe place to buy them is th sd store. As seedsmen, we know the plant feeding needs of our area. And our know-how is always at your service.

ALUMINUM SULPHATE—Used in creating acid soils needed for successful culture of Azaleas, Rhododendrons, etc.

BONE MEAL-All-purpose fertilizer, rich in nitrogen and phosphoric acid.

BLOSSOM-SET—Hormone spray. Prevents blossom-drop on Tomatoes, greatly increasing crop. Also causes high percentage of seedless fruit.

FRUITONE — The remarkable hormone spray that stops pre-harvest drop of fruit. Sprayed on flowers of tomatoes it makes a high percentage of the crop SEEDLESS! Also beneficial on beans and on flowers.

**HY-GRO**—Extra-highly concentrated plant food, quickly soluble in water. Excellent starter solution and all-around fertilizer.

**HYPONEX PLANT FOOD**—Can be used in dry or liquid form; teaspoonful makes 1 gallon. Contains Vitamin B1.

**LIME (Hydrated)**—Sweetens sour soil for lawns, and clover. Is used as a reducer and in combination of many insecticides; for whitewash, deodorizing.

very quick source of nitrogen. Hastens maturity of crops. Should not be applied until plants are well above ground. NITRATE OF SODA-Very quick source of

**PEAT MOSS**—Fine winter protection for lawns; also as a mulch on strawberry, perennial beds, roses, evergreens, etc. perennial beds, roses, evergreens, etc. When incorporated in the soil, it promotes growth and supplies humus.

**PLANTABBS**—Clean, white odorless plant food tablets for indoor or outdoor use.

ROOTONE-You can help cuttings to root faster by dripping them in this hormone powder before planting.

ROSETONE—New hormone product designed to reduce loss in transplanting rose bushes and to make them develop better root systems.

ROSE FOOD-A balanced combination of organic ingredients, selected for the par ticular "make-up" and sequence avail-ability that roses need. Improves the color and size of your roses

SOLUBLE PLANT FOOD



Brings a balanced diet right to the roots. Use according to directions on package for starter solution and transplanting. Easy to use.

3 oz. 30c—20 oz. \$1.00 —10 lb. \$4.50. Also in 25, 50 and 100-lb. sizes for estates and larger growers.

Ask for **FREE** booklet

A PRODUCT OF McCORMICK & CO. 

William Comment

fective balanced plant food. Weed-free and rapid in its action. Supplies an abundance of humus and all the essential plant-food elements. SUPER PHOSPHATE—Aids plant nutrition and assists the plant to assimilate other ingredients. An efficient fertilizer element for lettuce, truck crops, cereal crops and alfalfa.

SHEEP MANURE-An economical and ef-

TERRA-LITE (VERMICULITE)—Use as mulch to protect plants during winter; doesn't mat down or become soggy. In Spring, work it around base of plants as soil conditioner. Unexcelled growing medium for flats; aids seed germination, speeds root development. Also excellent for storing root crops and bulbs.

TRANSPLANTONE—New Vitamin-Hormone stimulant effective in reducing transplant shock, and wilt of all kinds of plants or shrubs. Also effective in bringing about earlier maturity on tomatoes, lettuce, celery, peppers, tobacco and cabbage.

VIGORO—The complete plant food. Supplies all the elements growing things need from the soil. Because it offers such complete nourishment, Vigoro helps produce greater yields of finer flavored, more nutritious nutritious vegetables, Produces lovelier lawns and flowers. Clean and odorless.

#### PLANTABBS—Good for Everything That Grows

A Rich Meal of Nitrogen, Potash, Plus Phosphates, Vitamin B1

Feed them PLANTABBS. If you don't get lovelier plants and flowers, and a greater yield of finer vegetables, you get your money back. PLANTABBS are clean, odorless, highly concentrated PLANT FOOD TABLETS which help produce sturdy stems, luxuriant leaves, strong roots and gorgeous blooms. 25.0 50.0 \$1.00 and \$3.50 size roots and gorgeous blooms. 25c, 50c, \$1.00 and \$3.50 size boxes.





makes 6 gallons. Retail I oz. pkt. (packed 72 to case)...... 3 oz. can (packed 36 to case)..... 25c 7 oz. can (packed 24 to case)...... 1 lb. can (packed 12 to case)......... \$1.00 10 lb. drum, makes 1,000 gals..... 8.00 25 lb. drum, makes 2,500 gals...... 15.00 50 lb. drum, makes 5,000 gals...... 25.00 100 lb. drum, makes 10,000 gals...... 40.00

### lerra-Lite VERMICULITE PLANT AID

#### AMAZING NEW GROWING MEDIUM

Most talked about gardening product in years. Terra-Lite stores air and moisture for use by plants as needed. Has no equal for starting seeds-rooting cuttings-building lawns-conditioning soil-mulching-storing bulbs . . . countless other uses all through the year. Sensational results at low cost. 3 sizes. Buy a bag \*Terra-Lite is a registered trademark.

PLANT ALD

### LEGUME INOCULATION

Just as necessary for garden peas and beans, lima beans, sweet peas and lupines as for alfalfa, clover, etc. The nitrogen-gathering bacteria build up the soil, increase your yields. Inoculation is the cheapest form of crop insurance. Packages from the 15c garden size up to 5-bushel size.



| ALFALFA (A)            | SOYBEANS (S)       |
|------------------------|--------------------|
| Sweet, Bur, Hubam      | Size Retail        |
| Clovers<br>Size Retail | 2 bu. each\$ .30   |
| Size Retail            | 5 bu. each50       |
| 1 bu. each\$ .50       | 25 bu. each 2.25   |
| 21/2 bu. each 1.00     | 30 bu. each 2.95   |
| CLOVERS (B)            | (6-5 bu. cans)     |
| Red, Alsike, Crimson,  |                    |
| White and Ladino.      |                    |
| 1 bu, each\$ .50       | Beans (D)          |
| 21/2 bu. each 1.00     | Navy, Pinto, Wax,  |
|                        | String, Kidney and |
| LESPEDEZA (L)          | Great Northern     |
| 100 lb. size (Inocu-   | 1 bu. each\$ .50   |
| lates up to 100 lbs.)  |                    |
| \$ .50                 |                    |
| DEAC (0)               | PEANUTS,           |
| PEAS, (C)              | COW PEAS (E)       |
| VETCHES (All           | 2 bu. each\$ .30   |
| Varieties)             | 5 bu. each         |
| 100 lb. size (Inocu-   | 30 bu 2.95         |
| lates up to 100 lbs.)  |                    |
| ea. \$ .50             | (6-5 bu. cans)     |

LUPINES (All Varieties 100 lb. Size (Inoculates up to 100 lbs. seed)

GARDEN SIZE—Peas, Beans, Sweet Peas, Lupines, Lima Beans and Edible Soybeans. Enough for 8 lbs. seed—Price 15c each.

# INSECTICIDES & FUNGICIDES

#### "PRICES Subject to change"

As is usual in seed catalogs, we must notify you that prices are subject to change without notice. We shall, of course make every effort to maintain our listed prices.

#### **GARDEN SUPPLY PRICES** NOT PREPAID

While prices quoted on garden seed include our shipping costs, this is not the case on our other lines. So, when ordering garden supply items by mail, please remember shipping costs are EXTRA. ANTROL ANT TRAPS—Kills both sweet and grease eating ants.

ARSENATE OF LEAD—Controls practically all leaf-eating or chewing insects.

BLACK LEAF 40-Nicotine Sulphate 40% solution for controlling aphids (plants lice), thrip and soft bodied sucking insects.

BLACK LEAF 40 MOSQUITO-FUMER-New outdoor mosquito killer. Effective "smoke aerosol" deadly to mosquitoes.

BULB PROTECT — Repels moles, wards off fungus diseases from bulbs in

CALCIUM ARSENATE—Cheap quick-acting poison for potato bugs; leaf-eating inBORDEAUX MIXTURE - Standard copper insecticide for controlling black spot, mildew, blight, other fungus diseases.

CERESAN — Controls covered smut and stripe of barlet, oat smuts, and bunt or stinking smut of wheat.

DU PONT FLORAL DUST-Contains methoxychlor, and rotenone. Especially recommended for rose disease control; protection against insects.

DURADUST-A ready-to-use dust for home gardens, contains 5% DDT and 9% metallic copper. Particularly effective on rose chafer, leaf hopper and corn ear worm.

D X SPRAY—Economical spray for both sucking and chewing insects. Harmless to human beings.

LIME SULPHUR, Liquid-A dormant spray material against scale of all kinds.

LIME SULPHUR, Dry-A dormant spray to kill scale or use as a summer spray for control of fungus disease.

MILDEW SPRAY—Strong liquid spray for control of mildew, leaf spot and black spot on rose bushes, flowers.

MO-GO-Kills moles and gophers. Just place in runs. Results guaranteed.

PARIS GREEN-For control of chewing insects, particularly potato bugs.

PESTMASTER-Rose Treatment-All in one package, a pre-mixed, ready-to-use treat-ment for the control of the chief rose insects and diseases.

PHYGON-XL FUNGICIDE—Controls all leaf blights and fruit rot of Tomatoes, black spot of Roses, apple scab and many other plant diseases caused by fungi. A seed protectant to be dusted on Beet, Tomato, Spinach, Swiss Chard, Peppers and other seeds, before planting to prevent seed decay and "damping-off."

#### **ACME GARDEN DUSTS AND SPRAYS**

#### ACME GARDEN GUARD

(.75% Rotenone)

#### Widest range of all insecticides for the garden

Acme Garden Guard controls the widest variety of chewing and sucking insects of any insecticide on the market today. Non-injurious to humans, pets and animals. Use as dust or spray to control aphids, been beetles, asparagus beetles, horn worm, tarnish plant bug, cabbage worms, currant worms, rose caterpillars, blister beetles and other common insects. 1 lb. sifter \$.45; 1 lb. pump gun, \$.60; also available in 4 lb. pkgs, and 50 lb, bags.

#### **ACME 6% CHLORDANE DUST**

#### Outdoors and indoors—for garden, lawn, house

For dusting in gardens and on lawns to control ants, cutworms, chinch bugs, chiggers, earwigs, slugs, snails, sowbugs, sod webworms, wireworms, white grubs, including Japanese beetle grubs, root infesting maggots and many others. In the home for cockroaches, silverfish, carpet beetles, crickets, etc.



ACME

6%

#### ACME ALL ROUND SPRAY



- ACME ,

GARDEN

GUARD

For roses, azaleas, other flowers, shrubs, vegetables and fruit trees. A new, modern, carefully formulated multi-purpose product designed to provide with one application the best available protection against both insects and fungi such as rose chafer, azalea such as rose chater, azalea flower spot, thrip, black spot, downy mildews, leaf spot, many rusts, Japanese beetle, leafhopper, flea beetle, aphis, cabbage worm and many others.

Suitable for dusting as well as spraying.

1 lb. Carton \$.95; 4 lb. Carton \$3.00.

#### ACME DURADUST No. 50



Contains 50% wettable DDT in micronized form. Controls codling moth, oriental fruit moth, leaf hopper, flea beetle, psyllid, potato bug, potato aphid, Japanese beetle, thrip, cabbage worm, rose chafer and many others. Use as a paste of Lead or extended.

spray, like Arsenate of Lead, or extend with inerts for dusting. Highest strength possible in quality processing. 1 lb. \$.75; 4 lbs., \$1.75; also available in 40 lb. bags.

#### ACME BORDEAUX MIXTURE



The most widely used cop-The most widely used copper fungicide for preventing fungous spores gaining a foothold on plant surfaces. Prevents losses caused by blight, rot, mildew, scab, anthracnose, etc. Recommended for vegetables, flowers and ornamentals. Consers and ornamentals.

ers and ornamentals. Contains copper sulphate and lime in equal proportion for maximum protection and minimum burn.

1 lb. carton \$.45; 4 lb. bag \$1.15.

#### ACME ARSENATE OF LEAD



The favorite arsenical insecticide for the control of most chewing insects damaging shade trees, veg-etables, berry bushes, vines, etc. Has no superior for fluffiness and bulkiness. Safe to use on tender foliage.

#### **ACME TOMATO DUST**



general garden insecticide and fungicide with special emphasis on complete tomato protection. Controls early and late blight as well as horn worm, fruit worm and flea beetle on tomatoes as well as on cucumbers, beans, cabbage, potatoes and many flowers such as hollyhocks, asters, roses, azaleas, etc. 1 lb. sifter, \$.50; 4 lb. pkg., \$1.15; also available in 50 lb. bags.

#### ACME LIME SULFUR (Dry)



For use on fruit trees, rose bushes and nursery stock after leaves have fallen and before they appear in the spring to protect against scale, peach blight, leaf curl and twig borer. For summer spraying against scab, root, blotch, red spider and mites. 1 lb. \$.49; 5 lb. \$1.85.



**GARDEN INSECT** SPRAY **KILLS** MORE **GARDEN** INSECTS

THE

**NON-POISONOUS** 

DORMANT SPRAY

Spray every fruit tree, As soon as insects apshade tree, shrub and pear in the garden, spray vine with Scalecide in the with D-X. Kills both Spring before buds start. sucking and chewing in-Safe, simple, effective. sects. Dilutes 1 to 600.

#### WEED-NO-MORE

MITE

#### MAGIC WEED KILLER

2, 4-D. Rids lawns of ugly weeds such as dandelion, plantain, chickweed, ragweed, poison ivy, poison oak and many others without injury to common lawn grasses. Just mix with water and spray. 8 oz. bottle covand spray, 6 oz. Dottle covers average lawn. The handy applicator to fit a gailon or haif-gallon jug simplifies the job. 8 oz. \$1.00; Qt. \$2.98; Applicator \$2.90. \$.39.



RABBIT SCAT—Keeps rabbits out of the garden, protects bushes and trees, repels birds from grape vines. A repellent, not a killer.

**RED ARROW GARDEN SPRAY**—Contains Pyrethrum, Rotenone, Soap. Harmless to animals.

**RED ARROW DUST**—Use as spray or wash for fruits, flowers, vegetables.

RED RIVER POTATO MIX—Contains 9.5% Wettable DDT, 15.1% Metallic Arsenic, 25.7% Metallic Copper. Controls all insects which eat the leaves, suck sap, irritate leaf surfaces of cause disease infection. Acts as a stomach poison and by contact. High copper content.

**SCALECIDE**—Reliable spray for scale and soft-bodied sucking insects.

**SEMESAN**—Effective in controlling damping-off, scab, hard rot, etc.

**SEMESAN BEL** — For use on potatoes. Controls many seed-borne diseases.

**SNAROL**—An insecticide bait to combat snails, cut worms, sow bugs, grasshoppers.

SDM:

spergon seed protectant—A powder to be applied to seed before planting to prevent "Damping-off," particularly in cold wet weather. Recommended for Peas, Beans, Lima Beans, Corn and other seeds, it is easy to apply to the seed and non-injurious to the user. NON-TOXIC.

**SULPHUR, DUSTING**—For controlling powdery mildew, blight, black spot, rust and most rose diseases.

**SULPHUR, WETTABLE**—An improved sulphur which can also be used as a liquid spray.

SYNKLOR CHLORDANE INSECTICIDE— Controls ants, chinch bugs, grasshoppers, Japanese Beetles and many other insects; roaches, ticks and wire worms.

# Rabbit Scat

Now you can keep those pesty, nibbling rabbits out of your garden—with Rabbit Scat! Rabbit Scat is a repellent, not a killer, does not hurt soil, plants, animals or people. It lasts through a number of storms and stays effective.

Rabbit Scat protects your bushes and trees all year . . . repels pigeons from lawns and buildings . . . keeps birds away from grape vines. Scatter Rabbit Scat around the outside of the garden and the rabbits stay out.

6 oz., \$1.00; I lb., \$2.50.

Works. 6 oz., \$1.00; 1 lb., \$2.50.



#### ANTROL-ANT TRAPS

Metal traps containing two types of material that attract and kill grease and sweet-eating ants.





# SNAROL Cutworm Bait

Non-injurious to vegetation. Attracts and kills cutworms, snails, slugs, sowbugs, earwigs.

1 lb., 35c; 2 1-2 lbs., 75c



Controls most chewing insects, sucking insects and fungus diseases. Packed in cartridge-refillable dust guns or spout pouring cannisters. Use with confidence on edible fruits and vegetables. Made by Swift, maker of Vigoro, it's

ALL THE PROTECTION MOST GARDENS NEED!



### DU PONT METHOXYCHLOR

**50% WETTABLE POWDER** 

This new insecticide, because of its low toxicity to humans, can be used on vegetables right up to harvest time. Kills bean beetle, corn borer, potato beetle, Japanese beetle, flea beetle, cabbage worms and many others. Also safe for flowers.

Available in 8-oz. canister—75 $\rlap/c$ 

#### DU PONT DDT

— 50% wettable powder. A highly effective form of DDT for insect control on many plants, lawns and around buildings.

1-lb. canister-75¢



#### DU PONT FUNGICIDE-A

—65% Zinc Ethylene Bis Dithiocarbamate. New, better, safer disease control for vegetables and ornamentals. Stops early and late blight of tomatoes, potatoes; downy mildew of cucurbits. Stops various diseases on chrysanthemums, azaleas and camellias. (Not for roses.)

Available in 6-oz. canister—85 $\phi$ 

#### DU PONT "FERMATE"

—Controls rose black spot, powdery mildew, and rust. Many diseases of other flowers; fruit diseases such as apple scab.

8-oz. canister— $75 \phi$ 



BETTER THINGS FOR BETTER LIVING ... THROUGH CHEMISTRY





#### ROSE TREATMENT

Offers rose growers — in a single packaged formulation—a pre-mixed ready-to-use product for control of the chief rose insects and diseases. 1/2 lb. can \$1.00 1 lb. can \$1.75



#### FLOWER TREATMENT

A pre-mixed insecticide-fungicide combination for protection against rusts, leafspots, anthracnose, scab and the control of many chewing insects. 1/2 lb. can \$1.00

MICHIGAN CHEMICAL CORPORATION, SAINT LOUIS, MICHIGAN

# HOW TO BEAT BUGS & BLIGHTS

on roses and other flowers-

# USE DU PONT FLORAL DUST

You'll have more beautiful flowers when you use Floral Dust. Contains "Fermate" and sulfur for black spot, powdery mildew, rust, methoxychlor and rotenone for Japanese beetles, rose chafer, aphids, etc.

Available in 8-ox. dust gun—\$ .79
1-lb. canister— 1.15
4-lb. canister— 3.50

on vegetables-

### USE DU PONT VEGETABLE GARDEN DUST

Safe to use right up to harvest time. Contains methoxychlor and rotenone to control most insects. Contains Zinc Ethylene Bis-Dithiocarbamate for diseases such as early and late blight of tomatoes, potatoes. Safe on cucurbits for downy mildew.

Comes in 3 sizes—8-oz, dust gun—\$ .79 1-lb, canister— 1.15 4-lb, canister— 3.50



BETTER THINGS FOR BETTER LIVING

... THROUGH CHEMISTRY

 $\overline{\Delta}$ 

#### Which insecticide—when?

When you're in doubt about your choice of insecticides, ASK US! We generally know the right answer—and if we don't, we'll try our best to get it for you!



Black Leaf 40 kills aphids and similar sucking insects by contact and fumes. No burn. No stain. Also delouses poultry. Backed by 40 years of use. Black Leaf Garden Dust contains nicotine, pyrethrum, rotenone and a fungicide for insect and disease control.

**Black Leaf Rotenone Dust** contains rotenone and sulphur blended on a special carrier material.

# RED ARROW

GARDEN SPRAY

Non-poisonous. Kills most chewing and sucking insects quickly, safely. 1 oz. makes several gallons of spray.



1 oz., 35¢; 4 oz., \$1.00; Pint., \$2.85

Ask for free booklet How to Fight Garden Insects

# RED ARROW



Non-poisonous — spray or wash. Kills bean beetles, cabbage worms, etc. Dust about every 10 days.

2 lb.....60c — 5 lb.....\$1.35 50 lb. drum (1% Rotenone) 22c per lb.

A PRODUCT OF McCORMICK & CO.



# DEPENDABLE PEST CONTROLS FOR HOME AND GARDEN

A BUG-GETA Pellets—Kills Snails, Slugs, Cutworms—handy, easy to use. Economical metaldehyde-arsenical bait in pelleted form. These pellets are easy to distribute in "hard to reach" areas and go 4 times further since they hold up longer than old style meal bait mounds.

| OR | 100—12 | oz. | package   | 35c  |
|----|--------|-----|-----------|------|
| OR | 101-2  | lb. | package   | 75c  |
| OR | 102 5  | lb. | package\$ | 1.50 |
| OR | 103-25 | lb. | package   | 6.25 |

B ORTHO Rose Dust—just the thing for you gardeners who prefer to dust. It comes in a handy, ready-to-use pump-gun containing the newly approved insecticide lindane, and DDT—plus the highly-effective fungicides sulfur and ferric dimethyl dithiocarbamate. A fine multi-purpose control of many chewing and sucking insects and plant diseases. Control these pests easily, economically and effectively — gives your Roses and many other flowers just about all the protection they need with ORTHO Rose Dust. ORTHO Rose Dust saves you extra time and labor. It does several jobs in one treatment—saves buying other specific materials. May be used all summer at 7 to 10 day intervals during the growing season. If you prefer to spray, ORTHO Rose Dust may be mixed with water.

C VOLCK Oil Spray—The finest oil spray on the market for control of Mealybugs, Scale Insects, Red Spiders, White Flies and certain other garden pests. Very effective killing action against many hard-to-kill sucking insects. Kills insect eggs by enveloping, wetting and smothering. VOLCK Oil Spray can be readily mixed with water and applied to plants with almost any type of sprayer. Also, it is an excellent spray carrier as it provides better contact with insects or plant surfaces and retards weathering off of residual materials applied. May also be used as a plant polish. VOLCK Oil Spray has been used successfully for over 20 years by gardeners and farmers throughout this country and in many foreign lands. It contains highly-refined oil plus emulsifiers and special spreading and wetting agents to insure maximum coverage of p'ants and pests. VOLCK Oil Spray is economical...every drop works.

 OR 122—4 oz.
 35c

 OR 123—1 pint
 70c

 OR 124—31 oz.
 \$1.25

 OR 125—1 gallon
 2.85

D ISOTOX Garden Spray — Economical, modern multi-purpose spray containing the sensational new lindane insecticide. Effective general foliage spray against Aphis, Thrips, Beetles, Roses, Camellias, other flowers and shrubs against many chewing and sucking insects. Control Wireworms, many soil pests, also Earwigs, Lawn Moth, (Sod Webworm), Flies. Has very broad usage.

| OR 111—4 oz\$ | 1.00 |
|---------------|------|
| OR 112—pint   | 2.95 |

E ORTHORIX Spray — Astounding new fungicide for year round use. Controls Mildews—Rose mildew, Peach leaf curl, San Jose Scale and many other plant pests! For both foliage and dormant sraying of flowers, fruits, ornamentals and berries. Excellent soil corrective. Contains remarkable wetting agent that makes every drop highly effective. Here's what John Paul Edwards, eminent rose grower, says, "I was able to completely control powdery mildew on my roses and produce plants with outstanding luxuriant green foliage and an abundance of blooms . . . simply by use of ORTHORIX Spray."

| OR | 114—pint    | <b>7</b> 5c |
|----|-------------|-------------|
| OR | 115—quart\$ | 1.25        |
|    | 116—gallon  |             |

F TRIOX — Here's what you've been looking for to get rid of those weeds on driveways, curbs and gutters, paths, brick or gravelled walks, tile patios . . . or along fences and around the garage and similar structures. Kills weeds, poisons soil and prevents plant growth 1 to 2 years! Do away with slow, back-breaking hoeing and grubbing. Kill weeds the easier chemical way with TRIOX. Simply mix with water—apply with sprinkling can or sprayer. Economical.

| OR | 1181  | quart | \$1.00 |
|----|-------|-------|--------|
| ÓR | 119-1 | 2.2   | 3.50   |

TRD. MKS. ORTHO, VOLCK, BUG-GETA, ISOTOX, TRIOX, REG. U. S. PAT. OFF.



CALIFORNIA SPRAY-CHEMICAL CORP.



#### NEW ANT KILLER

Controls all species. They do not have to eat it. Kills by contact; vapors ingestion. Gives complete clean-up within 24-hours. Ideal for home and gardens. Contains 5% CHLORDANE.

6-oz. sifter can......35c 1-pound sifter can.....75c

#### NEW (all-in-one) FRUIT TREE SPRAY for the man with a few fruit trees

Nothing else needed. Controls all insects and diseases of fruit trees. Contains 2 toxicants, 2 fungicides. Highly concentrated. 3-ounces makes 5 gallons of spray.

1-pound can.....\$1.00 1-pound bag.....\$3.25

# Niagara FARM AND GARDEN BRAND



# POMO-GREEN

WITH NICOTINE

The leaf-green dust or spray for effective control of black spot,

mildew, aphis, and many chewing insects on roses and other flowers.

1 Lb. Can \$1.00 5 Lb. Can \$3.85



# KOLO

FRUIT TREE **DUST OR SPRAY** 

A highly efficient and safe insecticide-fungicide combination for home fruit grow-

ers. Apply as a dust or spray for protection against the most important insect and disease pests of peaches, apples, pears, plums.

1 Lb. Bag 55c

3 Lb. Bag \$1.35



# SOILFUME

(100% Ethylene Dibromide)

The newest and simplest method of fumi-

gating soil against nematodes and wireworms. "Just drop a capsule." 100 capsules treat 100 sq. ft.

100-Capsule Bottle \$2.00 200-Capsule Bottle \$3.25

# VEED KILLERS

Our week killer department, as usual, is keeping right up with the times. And that's saying a good deal, nowadays, when miraculous developments in weed killing are coming so fast.

Ever since the new selective weed killers began to appear, we have kept in close touch with leading authorities on this work. Therefore, we KNOW the new weed killers thoroughly, and can safely advise you about their use.

For weeds that are not controlled by 2, 4-D, we have all the other good killers you need, including:

AMMATE WEED KILLER. Effective for control of poison ivy, ragweed, Canada Thistle, and other troublesome weeds. NON-SELECTIVE WEED KILLER (Acme) —A quick acting arsenical product that destroys weeds and all other vegetation. The proper killer for weeds in drive ways, tennis courts, paths, and all areas which must be kept free of plant growth. Creates a sterile soil condition for a long period.

# KILL Crab Grass

WITHOUT DESTROYING Lawn Grass



Rid your lawn of unsightly Crab Grass and enjoy the beauty of smooth, luxuriant turf. **ZOTOX** kills Crab Grass in 3 to 5 days without destroying good lawn grasses. Easy to use—simply dilute with water and spray it on. A 16 Oz. bottle makes 10 gals, and treats 2000 sq. ft. or more. Tested and recommended by leading turf experts. Proved by years of success. Prices: 8 Oz. bottle \$1.00; 16 Oz. \$1.50; 32 Oz. \$2.50; 5 lbs. \$4.50.

#### WEED BURNERS

For some of the toughest weed problems, there's nothing better than a good weed burneer. The extremely hot and concentrated flame is totally destructive. It consumes not only weeds but destroys insects, too. It can burn out stumps and even crack rocks.

Once you have used a good weed burner, you'll wonder how you ever got along without it!



Famous No. 99

Kills all weeds with fire

agricultural authorities. Endorsed by leading Endorsed by leading agricultural authorities. 2000° F. flame kills stalks, seeds and roots. Destroys insects, cracks rocks, burns out stumps . . . . 99 other uses. Burns only 6% kerosene and 94% air. OUTFIT INCLUDES 4 gal. all-welded tank, brass pump, 60 lb. air gauge, 7' oil resisting hose, bronze valve, and seamless steel removable call burgers. Nothing also to buy. Guaranteed for coil burner. Nothing else to buy. Guaranteed for a full year. (Spray attachment if desired, \$3.50 extra.) PRICE AEROIL No. 99 SENIOR FLAME GUN, \$22.

# use End-o-Weed to PrayWEEDS AWAY

 Destroys weeds, roots and all, quickly. Kills dandelion, chickweed, plantain and over 100 other lawn weeds.

> Presented by Swift





# NEW IMPROVED EEDON


Contains the powerful 2,4,5-T and 2,4-D

Now Weedone kills woody plants as well as dandelions, plantains and other lawn weeds, without killing grass. It kills poison ivy, poison oak, the brambles (blackberry and raspberry), honeysuckle and over 90 other woody plants. Sprayed on top and sides of tree stumps, it prevents resprouting.

The new, improved Weedone does not give off vapors that cause injury to rose bushes, tomatoes, flowers or ornamental shrubs. Harmless to humans and animals.

8-oz. can \$1 1-qt. can \$2.75 1-gal. can \$6.95 5-gal. can \$25

Weedone Plastic Applicator. Cap makes handy 1/2-oz. measure and fits any screw-top





#### 2, 4-D for the farm

Now that practically everybody is using 2, 4-D preparations for lawn weed control, the 2, 4-D spotlight is centered on farm uses.

2, 4-D, properly used, is one of the greatest of all farm developments. Everywhere, farmers are getting amazing results in time and money savings and increased yields.

We can help any user to plan wisely in using 2, 4-D. Just ask us!

### "Green Thumb" Garden Gloves

They really have a green thumb and their chamois-like fabric is impregnated with a special treatment

which makes them dirt-repellent and remarkably long wearing. Every gardener needs a pair of these attractively styled gloves to protect her hands. Washable, non-shrinking.

Sizes small, medium and large 79c

MASTERS FERTILIZER MISER

#### Sows Fertilizer and Grass Seed Evenly-Saves Plant Food—Saves Seed Every Ounce Controlled

New design spreader with fingertip microscopic control; years ahead in ease and accuracy of operation.

Three Home Lawn Models 25S Steel wheels, 20 lb. cap. \$6.75 25D Rubber tires, 20 lb. cap. ..... 30 Rubber tires, 50 lb. cap. ...

For larger users-estates, golf courses, etc. 241S—Steel wheels, 24" 75 lb. cap. ... 241D—Rubber tires, 24" 75 lb. cap. ... \$27.50

\$35.00 361-Steel wheels, 36" 120 lb. cap. ... 361D-Rubber tires, 36" 120 lb. cap. . \$44.00 361SD—Stainless steel bottom, 36", 120 lb cap. ..... \$52.75

MASTERS PLANTER COMPANY Benton Harbor, Michigan

#### **BEMIS** EROSIONET



Prevent seed washouts, grow beautiful lawns and terraces with one seeding by using this open-mesh woven paper fabric to hold seed and soil in place.

# GARDEN SUPPLIES

If you want to ENJOY your gardening . . . if you want better results with less effort . . . we can help you in many ways. We know which tools are best for each job—and just which of the new "gadgets" are really good. Our selection of garden-aids is sound, and sensible. We choose each item for just one of two reasons—improved results or saving of effort.

That's why gardeners can shop with confidence here!

#### BIRD HOUSES AND FEEDERS

Window Bird Feeders-Provides an opportunity to study your bird companions from your window. Ideal for shut-ins and a real companionship for any bird lover. a real companionship for any bird lover. **Bird Houses**—A great deal of pleasure can be derived from the birds that will be attracted to your yard by putting out a bird house or two. We carry many types and styles for bird lovers to choose from.

#### WILD BIRD SEED MIXTURE

Feed your feathered friends the year round with this tempting mixture. All types of wild birds relish this seed. Don't forget to give them plenty in the winter months.



Patented individual hothouses protect seedlings, young plants during critical period of root young plants during critical period of root establishment against FROST HOT SUN, STORMS INSECTS. Hotkaps ripen plants 3 weeks earlier, increase GARDEN PACKET of

yield 18% to 51%. G 25, only 70c. Setter free.



Strong, dark green visible" tapes with visible' tapes with wire reinforcing — protect stems, permanently support annuals, perennials, vines, shrubs, and vegetables speedily and permanently. Box of 200, 4-inch size 25c; box of 100, 8-inch size 25c; box of 100, 16-inch size 50c.

NEW! Pkg. of 50, 8-inch size 15c; pkg. of 35, 8-inch size 10c.



Ideal support for S W E E T P E A S, G A R D E N P E A S, POLE BEANS, CU-CUMBERS, TOMA-TOES. Hung in 5 minutes. Doesn't rot like string, nor burn tendrils like wire. 3 1, 65c; 60-lnch x 96-linch, \$1.25.

sizes 60-inch x 72-inch, 65e; 60-inch, 85c; 60-inch x 180-inch, \$1.25.

#### **GARDEN GLOVES**

**Garden Gloves**—Protect your hands—wear gloves in your garden! Canvas or leather, in sizes for men and women.

#### GARDEN HOSE

VISIT OUR STORE for our newest offerings. Garden hose is now available in good quality and quantity.

#### LABELS

Pot or Garden Labels (Wooden)-Used for marking plants in pots or seed flats. 4 inch, 6 inch, 12 inch.

Wood Tree Labels, Wired. Painted wooden labels equipped with wires, for marking trees or shrubs; also used extensively for labeling dahlia tubers.

#### PLANT BANDS

Square bands hold almost twice the number of plants as round pots of the same size. 2 in. size, packet of 30, 25c, (Ask for prices on larger sizes and quantities.)

#### **PLANT SUPPORTS**

Bamboo Stakes—Green, pencil-thickness. Damboo Stakes—Green, pencil-thickness. 2 ft, 3 ft., 4 ft.

Dahlia or Garden Stakes — Wooden —
Painted green. Strong and durable. Almost rot-proof. Will last several seasons. For supporting dahlias, young trees, etc. 4 ft., 5 ft., 6 ft.

#### POTS AND SAUCERS

Red Paper Pots. Excellent for growing seedlings or for packing plants for shipment.  $2\frac{1}{4}$  in. to 6 in. diameter.

Protects your

GARDEN

SCARE-AWAY the modern scarecrow Shiny aluminum strips crackle and flash. Scares birds away. Easy to use.

Pkg. of 10 only 25c PAT. PENDING

for Your Garden Quick-ties

Round cushion, wire center "Quick-ties" are weatherized with resin to last an entire season.

Pkg. of 80 only 25c

#### See Scare-Away at our store

You have to see SCARE-AWAY to appreciate it. Doesn't harm the birds but just makes them shy away! The reflected light and crackle and rattle do the trick!



The Ideal Bulb Sprinkler for Home and Garden

Clean

Handy

Attractive

MOST Practical and enjoyable method of watering or spraying plants and seedlings.

LASTS Indefinitely — curved stem and detachable sprayer are made of plastic materials (various colors). Bulb of quality green rubber.

Preferred among plant fanciers-The New Double Duty Plant Fountain is greatly preferred to the clumsy water-pitcher or old fashioned watering can.

101 Uses-Plant growers and seedsmen say 'It's tops!"



# **GARDEN TOOLS**

The next time you get into your tool shed or garage, or wherever you keep your garden tools, look them over! Try to remember how long it has been since you first brought them home. Then—if you want a real thrill—come into our store and see what the modern tool designers have done for you!

Here is a very brief outline of tools now available. But, better yet, come in and see for yourself.

CULTIVATORS, Speedy—4 sharp curved tines, 4 1/3 ft. handle.

Norcross-Adjustable steel teeth.

Hand Cultivator Weeders-3 or 5 prong.

FORKS, Spading-4 tines, D handle, light and heavy weight.

Hay Fork-Bent handle, 3 or 4 tines.

**HOOKS, Grass (Sickles)**—Various styles, well balanced designs. Wood handles.

Potato Hooks-4 broad tines, tumbled.

SHEARS, Grass—Pinch-proof handles.

Hedge Shears—8 or 9 inch blades.

HOES, Field or Garden—Various styles.

Onion Hoe—Square top pattern.

Scuffle Hoe—8 inch blade; straight handle. Warren Hoe—Pointed steel head.

KNIVES, Asparagus—10" with V-shaped

Budding, Propagating, and Pruning Knives. See our selection.

Edging Knife—Half-moon blade.

SCYTHES, Grass, Weed and Bush—Best crucible steel. Visit our display!

SHOVELS, Square Point—Long and D handles.

Round Point Shovel—Long D handle.

RAKES, Steel, Curved Tooth—Straight handles; teeth on head  $1/4^{\prime\prime}$  thick.

Steel, Straight Tooth Rakes-Level head. Wood Rakes—Rigid and strong.

Bamboo Rakes — Fan shaped, strongly

Steel-Broom-Rake—Flat, spring-steel teeth.

**PRUNERS, Tree**—8 ft., 10 ft., 12 ft. **Pruning Shears**—Again available in several styles.

Flower Gathering Shears—They cut the stem and hold the flower for you.

SPADES, Square Point-Flat Blade, D

TROWELS-All-Steel Garden-Made of one piece of rigid steel; shaped ventilated handle.

Transplanting Trowel-6" blade of solid

WEEDERS, Hand-3 steel prongs; short

Lawn Weeder—Curved forged-steel Weeder and Hoe Combined—A -Curved forged-steel blade. saver.

Dandelion Weeder-V-shaped design.

# Planet Jr.

GET MORE DONE WITH LESS EFFOR



Planet Jr. Single and Double Wheel Hoes have been designed by practical men to do the proper kind of work-the way you want it done.





Planting with a Planet Jr. Seeder has many advantages. The No. 35 Seeder Attachment is ideal for a small garden.

Planet Jr. Edg-ers—neatly and with minimum effort. PLANET JR. Garden Trowels fit naturally

Miles of walk are edged with

in your hand. Bulb Trowel is extra Trowel is extra long with three notches 3, 4 and 5" from tip, to control depth. planting



### **GROWTH AIDS**

Plant hormones, the modern garden wonder, can do many amazing things. They stimulate seed germination, make cuttings root faster, give you better seedlings, help transplanting by reducing shock and wilt. They stop fruit and blossom drop, produce better tomatoes, beans, etc., and help in many other ways.

But, for the best results, be sure you have the right hormone for each purpose! We have them all and can advise you about their correct use.

#### FASTER, SURER ROOTING

for cuttings, seeds and bulbs



#### the plant hormone powder

Rootone stimulates the natural tendency of seeds, cuttings and bulbs to put out roots. Rooting is faster and heavier, resulting in bigger, earlier plants. Endorsed and used by leading growers everywhere.

Trial packet, 25c • 2-oz. package, \$1 1-lb. can, \$5

#### LOVELIER ROSES



(TRADEMARK)

Before setting out rose bushes, soak bare-rooted plants in Rosetone solution. Also water established plants with Rosetone. Plants take hold quickly and bear finer, earlier roses. Indispensable for the rose enthusiast.

> 1/2-ounce package, 25c 3-ounce can, \$1

# NO-SEED HORMONE

#### FOR TOMATOES



Grow EARLIER, larger, meatier, more delicious TOMATOES, more more delicious TOMATOES, more on each plant, with this approved plant hormone. Just mix with water and spray. Stops blossom-drop; makes blossoms set fruit chemically. Tomatoes ripen up to 3 weeks earlier. Fruits are larger, firmer, more delicious. Many are SEEDLESS because fruit is set chemically, not by pollen. Use on STRAWBERRIES, peppers, cukes, others. Tested by USDA, leading Universities, Fla., Colo. Expt. Stations. New low prices. 4 oz. bottle (makes I gal.) 75c; Pint (makes 4 gal.) \$1.75; Agric. Size (8 oz. makes 50 gals.) \$5.95.

## TRANSPLANT SAFELY

# RANSPLANTONE ®

Transplantone reduces shock and wilt when seedlings and plants are moved. Stimulates root growth so that fewer seedlings die and more come to early, healthy maturity. Used to water plants, shrubs and trees, Transplantone encourages growth and bloom.

1/2-oz. packet, 25c • 3-oz. package, \$1 1-lb. can, \$4

### MORE TOMATOES!

# Fruitone.

Spray Fruitone at blossoming time and each plant will set more fruit and bear more big, meaty tomatoes. Spray Fruitone for bigger crops of beans and lima beans, too. The dollar package makes 25 gallons of spray.

2/5 oz. packet, 25c • 2-oz. package, \$1 12-oz. can. \$5



### NATURAIN From 2-inch trickle to 25-foot spray, at will!

April showers anytime of year—with this marvelous new method for watering lawns and gardens. No constant shifting . . . no water waste, Connects in a jiffy, Comes in 5 foot units, weight only 12 oz. Use 5 ft. to 30 ft., according to size of your garden. Primary unit, \$2.95; extension units \$2.75 each.



low angle sprinkler Highest point of stream only above ground. Working parts bronze and stainless steel. Waters scientifical-ly at any pressure from 5 lbs. up. \$6.75 Fair



A slow swinging fan of gentle penetrating rain. Covers 40' x 50' at 35 ths. pressure.

Fair Traded

\$6.95

# POWERED BY YOUR GARDEN HOSE! Hayes Jr. 200

GARDEN SPRAY GUN

Full 3-gal. ca-pacity. Delivers

wet, fan-shaped spray in proper proportion, up, down, sideways. Special long-stream head for trees. Precision-built for years of service.

# Hayes

Fertilize while you water! Lift thumb to water, lower thumb over vent to apply liquid fertilizer, lawn moth control, weed killer. Holds equivalent of 15 gals. solu-



#### Hayes SUDZIT CAR WASHER

Soaks, applies dirt-lifting suds, rinses, in one operation! For cars, porches, screens, etc. Includes enough detergent to wash 24 cars, applicator, sponge. \$4.95

Let Us Show You These and Other Famous Hayes Products

. HAYES SPRINKL-AIR HAYES-ETTE NOZZLE . HAYES HAN-D SPRAYER



Easy to Use . . . Efficient

#### SPRAYERS and DUSTERS

#### **HUDSON "SIMPLEX" PERFECTION**

The Higher the Pressure, the Tighter the Seal Simplest, safest, most dependable compression sprayer ever made. Cover seals from inside of tank . . . pressure provides positive leak-proof seal. Holds 4 gallons. All-welded tank. All-angle nozzle. Comfortable carrying strap with  $2\frac{1}{2}$ "x734" pad. HUDSON CLIMAX. Same advanced design but with 31/2-gallon tank, regular straps, fixed

angle nozzle. HUDSON CLIMAX JR. Same as Climax except 23/4-gallon capacity.

lunso



#### Big Value at Low Cost **HUDSON Funnel-Top SPRAYERS**

HUDSON LEADER. Premium quality materials and workmanship. Funnel-top for lock. Holds 3½ 1 nump. Valve easy filling, Screw-type gallons. Large, powerful pump. locks open for continuous spraying.

HUDSON BOOSTER. Similar to above but with cam-type lock, somewhat shorter discharge equipment.

HUDSON BUGWISER. Similar to Booster in 21/2 gallon capacity.

#### No Weeds-No Work **HUDSON 2, 4-D SPRAYER**

Just fill tank with weed-killer solution -pump up-open valve—and push sprayer across lawn. Sprays 24-inch swath. Ideal for liquid fertilizer, too. Copper tank. Chemical-proof hose. Two models— $3\frac{1}{2}$  and  $2\frac{1}{2}$  gallons.



#### **HUDSON Sunshine Porta-Sprayer**

Compact, perfectly balanced, powerful sprayer. Provides 250 lbs. pressure. Use for all spraying work, 15 gallon tank . . . non-clogging agitator on strainer. With or without pressure tank . . . with pneumatic, cushion or steel wheel.

#### **HUDSON ADMIRAL DUSTER**

Large capacity, long reach, powerful blast. Directional nozzle. Discharges just a puff or a blast at will. Easy to fill. A "must" in every garden and home.



#### NEE BERKERSTON HUDSON HOMESTEAD SPRAYER Double-tube nozzle gives twice the spray, twice the coverage. Excellent for small home gardens, for residual spraying anywhere. Brass cap, pump end and syphon tubes. Glass jar holds 24 ounces.

#### HUDSON CRITIC SPRAYER

A flick of the nozzle pin gives fine mist or wet residual spray. Glass jar holds 24 oz. Same principle also in HUDSON MERCURY with heavy tinplate container.



**ASK US** 

about other sprayers





# How? When? HOME GARDENING GUIDE Where? Why?

#### GLADIOLUS

Gladiolus are among the easiest of all flowers to grow. But while they stand neglect better than most plants, they also respond beautifully to proper treatment. So it is well to note these brief points: Soil should be well drained, sandy loam, preferably where no glads have been grown for the past 3 years. Cultivation to a depth of 18 inches is desirable.

Full sun is best, although they do fairly well in partial shade. Glads may be set out as soon as frost is out of the ground, but extra-early planting gains little. A succession of plantings about ten days apart gives a long blooming season.

Depth of planting should be no more than 4" in heavy soil and 5 to 6" in light, sandy soil. Space bulbs 3" apart in rows 18 to 30" apart. Be sure to eliminate air pockets under the bulbs.

Place bulbs in a well worked trench in staggered or zig-zag row—and cover at first with about two inches of loam. When shoots begin to appear, work balance of loam into the trench.

Watering is important. Glads need an abundance of moisture, especially after the plant is well developed.

#### DAHLIAS

Any reasonably careful gardener can grow dahlias easily and successfully.

Soil needs of dahlias are no different than those of a good vegetable garden. Drainage and porosity are important.

Fertilizing calls for nothing more than a good balanced commercial fertilizer.

Planting is simple. Set stout stakes first. Plant the tuber in a hole 6 inches deep, with eye up, and neck near stake. Cover with just enough soil to hide the tuber. As the eye grows, keep filling in soil.

Culture. Cultivate frequently for about the first 10 weeks. Do not cultivate when flowers are in bud or bloom.

Allow only one main stalk to grow. When stalk is about 10 inches high, pinch out the center just above the 2nd pair of leaves. When buds appear, pinch out all except the central one. Also pinch out all new lateral shoots except the two nearest the main stalk. This helps produce large blooms on low, bushy plants and encourages long stems.

#### CANNAS

While cannas will tolerate cold soil, they usually do not start growing until hot

weather comes. If planted in round beds, you will need 37 plants for a 10 foot bed (18 plants on the outside, 12 in the second row, six for the third row and one in the center). A 7 foot bed will use 19 plants, with 12 plants on the outside row, six for the middle row and one plant in the


#### FANCY LEAVED CALADIUMS


These spectacular foliage plants are particularly valuable because they do well in shade. Start them in a mixture of half sand and half leaf mould at a temperature of over 70 degrees. When the roots are well-developed and the shoot is beginning to show, pot up in rich soil. Set out in the garden when weather is warm and settled. Elephant ears can be planted directly in soil out of doors, but the weather must be warm and settled, otherwise they rot.

#### LILIES

Even the swamp lilies will not tolerate wet feet; all must have perfect drainage. Yet they like a moist, cool soil. This means that liberal quantities of old well-decayed compost is almost essential for


#### CACTUS DAHLIA





Formal Decorative

#### POMPON DAHLIAS



# AN INVESTMENT THAT PAYS GOOD DIVIDENDS

Few garden flowers pay such high dividends as bulbs and tubers!

Lasting for years . . . they return your investment over and over . . . by giving so much beauty for such little care, or cost, or effort.

# WHEN IS A "BULB" NOT A "BULB"?


Do you know the difference between true bulbs, corms and tubers? A true bulb is a bud, wrapped with fleshy scales which are the bases of leaves. Each bulb must have a period of dormancy, during which time the new plant in all its details of leaves, petals, stamens, and pistols is formed.

CORMS resemble true bulbs in appearance, but the embryo flowers are not formed within the heart of the corm itself. They are developed rather by the corm's hoarded supply of nourishment. The corm differs also from the true bulb, in that its life is for one season.

TUBERS differ from true bulbs in that they are underground stems with eyes or buds on the surface. While some tuberous roots exhaust their energy in one season, and leave the newly developed roots to carry on, others rebuild their energy, increase in size, and give bloom the next season.

#### PROPER BULB PLANTING

Take special care to plant your bulbs the right depth, as shallow planting causes much failure in successful bulb growth. While proper planting depth varies with soil conditions, you'll be safe in following the rule of covering the top of the bulb with soil equalling three times its greatest diameter. In preparing the planting pocket for your bulbs, be sure the bottom is broad enough to permit the bulb base to rest on the soil. If an air pocket is left, the roots are quite likely to dry out before the bulb has had a chance to start its growth.



# BULBS AND TUBERS

### FOR SPRING PLANTING

#### **GLADIOLUS**

Algonquin—Exhibition Scarlet.

**Beacon**—Clear bright scarlet, with large creamy blotch in throat. Medium size flowers, ruffled.

**King Lear**—Clear deep reddish purple with silver line on edge, Large and heavily ruffled, Early.

**Phyllis McQuiston**—Large deep glowing shrimp pink shading a little lighter in throat. Long spike with several flowers open at once.

**Rewi Fallu**—Deep blood red large blooms on tall straight spikes. Early. **Snow Princess**—Large pure white flowers on tall straight stems. Several open at one time.

**Stoplight**—New brilliant red, lightly ruffled blooms. Flowers open wide and flat. Heat resistant.

**Minuet**—The most exquisite of the lavender varieties. Several blooms open at a time.

Elizabeth the Queen—Ruffled Lavender. Margaret Fulton—Medium dark salmon pink with apricot shadings in the throat. Picardy—Salmon pink.

Bit of Heaven—Flaming orange with yellow throat.

**Burma**—Very deep rose with wide open heavely ruffled blooms. After the first floret opens practically every bud will show color.

Margaret Beaton—New immense white with orange-scarlet blotch.

**Dr. F. E. Bennett**—Scarlet throat stippled with ruby and white. Big vigorous ribbon winner.

**Gold Dust**—Deep yellow without markings.

**Valeria**—Improvement on Dr. Bennett soft red with a narrow mark of light cream in the throat. Stands heat well; never crooks.

Pelegrina—Deep blue violet.

Chamouny—Rich, light cerise rose with the faintest edging of light rose; perfectly placed florets on tall slender spike, eight or more open at same time.

Ethel Cave-Cole—Spectacular spike of delicate pink, very strong, husky grower. Makes a spike of 9-10 large well placed blooms on a head of 20-24 buds. Fine for cut flowers.

Rosa Van Lima—Clear apple bloom pink.

#### CANNAS

**King Humbert**—Orange scarlet with bright red markings; deep bronze foilage, 4 feet.

**President**—Immense bright red flowers in large clusters. 4 feet.

City of Portland—Glowing rose pink. Large blooms in heavy trusses. 3½ feet.

**Dorothy S**—Large flowers of brilliant salmon red. 4 feet.

#### CALADIUM

John Reed Mary Queen of Scotts Puerto Rico Triomphe De Exposition

**Elephant's Ear**—One of the largest ornamental plants for beds and borders. Huge green leaves give unusual effect.

#### **TUBEROSES**

**Double Sweet Scented**—One of the most fragrant of all flowers. Long spikes of double white blooms.

#### **DAHLIAS**

Jane Cowl—A superb informal decorative dahlia that holds its giant blooms high on rigid stems. Bronze, buff, and old gold, blending to apricot.

Jersey Beauty—The large, full deep flowers are an exquisite pink, a perfect bloom borne on long wiry stems.

Mrs. Geo. T. LeBouttillier—A giant sized deep, rich, velvety carmine. Outstanding.

Mrs. de Ver Warner-Refined mauve

pink; extra large flowers on long strong stems. Free bloomer,

**Gallant Fox**—A brilliant red. Long stems. Has good keeping qualities.

**Avalon**—A pure clear yellow and a large flower.

**Cavalcade**—A dark old rose pink. Very free flowering.

**Rose Glory**—A dark orchid pink with long stems.

# KELLER SEED STORE SHAWNEE



rell:

me,

uds,

oom

nq

# DON'T FORGET MOST KEYSTONE HYBRIDS ARE OKLAHOMA-GROWN AND CERTIFIED

# It's Keller's for Keystones

#### **KEYSTONE 38**

(EARLY TO MEDIUM EARLY)

The outstanding all purpose hybrid

recommended for bottom land or upland

- Accepted as the Outstanding EARLY MATURING Hybrid in Oklahoma.
- ★ Always Found at the Top in Yield, or Near the Top, in Official State Yield Trials and County Agent Tests.
- ★ Won FIRST PLACE in Statewide Seed Show in Arkansas in 1948.
- ★ Produces 2 ears on Fertile Soils.

#### **KEYSTONE 222**

(FULL SEASON)

Bred for the South—Very
Large Grains
ONE TO THREE EARS PER STALK

- ★ Excellent Full-Season Hybrid Won Second Place in Arkansas State Seed Show.
- ★ In One Year in Oklahoma Official Yield Trials, 222 Was HIGHEST YIELDING Full-Season Hybrid in TWO Trials and Second Highest in THREE Trials.
- ★ Has Been Highest Yielding Hybrid in Southeastern Kansas for Two Years, Basis Official Yield Trials in Kansas.
- ★ 148 Bu. Per Acre Yield— Calvin, Okla., this Past Season.

|               | MATURITY        | SOIL TYPE                               | NUMBER OF EARS                            |
|---------------|-----------------|---|---|
| KEYSTONE 38   | Early           | Upland<br>First Bottom<br>Second Bottom | l on Thin Land<br>2 on Fertile Soils      |
| KEYSTONE 39   | Early           | Bottom Land<br>Good Upland              | 1-2 on Most Soils                         |
| KEYSTONE 40   | Medium<br>Early | Upland and<br>Sandy Soils               | 1-2 Long and Tapering                     |
| KEYSTONE 222  | Full Season     | Bottom Land<br>Good Upland              | 2 Ears on 50-75% of Plants—<br>Deep Grain |
| KEYSTONE 106W | Medium          | Bottom Land<br>Good Upland              | 1-2 Long Ears                             |

(All Keystone Hybrids are "Bred" for Medium Soft Grains of Good Feeding Quality, and High Shelling Percentage)

KEYSTONE HYBRIDS are "CHEM-SEALED." Each grain is "sealed" against ROT and DISEASES in cold wet soils—helps seed off to a good healthy start.

### Other HYBRID CORNS Giving Satisfactory Results in Oklahoma

#### IOWEALTH 29 A

Here is a hybrid combining good parent strains from the four corners of the corn belt. High yields, late maturity, tough stalk and roots, drought resistance, mammoth ears and wide deep kernels all describe this fine corn. Best adapted to good soils, but it will also please you on uplands and hills. Lots of ears are a full foot long. It is fine for hand and machine husking. It can hold up lots of vines and it outgrows weeds.

#### U. S. NO. 13 Kansas Grown Certified

This has been a good producer in many sections. Kansas Certified for those who want Kansas grown seed.

#### FUNK'S G-711

Fall medium season, large yellow corn—good yields on bottom lands.

#### WHITE HYBRID 22-34

White corn—Highest yielding white corn in state tests—Certified stock.

# KELLER SEED STORE

Oklahoma's Oldest Seed House

208 E. MAIN STREET

SHAWNEE, OKLAHOMA

TELEPHONE 140





#### FORTY NINER



# KELLER ROSES

For the first time we offer finest quality of roses grown in North California. These roses have proven superior to those grown in other sections for fine flowering hearty bushes adaptable for growing in the central western states.

#### PATENTED HYBRID TEA ROSES

New Yorker (light red)

Tallyho (pink)

Taffeta (pink-yellow)

Rose of Freedom (red)

Crimson Glory (dark red)

Peace (Yellow Pink tint)

Diamond Jubilee (yellow)

Nocturne (red)

Sutters Gold (yellow-red)

#### **FLORIBUNDAS**

Red Pinocchio Pinocchio Goldilocks Worlds Fair

#### INDIVIDUALLY WRAPPED

Giant Quality Roses

- RED -

Poinsettie

Etoile DeHollande

Ami Quinard

Red Radiance

- MULTI-COLORED -

Condesa DeSastago

President Hoover

Talisman

- CLIMBING H. T. ROSES -

Climbing Talisman

Climbing K A Viktoria

Climbing Etoile DeHollande

- PINK -

Pink Dawn

Picture

Editor McFarland

- YELLOW -

Golden Dawn

Mrs. Pierre S. du Pont

Joanna Hill

- HARDY CLIMBERS -

Paul's Scarlet

Crimson Rambler

Climbing American Beauty

### **KELLER SEED STORE**

Oklahoma's Oldest Seed House

208 E. Main St.

**Telephone 140** 

Shawnee, Okla.